

**TETRACYTE FIRST AID AND ANTIBIOTIC TOPICAL- tetracycline hydrochloride ointment**  
**VIADERMA DISTRIBUTION INC**

-----  
**Tetracyte First Aid & Antibiotic Topical Ointment**

***Drug Facts***

***Active ingredient (in each gram)***

Tetracycline HCl 30 mg

***Purpose***

First aid antibiotic

***Use***

First aid to help prevent skin infection in minor cuts, scrapes, and burns

***Warnings***

**For external use only.**

**Do not use**

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites, or serious burns.

**Stop use and ask a doctor**

if condition persists or gets worse.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

***Other information***

- store between 68-77°F (20-25°C)
- may stain cloth

***Inactive ingredients***

Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, methyparaben, sodium hydroxide, sorbic acid, water

***Questions or comments?***

Call 1-800-585-8685 or visit: [www.viadermainc.com](http://www.viadermainc.com)

**Package Labeling:**

## Drug Facts

**Active ingredient (in each gram) Purpose**  
Tetracycline HCl 30 mg . . . . . First aid antibiotic

### Use

First aid to help prevent skin infection in minor cuts, scrapes, and burns

### Warnings

For external use only.

#### Do not use

- longer than 1 week unless directed by a doctor
- in the eyes ■ over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## Drug Facts (continued)

### Other information

- store between 68-77°F (20-25°C)
- may stain cloth

### Inactive ingredients

Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, methylparaben, sodium hydroxide, sorbic acid, water

### Questions or comments?

Call 1-800-585-8685 or visit:  
[www.viadermainc.com](http://www.viadermainc.com)

LICENSED TO: VIADERMA DISTRIBUTION INC  
BY: VIADERMA, INC.

DISTRIBUTED BY: VIADERMA DISTRIBUTION INC.

REPORT ANY SERIOUS ADVERSE EVENTS TO:

VIADERMA DISTRIBUTION INC.  
1050 E FLAMINGO RD., SUITE 107,  
LAS VEGAS, NV 89119

TEL: 1-800-585-8685 [WWW.VIADERMAINC.COM](http://WWW.VIADERMAINC.COM)

MADE IN THE USA

Topical Ointment  
First Aid Antibiotic  
**TETRACYTE**  
Pharma  
VIADERMA

VIADERMA<sup>®</sup>  
Pharma  
**TETRACYTE**<sup>™</sup>  
First Aid Antibiotic

Topical Ointment

Tetracycline  
Hydrochloride 3%



VIADERMA<sup>®</sup>  
Pharma  
**TETRACYTE**  
First Aid Antibiotic

Topical Ointment

Tetracycline  
Hydrochloride 3%



Net Wt. 0.5 oz (15 g)

CONTAINS NO ALCOHOL  
NO ANIMAL INGREDIENTS



8 60004 87820 9

**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR, IN THE EYES, OR OVER LARGE AREAS OF THE BODY. ASK A DOCTOR BEFORE USE IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS BURNS. STOP USE AND ASK A DOCTOR IF CONDITION PERSISTS OR GETS WORSE. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

**VIADERMA<sup>®</sup>**  
Pharma

**TETRACYCLE<sup>™</sup>**  
**First Aid Antibiotic**

**Topical Ointment**

**Tetracycline  
Hydrochloride 3%**



**Net Wt. 0.5 oz (15 g)**

**DIRECTIONS:** CLEAN THE AFFECTED AREA. APPLY A SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1 TO 3 TIMES DAILY. MAY BE COVERED WITH A STERILE BANDAGE.

**DISTRIBUTED BY:** VIADERMA DISTRIBUTION INC.

**REPORT ANY SERIOUS ADVERSE EVENTS TO:** VIADERMA DISTRIBUTION INC.

1050 FLANNING RD. SUITE 107, LAS VEGAS, NV 89119

Tel: 1-800-595-6665 www.viadermainc.com

**MADE IN THE USA**

**TETRACYCLE FIRST AID AND ANTIBIOTIC TOPICAL**

tetracycline hydrochloride ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71262-011
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TETRACYCLINE HYDROCHLORIDE</b> (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACETIC ACID</b> (UNII: Q40Q9N063P)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>DIMETHYL SULFOXIDE</b> (UNII: YOW8V9698H)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-011-01	1 in 1 CARTON	10/10/2024	
1		15 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	10/10/2024	

**Labeler** - VIADERMA DISTRIBUTION INC (081113521)

Revised: 10/2024

VIADERMA DISTRIBUTION INC