PREVAGE ANTI AGINING TRIPLE DEFENSE SHIELD BROAD SPECTRUM SUNSCREEN SPF 50- octinoxate, oxybenzone, octis alate, octocrylene, and avobenzone lotion Elizabeth Arden, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BB0990

DESCRIPTION

PREVAGE Anti-aging Skincare helps protect and correct skin's appearance from environmental threats, a leading cause of visible aging signs, for younger-looking, more beautiful skin. This daily defense shield for face with advanced Idebenone technology delivers triple environmental protection against the visible effects of free radical damage due to oxidative stress from sun, pollution and Infrared-A exposure. Provides broad spectrum sun protection from UVA and UVB rays. Helps to correct the appearance of existing sun damage like fine lines, wrinkles, age spots and discolorations and helps prevent future aging signs. Leaves a soft, matte finish and works well under makeup.

INDICATIONS AND USAGE

To Use: Turn brush head to "On" and squeeze gently to dispense product. Brush lightly across face. Turn brush head to "Off" to store. To clean, rinse brush with warm water and towel dry.

Directions For Sunscreen Use:Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. -2 p.m.. Wear long-sleeve shirts, pants, hats, and sunglasses

WARNINGS

Warnings:

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

OTC - ACTIVE INGREDIENT

Active Ingredients: Oxtinoxate 7.5%, Oxybenzone 6.0%, Octisalate 5.0%, Oxtocrylene 4.0%, Avobenzone 3.0%

INACTIVE INGREDIENT

Inactive Ingredients: Water/Aqua/Eau, Ethylhexyl Methoxycrylene, Nylon-12, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Butylene Glycol, Dimethicone, Propylene Glycol, Methyl Methacrylate Crosspolymer, Caprylic/Capric Triglyceride, Caprylyl Methicone, Isopropyl Isostearate, Ergothioneine, Hydroxydecyl Ubiquinoyl Dipalmitoyl Glycerate, Yeast Extract/Faex/Extrait de Levure,

Tocopheryl Acetate, Soy Amino Acids, Isohexadecane, PEG-40 Hydrogenated Castor Oil, BIS-Vinyl Dimethicone/Dimethicone Copolymer, Hydrolyzed Soy Protein, C20-22 Alocohols, C20-22 Alkyl Phosphate, Cetearyl Alcohol, Coco-Glucoside, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polysorbate 60, Isododecane EDTA, Triethanolamine, BHT, Disodium EDTA, Parfum/Fragrance, Alpha-Isomethyl Ionone, Linalool, Ethylparaben, Methylparaben, Phenoxyethanol, Potassium Sorbate, Propylparaben, Sodium Benzoate, Red 4 (CI 14700), Yellow 5 (CI 19140).

DOSAGE AND ADMINISTRATION

Apply to skin.

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

OTC - PURPOSE

Provides SPF 50 Sun Protection.

OTC - WHEN USING

Keep out of eyes.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Drug Facts

Active Ingredients	Purpose
OCTINOXATE 7.5%	Sunscreen
OXYBENZONE 6.0%	
OCTISALATE 5.0%	Sunscreen
OCTOCRYLENE 4.0%	
AVOBENZONE 3.0%	

Uses

- If used as directed with other sun protection measures (see Directions).

- For external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- m Keep out of reach of children. If product is swallowed, get medical help or

Directions For Sunscreen Use:

- at least every 2 hours
 at least every 2 hours
 Sun Protection Measures. Spending time in the sun increases your fisk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures. including

 ■ Limit time in the sun, especially from 10 a.m. - 2 p.m.

 ■ Wear long-sleeve shirts, parits, hats, and sunglasses

 ■ Children under 6 months. Ask a doctor.

Inactive Ingredients

Inactive Ingredients

WATERIAQUAREAU ETHYLHEXY, WETHOXYCRYLENE, NYLON-12, BUTYLOCTYL,
SALIOYLATE, C12-15 ALXYL, BENZOATE, BUTYLENE GLYCOL, DMETHICONE,
PROPYLENE GLYCOL, METHYL METHICRYLATE CROSSFOLYMER,
CAPRYLIDCAPRIC TRIGLYCERIDE, CAPRYLYL METHICONE, SOPROPYL,
ISOSTEARIATE, ERGOTHOXICENE, HYDROXYDECYL, UBIQUINON LOPALMITOYL,
GLYCERATE, YEAST EXTRACTIFAEXYEXTRAIT DE LEVURE, TOCOPHERYYL,
ACETATE, SOY AMINO ACIDS, ISCHEXADECANE, PEG-40 HYDROGENATED
CASTOR OL, BIS-VMYL, DMETHICONEDIMETHICONE COPOLINAER
HYDROLYZED SOY PROTEIN, C20-22 ALCOHOLS, C20-22 ALXYL, PHOSPHATE
CETEARIYL ALCOHOL, DOCO-GLUCOSIDE, HYDROXYETHYL, ACRILATESODIUM
ACRYLOYLD METHYL TAURATE COPOLINER, POLYSORBATE 60, ISODODECANE,
EDTA, TRIETHANOLAMINE, BHT, DISODIUM EDTA, PARRUMIRRAGRANCE,
ALPHA-BOMETHYL, DNONE, LINALOOL, ETHYLDARABEN, METHYLPARABEN,
PHENOXYETHANOL, POTASSIUM SORBATE, PROPYLPARABEN, SODIUM
BENZOATE, RED. 4 (C) 14700, YELLOW 5 (C) 19140).

Other Information

Questions or comments?

■ Call toll free 1-800 326-7337

prevage

anti-aging triple defense shield broad spectrum sunscreen SPF 50





anti-aging triple defense broad spectrum sunscreen SPF 50 TO USE: Turn brush head to "On" and squeeze gently to dispense product. Brush lightly across face. Turn brush head to "Off" to store. To clean, rinse brush with warm water. See insert or elizabetharden.com for complete directions prior to first use.

ACTIVE INGREDIENTS:
OCTINOXATE 7.5 % W/W, OXYBENZONE 6.0 % W/W,
OCTISALATE 5.0 % W/W, OCTOCRYLENE 4.0 % W/W,
AVOBENZONE 3.0 % W/W

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNING: FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Directions for Sunscreen use: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m., wear long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

Other information: protect this product from excessive heat and direct sun.

Questions or comments? Call toll free 1-800-326-7337

ElizabethArden

Distributed in U.S.A. by © Elizabeth Arden, Inc., New York, NY 10003 elizabetharden.com

Made in U.S.A. No. PRVN00104 U.S. Patent 6,756,045 and other pending/issued U.S. and international patents.



PREVAGE ANTI AGINING TRIPLE DEFENSE SHIELD BROAD SPECTRUM SUNSCREEN SPF 50

octinoxate, oxybenzone, octisalate, octocrylene, and avobenzone lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67938-0990
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 50 mL
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	60 mg in 50 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	50 mg in 50 mL
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	40 mg in 50 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 50 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NYLON-12 (UNII: 446 U8 J0 75 B)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
PROPYLENE GLYCOL (UNII: 6 DC9 Q167V3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL TRISILO XANE (UNII: Q95M2P1KJL)	
ISOPROPYL ISOSTEARATE (UNII: C67IXB9Y7T)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
YEAST (UNII: 3NY3SM6B8U)	
.ALPHATO COPHERO L ACETATE (UNII: 9E8X80D2L0)	
ISO HEXADECANE (UNII: 9 18 X1O UF1E)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
C20-22 ALCOHOLS (UNII: O4M0347C6A)	
C20-22 ALKYL PHO SPHATE (UNII: L4VKP0 Y7RP)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
COCO GLUCOSIDE (UNII: ICS790225B)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODO DECANE (UNII: A8289P68Y2)	
EDETIC ACID (UNII: 9G34HU7RV0)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
ISOMETHYLALPHAIO NO NE (UNII: 9 XP4LC555B)	
ETHYLPARABEN (UNII: 14255EXE39)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PHENO XYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLPARABEN (UNII: Z8 IX2SC1OH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC	:67938-0990-1	1 in 1 BOX		
1 NDC	:67938-0990-2	50 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/14/2011	

Labeler - Elizabeth Arden, Inc (849222187)

Revised: 5/2013 Elizabeth Arden, Inc