

ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled
CVS Pharmacy

Drug Facts

Active ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- store at 20°-25°C (68°-77°F). Protect from light
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water.

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Imodium® A-D†

Anti-Diarrheal

LOPERAMIDE HCl SOFT GELATIN CAPSULES, 2 MG

Controls the symptoms of diarrhea

Suitable for adults and children 12 years and over

SOFTGELS*

Liquid-Filled Softgels*

*Each liquid-filled capsule contains 2 mg loperamide hydrochloride

THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

www.cvs.com

Product of U.S.A.

†This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

Product Label

This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p>Stop use and ask a doctor if <ul style="list-style-type: none"> ■ symptoms get worse ■ diarrhea lasts for more than 2 days </p>
<p>Inactive ingredients butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water</p>	<p>When using this product tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p>
<p>Other information <ul style="list-style-type: none"> ■ store at 20°-25°C (68°-77°F). Protect from light. ■ avoid excessive heat above 40°C (104°F) ■ do not use if carton or blister unit is open or torn ■ see side panel for lot number and expiration date </p>	<p>Ask a doctor or pharmacist before use if you are <ul style="list-style-type: none"> ■ a history of liver disease ■ fever ■ mucus in the stool </p>
<p>Directions <ul style="list-style-type: none"> ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea ■ not for use in children under 12 years of age ■ adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours </p>	<p>Do not use <ul style="list-style-type: none"> ■ if you have bloody or black stool ■ in children under 12 years of age <p>Ask a doctor before use if you have <ul style="list-style-type: none"> ■ a history of liver disease ■ fever ■ mucus in the stool </p> </p>
<p>Drug Facts (continued) <ul style="list-style-type: none"> ■ you get abdominal swelling or biling. These may be signs of a serious condition. ■ if pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. </p>	<p>Warnings <ul style="list-style-type: none"> ■ Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl. ■ Heart alert: Taking more than directed can cause serious heart problems or death. <p>Do not use <ul style="list-style-type: none"> ■ if you have bloody or black stool ■ in children under 12 years of age </p> </p>
<p>Use Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>	<p>Active ingredient (in each capsule) Loperamide HCl 2 mg.....Anti-diarrheal</p>
<p>Purpose Anti-diarrheal</p>	<p>Use Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>



Anti-Diarrheal

LOPERAMIDE HCl SOFT GELATIN CAPSULES, 2 mg

Controls the symptoms of diarrhea

48 SOFTGELS*

*Each liquid-filled capsule contains 2 mg loperamide HCl



Compare to the active ingredient in Imodium® A-D†

NDC 59779-520-48

Anti-Diarrheal

LOPERAMIDE HCl SOFT GELATIN CAPSULES, 2 mg

Controls the symptoms of diarrhea

Suitable for adults and children 12 years and over

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Actual Size
Liquid-Filled Softgels*

48 SOFTGELS* *Each liquid-filled capsule contains 2 mg loperamide HCl

Distributed by: **CVS Pharmacy, Inc.**
One CVS Drive, Woonsocket, RI 02895
© 2017 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

V-14921

#699301

REV # 9/16
PLD-E45J
FC002570

0 50428 42918 1

Lot No.:
Exp. Date:

CVS Quality
Money Back Guarantee

CVS HEALTH Anti-Diarrheal

ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59 779-520
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	P13
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-520-48	4 in 1 CARTON	07/08/2010	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-520-24	2 in 1 CARTON	07/08/2010	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59779-520-36	3 in 1 CARTON	07/08/2010	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	07/08/2010	

Labeler - CVS Pharmacy (062312574)

Revised: 10/2019

CVS Pharmacy