THERA PLUS PAIN RELIEF ARTHRITIS AND MUSCLE- capsaicin cream FOURSTAR GROUP USA, INC.

Thera Plus Pain Relief Cream Arthritis and Muscle

Drug Facts

Active ingredients

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

for the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- atrains
- sprains
- bruises

Warnings

For external use only.

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 18 years of age with an arthritis-like condition

When using this product

- avoid contact with eyes and mucous membranes
- do not bandage tightly

Ask a doctor before use if you have

- pregnant
- breast feeding

Stop use and ask a doctor if

- excessive skin irritation occurs
- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and then occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Adults and children 18 years of age and older:apply a thin film of cream to affected area and gently rub in until fully absorbed unless treating hands. Wash hands thoroughly with soap and water immediately after application
- For best results, apply 3 to 4 times daily
- Children under 18 years of age: ask a doctor

Other information

• store at room temperature 68° - 72°F (20° - 22°C).

Inactive ingredients

cetostearyl alcohol,ethylparaben,glycerin,glyceryl monostearate,mineral oil,peregal O,petrolatum,purified water,stearic acid

Questions?

1-800-639-3803Weekdays 9 AM to 4 PM EST

Package Labeling:



Helps provide relief for sprains, strains and back pain

Pain Relief Cream Arthritis & Muscle

Capsaicin 0.025%

MANUFACTURED FOR: FOURSTAR GROUP USA, INC. 925 GRANT ST., AKRON, OH 44311 USA MADE IN CHINA LOT: EXP:

NET WT. 1.5 OZ (42.5 g)



Drug Facts	Drug Facts (continued)		
Active ingredients Purpose Capsaicin 0.025%Topical analgesic	Stop use and ask a doctor if excessive skin irritation occurs condition worsens or symptoms persist for more than 7 days symptoms clear up and then occur again within a few days		
Uses for the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ attrains ■ sprains ■ bruises	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).		
Warnings For external use only.	Directions ■ Adults and children 18 years of age and older:apply a thin film of cream to affected area and gently rub in until fully absorbed unless treating hands.		
Do not use on wounds or damaged skin with a heating pad	 Wash hands thoroughly with scap and water immediately after application For best results, apply 3 to 4 times daily Children under 18 years of age: ask a doctor 		
Ton a child under 18 years of age with an arthritis-like condition When using this product	Other information ■ store at room temperature 68° - 72°F (20° - 22°C).		
 avoid contact with eyes and mucous membranes do not bandage tightly 	Inactive ingredients celostearyl alcohol,ethylparaben, glycerin, glyceryl monostearate,mineral oil,peregal 0,petrolatum,purified water, stearic acid		
Ask a doctor before use if you have ■ pregnant ■ breast feeding	Cuestions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST		

ed Panel- n bold text

Pain Relief Cream Arthritis & Muscle

Helps provide relief for sprains, strains and back pain

Capsaicin 0.025%

NET WT. 1.5 OZ (42.5 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients Capsaicin 0.025% Purpose Topical analgesic Uses for the temporary relief of minor aches and pains of muscles and joints associated with: \blacksquare simple backache \blacksquare arthritis \blacksquare atrains \blacksquare sprains \blacksquare bruises Warnings For external use only. Do not use \blacksquare on wounds or damaged skin \blacksquare with a heating pad \blacksquare on a child under 18 years of age with an arthritis-like condition When using this product \blacksquare avoid contact with eyes and mucous membranes \blacksquare do not bandage tightly Ask a doctor before use if you have \blacksquare pregnant \blacksquare breast feeding Stop use and ask a doctor if \blacksquare excessive skin irritation occurs \blacksquare condition worsens or symptoms persist for more than 7 days \blacksquare symptoms clear up and then occur again within a few days Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). Directions \blacksquare Adults and children 18 years of age and older:apply a thin film of cream to affected area and gently rub in until fully absorbed unless treating hands. Wash hands thoroughly with soap and water immediately after application \blacksquare For best results,apply 3 to 4 times daily \blacksquare Children under 18 years of age: ask a doctor Other information \blacksquare store at room temperature 68° - 72°F (20° - 22°C). Inactive ingredients cetostearyl alcohol,ethylparaben, glycerin, glyceryl monostearate, mineral oil, peregal 0, petrolatum, purified water, stearic acid

[Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

MANUFACTURED FOR: FOURSTAR GROUP USA, INC. 925 Grant St., Akron, oh 44311 USA Made in China

LOT: EXP:

THERA PLUS PAIN RELIEF ARTHRITIS AND MUSCLE

capsaicin cream

Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC:80684-138
Route of Administration	TOPICAL			
Active Ingredient/Activ	e Moiety			
-	dient Name		Basis of Strengt	th Strength
CAPSAICIN (UNII: S07044R1ZM) (CAPSAICIN - UNII:S07044R1ZM) CAPSAICIN				
CAPSAICIN (UNII: S07044R1ZM)	(CAPSAICIN - UNII:S07044R1	.Z M)	CAPSAICIN	0.25 mg in 1 g
CAPSAICIN (UNII: S07044R1ZM)	(CAPSAICIN - UNII:S07044R1	.Z M)	CAPSAICIN	0.25 mg in 1 g
	(CAPSAICIN - UNII:S07044R1 Ingredient Name	.Z M)	CAPSAICIN	0.25 mg in 1 g
	Ingredient Name	.Z M)	CAPSAICIN	
Inactive Ingredients	Ingredient Name : 2DMT128M1S)	.Z M)	CAPSAICIN	
Inactive Ingredients CETOSTEARYL ALCOHOL (UNII	Ingredient Name : 2DMT128M1S)	.Z M)	CAPSAICIN	
Inactive Ingredients CETOSTEARYL ALCOHOL (UNII: ETHYLPARABEN (UNII: 14255EX	Ingredient Name : 2DMT128M1S) E39)	.Z M)	CAPSAICIN	

WAI	ER (UNII: 059QF)KO0R)				
STEA	RIC ACID (UNII:	4ELV7Z 65AP)				
Packaging						
# H	tem Code	Package Description	Marketing Start Date	Marketing End Date		
		12.5 g in 1 TUBE; Type 0: Not a Combination Product	02/28/2025			
		e				
Ma	rketing li	nformation				
r	rketing lı Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

Labeler - FOURSTAR GROUP USA, INC. (140099503)

Revised: 2/2025

FOURSTAR GROUP USA, INC.