

**PAIN RELIEF EXTRA STRENGTH- acetaminophen tablet**  
**Publix Super Markets Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Publix Super Markets, Inc. Pain Relief Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**Principal Display Panel**

EXTRA STRENGTH

pain relief

ACETAMINOPHEN 500 mg

Pain reliever/fever reducer

For adults

ACTUAL SIZE

250 CAPLETS

Compare to Extra Strength Tylenol® Caplets active ingredient

NDC 56062-484-85



**EXTRA STRENGTH**  
**painrelief**  
ACETAMINOPHEN 500 mg

**Pain reliever/fever reducer**  
• For adults



ACTUAL SIZE

Compare to Extra Strength Tylenol® Caplets active ingredient

**Publix.**  
COMPLETE SATISFACTION OR YOUR MONEY BACK

**Publix Guarantee:**  
1-888-267-2037  
LAKELAND, FL 33811 publix.com  
3300 PULBEX CORPORATE PARKWAY  
DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,  
Johnson, owner of the registered trademark "Tylenol".  
This product is not manufactured or distributed by Johnson &  
Johnson, owner of the registered trademark "Tylenol".

**Drug Facts (continued)**  
Other information ■ store at 68-77°F (20-25°C)  
Inactive ingredients ■ on a white wax, corn starch, croscarmellose sodium, hydroxypropyl methylcellulose, polyethylene glycol, polyethylene glycol, sodium lauryl sulfate, stearic acid. May contain one or more of these ingredients.

**Drug Facts**

**Active ingredient (in each caplet)** ■ acetaminophen 500 mg

**Purpose**  
Temporarily relieves minor aches and pains due to:  
■ the common cold ■ headache ■ backache  
■ minor pain of arthritis ■ toothache ■ muscular aches  
■ menstrual and menstrual cramps  
■ temporary reduces fever

**Warnings**  
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ 3 or more alcoholic drinks every day while using this product.  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ hives ■ rash  
If a skin reaction occurs, stop use and seek medical help right away. Do not use:  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to any of the ingredients in this product or any of its ingredients.

**Ask a doctor before use if you have liver disease.**  
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.  
Stop use and ask a doctor if:  
■ you get worse or last more than 10 days  
■ pain gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, call your doctor or call Poison Control at 1-800-422-1225. Do not take additional doses for at least 24 hours as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Do not take more than directed (see overdose warning).  
Adults and children 12 years and older ■ take 2 caplets every 6 hours with symptoms last 12 hours, unless directed by a doctor  
Children 12 years and over ■ do not use for more than 10 days unless directed by a doctor  
Children under 12 years ■ ask a doctor

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING



LOT NO. \_\_\_\_\_  
EXP. \_\_\_\_\_

NDC 56062-484-85




**EXTRA STRENGTH**  
**painrelief**  
ACETAMINOPHEN 500 mg

**Pain reliever/fever reducer**  
• For adults



ACTUAL SIZE

Compare to Extra Strength Tylenol® Caplets active ingredient



**Drug Facts**


**Active ingredient (in each caplet)** ■ acetaminophen 500 mg

**Purpose**  
Temporarily relieves minor aches and pains due to:  
■ the common cold ■ headache ■ backache  
■ minor pain of arthritis ■ toothache ■ muscular aches  
■ menstrual and menstrual cramps  
■ temporary reduces fever

**Warnings**  
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ 3 or more alcoholic drinks every day while using this product.  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ hives ■ rash  
If a skin reaction occurs, stop use and seek medical help right away. Do not use:  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to any of the ingredients in this product or any of its ingredients.

**Ask a doctor before use if you have liver disease.**  
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.  
Stop use and ask a doctor if:  
■ you get worse or last more than 10 days  
■ pain gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, call your doctor or call Poison Control at 1-800-422-1225. Do not take additional doses for at least 24 hours as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Do not take more than directed (see overdose warning).  
Adults and children 12 years and older ■ take 2 caplets every 6 hours with symptoms last 12 hours, unless directed by a doctor  
Children 12 years and over ■ do not use for more than 10 days unless directed by a doctor  
Children under 12 years ■ ask a doctor



# PAIN RELIEF EXTRA STRENGTH

acetaminophen tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-484
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

## Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	16 mm
Flavor		Imprint Code	L484
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-484-78	1 in 1 CARTON	09/15/1988	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:56062-484-71	1 in 1 CARTON	09/15/1988	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:56062-484-83	1 in 1 CARTON	03/09/2018	
3		225 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:56062-484-85	1 in 1 CARTON	03/20/2000	
4		250 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	09/15/1988	

**Labeler** - Publix Super Markets Inc (006922009)

Revised: 9/2020

Publix Super Markets Inc