

BENADRYL ALLERGY EXTRA STRENGTH- diphenhydramine hydrochloride tablet, film coated
Kenvue Brands LLC

Benadryl®

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 50 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 tablet
children under 12 years	do not use

Other information

- each tablet contains: **calcium 35 mg**
- store between 20-25°C (68-77°F). Protect from light.
- **do not use if blister unit is torn or broken**

Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

call **1-877-717-2824** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NEW NDC 50580-533-24

Benadryl®

ALLERGY

EXTRA STRENGTH

Diphenhydramine HCl 50mg | Antihistamine

✓ **Sneezing** ✓ **Runny Nose**

✓ **Itchy, Watery Eyes** ✓ **Itchy Throat**

actual size

24 TABLETS





Benadryl
ALLERGY
EXTRA STRENGTH



Important: Read all product information before using. Keep this box for important information.

Drug Facts
Active ingredient (in each tablet) Diphenhydramine HCl 50 mg Antihistamine
Purpose Antihistamine

Uses
 ■ Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose ■ sneezing
 ■ itchy, watery eyes ■ itching of the nose or throat
 ■ Temporarily relieves these symptoms due to the common cold: runny nose ■ sneezing

Warnings
 ■ Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin
 ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma
 ■ trouble urinating due to an enlarged prostate gland
 ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
 ■ When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery
 ■ If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ Take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours
 adults and children 12 years and over 1 tablet
 children under 12 years do not use

Other information
 ■ Each tablet contains: calcium 35 mg ■ store between 20-25°C (68-77°F). Protect from light.
 ■ do not use if blister unit is torn or broken

Inactive ingredients carnuba wax, croscarmellose sodium, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyorbate 80, titanium dioxide

Questions or comments? call 1-877-717-2824 (toll-free) or 215-273-8755 (collect)

Active ingredient made in Japan
 Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA
 ©J&J 2021 www.benadryl.com

30050549

Benadryl
ALLERGY
EXTRA STRENGTH

EFFECTIVE ALLERGY RELIEF WHEN YOU NEED IT!



NDC 50580-533-24




ALLERGY

EXTRA STRENGTH

Diphenhydramine HCl 50mg | Antihistamine

- ✔ Sneezing
- ✔ Itchy, Watery Eyes
- ✔ Runny Nose
- ✔ Itchy Throat





BENADRYL ALLERGY EXTRA STRENGTH

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-533
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	B;50MG
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-533-24	2 in 1 CARTON	07/05/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/05/2022	

Labeler - Kenvue Brands LLC (118772437)

Revised: 9/2024

Kenvue Brands LLC