

FEMICLEAR BACTERIAL VAGINOSIS SYMPTOMS- thymol with olive extract ointment

Organicare Nature's Science, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

FemiClear Bacterial Vaginosis Symptoms

Drug Facts

Active Ingredients

Thymol 6X HPUS

Olive Extract (Oleuropein) 3X HPUS

Purpose

Anti-bacterial agent

Anti-microbial and Healing agent

Uses

This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

Warnings

For vaginal use only.

Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.

Ointment may damage condoms and diaphragms and cause them to fail.

Ask a doctor before use if you have:

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.**
- bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS.

Do not use

if you are allergic to any ingredient in this product

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
- do not have vaginal intercourse
- mild increase in vaginal burning, itching, or irritation may occur
- if you do not get relief, consult a doctor

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting

If pregnant or breast-feeding

ask a healthcare professional before use.

Keep out of the reach of children

If swallowed, get medical help or contact Poison Control Center right away

Directions

Adults and children 12 years of age and older:

- Use at bed time, read enclosed instructions for complete directions.
- to protect clothes, use a panty liner.
- fill applicator with Vaginal Ointment - use 1/2 of the tube
- lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.
- discard applicator after use. DO NOT reuse.
- repeat on second night - use other 1/2 of the tube

Children under 12 years: ask a doctor

Other Information

- do not use if applicator wrapper is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured
- Store at 68°-77°F (20°C - 25°C) If liquified, refrigerate 10 minutes to thicken.
- this is a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days.

Most women get some improvement in 2 days and complete relief by 7 days.

Inactive ingredients

beeswax, essential oil (natural fragrance), oxygenated olive oil

Questions?

Call **512.401.3572** or visit **femiclear.com**

Made and Distributed by OrganiCare, LLC

Austin, TX 78744, USA

Claims based on clinical and/or in vitro laboratory

(non-human/non-animal) studies, and traditional homeopathic practice (not accepted clinical medical evidence; not FDA evaluated).

See FemiClear.com

Made and Distributed by

Organicare

Austin, TX 78744, USA

FemiClear®

Bacterial Vaginosis Symptoms

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

MADE WITH ORGANIC INGREDIENTS

KILLS 99.9% OF BACTERIA CAUSING BV

GARDNERELLA VAGINALIS

HOMEOPATHIC MEDICINE

Early use ensures best results.

Drug Facts

Active ingredients **Purpose**
 Thymol 0K HPUS Anti-bacterial agent
 Olive Extract (Oleuropein) 3K HPUS Anti-microbial and healing agent

Uses
 This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

Warnings
For vaginal use only.
 Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.
 Ointment may damage condoms and diaphragms and cause them to fail.

Ask a doctor before use if you have:
 • vaginal itching and discomfort for the first time
 • lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.
 • bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
 • been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Do not use
 • if you are allergic to any ingredient in this product

When using this product
 • do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
 • do not have vaginal intercourse
 • mild increase in vaginal burning, itching, or irritation may occur
 • if you do not get relief, consult a doctor

Stop use and ask a doctor if
 • symptoms do not get better in 3 days
 • symptoms last more than 7 days
 • you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting

If pregnant or breast-feeding, ask a healthcare professional before use.
 Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Adults and children 12 years or over:
 Use at bed time, read enclosed instructions for complete directions.
 • to protect clothes, use panty liner.
 • fill applicator with Vaginal Ointment - use 1/2 of the tube
 • lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.
 • discard applicator after use. DO NOT reuse.
 • repeat on second night - use other 1/2 of the tube
 • Children under 12 years: ask a doctor

Other information
 • do not use if applicator wrapper is torn, open or incompletely sealed
 • do not use if seal over tube opening has been punctured
 • Store at 59° - 77° F (20° C - 25° C) if liquid, refrigerate 10 minutes to thicken.
 • this a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days. Most women get some improvement in 2 days and complete relief by 7 days.

Inactive ingredients
 beeswax, essential oil (natural fragrance), oxygenated olive oil

Questions?
 Call 812.401.3672. OrganiCare, LLC, Austin, TX 78744, USA

WHAT'S IN THE BOX



Claims based on clinical and/or in vitro laboratory studies, and traditional homeopathic practice (not accepted clinical medical evidence); not FDA evaluated. See FemiClear.com.

NEW!



FemiClear

Bacterial Vaginosis Symptoms

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

EASY! USE AT BEDTIME

- (Read enclosed instructions for complete directions)
- 1 Put on a panty liner
 - 2 Connect and squeeze ointment into applicator
 - 3 Lie down in bed (& stay put!)
 - 4 Insert applicator into vagina and inject ointment
 - 5 Repeat on night two

Made and Distributed by
OrganiCare
 Austin, TX 78744 USA

CTN10026E22

KILLS 99.9% OF
BACTERIA CAUSING BV*
 GARDNERELLA VAGINALIS

2
 DAY DOSE

HOMEOPATHIC MEDICINE

NET WT 0.50Z (14.2 G)

Learn more at femiclear.com.



SCAN ME

FEMICLEAR BACTERIAL VAGINOSIS SYMPTOMS

thymol with olive extract ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71042-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
THYMOL (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	6 [hp_X] in 100 g
OLEA EUROPAEA FRUIT VOLATILE OIL (UNII: 8E7358CX1J) (OLEUROPEIN - UNII:2O4553545L)	OLEUROPEIN	3 [hp_X] in 100 g

Inactive Ingredients

Ingredient Name	Strength
YELLOW WAX (UNII: 2ZA36H0S2V)	
OLIVE OIL (UNII: 6UYK2W1W1E)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71042-025-14	1 in 1 CARTON	06/01/2022	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Early use ensures best results.

Drug Facts

Active ingredients *Purpose*
 Thymol 6X HPUS Anti-bacterial agent
 Olive Extract (Zileupain) 2X HPUS Anti-microbial and healing agent

Uses
 This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

Warnings
 For vaginal use only.
 Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.
 Ointment may damage condoms and diaphragms and cause them to fail.

Ask a doctor before use if you have:
 ■ vaginal itching and discomfort for the first time
 ■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.
 ■ bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
 ■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Do not use
 ■ if you are allergic to any ingredient in this product

When using this product
 ■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
 ■ do not have vaginal intercourse
 ■ mild increase in vaginal burning, itching, or irritation may occur
 ■ if you do not get relief, consult a doctor

Stop use and ask a doctor if
 ■ symptoms do not get better in 3 days
 ■ symptoms last more than 7 days
 ■ you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting

If pregnant or breast-feeding, ask a healthcare professional before use.
 Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 12 years or over:
 Use at bed time, read enclosed instructions for complete directions.
 ■ to protect clothes, use panty liner.
 ■ fill applicator with Vaginal Ointment - use 1/2 of the tube
 ■ lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.
 ■ discard applicator after use. DO NOT reuse.
 ■ repeat on second night - use other 1/2 of the tube
 ■ Children under 12 years: ask a doctor

Other information
 ■ do not use if applicator wrapper is torn, open or incompletely sealed
 ■ do not use if seal over tube opening has been punctured
 ■ Store at 68° - 77° F (20° C - 25° C) If liquefied, refrigerate 10 minutes to thicken.
 ■ this is a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days. Most women get some improvement in 2 days and complete relief by 7 days.

Inactive ingredients
 beeswax, essential oil (natural fragrance), oxygenated olive oil

Questions?
 Call 512.401.3672, OrganiCare, LLC, Austin, TX 78744, USA

WHAT'S IN THE BOX



1 - Vaginal Ointment



2 - Applicators

Claims based on clinical and/or in vitro laboratory (non-human/non-animal) studies, and traditional homeopathic practice (not accepted clinical medical evidence); not FDA evaluated. See FemiClear.com.

NEW!



FemiClear

Bacterial Vaginosis Symptoms

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

Made and Distributed by
OrganiCare
 Austin, TX 78744 USA

CTN1002622

EASY! USE AT BEDTIME
(Read enclosed instructions for complete directions)

- Put on a panty liner
- Connect and squeeze ointment into applicator
- Lie down in bed (& stay put!)
- Insert applicator into vagina and inject ointment
- Repeat on night two

Learn more at femiclear.com.



SCAN ME

KILLS 99.9% OF BACTERIA CAUSING BV*

GARDNERELLA VAGINALIS

HOMEOPATHIC MEDICINE

2 DAY DOSE

NET WT 0.50Z (14.2 G)

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2022	

Labeler - Organicare Nature's Science, LLC (044204745)

Registrant - Organicare Nature's Science, LLC (044204745)

Establishment

Name	Address	ID/FEI	Business Operations
Organicare Nature's Science, LLC		044204745	manufacture(71042-025)

Revised: 10/2023

Organicare Nature's Science, LLC