

## **FEMICLEAR BACTERIAL VAGINOSIS SYMPTOMS- thymol with olive extract ointment**

**Organicare Nature's Science, LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **FemiClear Bacterial Vaginosis Symptoms**

#### ***Drug Facts***

#### ***Active Ingredients***

Thymol 6X HPUS

Olive Extract (Oleuropein) 3X HPUS

#### ***Purpose***

Anti-bacterial agent

Anti-microbial and Healing agent

#### ***Uses***

This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

#### ***Warnings***

For vaginal use only.

Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.

Ointment may damage condoms and diaphragms and cause them to fail.

#### **Ask a doctor before use if you have:**

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.**
- bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS.

**Do not use**

if you are allergic to any ingredient in this product

**When using this product**

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
- do not have vaginal intercourse
- mild increase in vaginal burning, itching, or irritation may occur
- if you do not get relief, consult a doctor

**Stop use and ask a doctor if**

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting

**If pregnant or breast-feeding**

ask a healthcare professional before use.

**Keep out of the reach of children**

If swallowed, get medical help or contact Poison Control Center right away

**Directions****Adults and children 12 years of age and older:**

- Use at bed time, read enclosed instructions for complete directions.
- to protect clothes, use a panty liner.
- fill applicator with Vaginal Ointment - use 1/2 of the tube
- lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.
- discard applicator after use. DO NOT reuse.
- repeat on second night - use other 1/2 of the tube

**Children under 12 years:** ask a doctor

**Other Information**

- do not use if applicator wrapper is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured
- Store at 68°-77°F (20°C - 25°C) If liquified, refrigerate 10 minutes to thicken.
- this is a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days.

Most women get some improvement in 2 days and complete relief by 7 days.

### ***Inactive ingredients***

beeswax, essential oil (natural fragrance), oxygenated olive oil

### ***Questions?***

Call **512.401.3572** or visit **femiclear.com**

Made and Distributed by OrganiCare, LLC

Austin, TX 78744, USA

Claims based on clinical and/or in vitro laboratory

(non-human/non-animal) studies, and traditional homeopathic practice (not accepted clinical medical evidence; not FDA evaluated).

See FemiClear.com

Made and Distributed by

### **Organicare**

Austin, TX 78744, USA

FemiClear®

Bacterial Vaginosis Symptoms

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

MADE WITH ORGANIC INGREDIENTS

KILLS 99.9% OF BACTERIA CAUSING BV

GARDNERELLA VAGINALIS

HOMEOPATHIC MEDICINE

Early use ensures best results.

### Drug Facts

**Active ingredients** ..... **Purpose**  
Thymol OX HPUS ..... Anti-bacterial agent  
Olive Extract (Oleuropein) 3X HPUS ..... Anti-microbial and healing agent

#### Uses

This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

#### Warnings

For vaginal use only.

Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.

Ointment may damage condoms and diaphragms and cause them to fail.

Ask a doctor before use if you have:

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.
- bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Do not use

- if you are allergic to any ingredient in this product

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
- do not have vaginal intercourse
- mild increase in vaginal burning, itching, or irritation may occur
- if you do not get relief, consult a doctor

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Adults and children 12 years or over:

Use at bed time, read enclosed instructions for complete directions.

- to protect clothes, use panty liner.

- Fill applicator with Vaginal Ointment - use 1/2 of the tube

- Lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.

- discard applicator after use. DO NOT reuse.

- repeat on second night - use other 1/2 of the tube

- Children under 12 years: ask a doctor

#### Other information

- do not use if applicator wrapper is torn, open or incompletely sealed

- do not use if seal over tube opening has been punctured

- Store at 59° - 77° F (20° C - 25° C) If liquefied, refrigerate 10 minutes to thicken.

- this is a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days.

Most women get some improvement in 2 days and complete relief by 7 days.

#### Inactive ingredients

beeswax, essential oil (natural fragrance), oxygenated olive oil

#### Questions?

Call 812.401.3672. OrganiCare, LLC, Austin, TX 78744, USA

### WHAT'S IN THE BOX



1 - Vaginal Ointment



2 - Applicators

Claims based on clinical and/or in vitro laboratory (non-human/non-animal) studies, and traditional homeopathic practice (not accepted clinical medical evidence); not FDA evaluated. See FemiClear.com.

**NEW!**



FemiClear®

## Bacterial Vaginosis Symptoms

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

### EASY! USE AT BEDTIME

(Read enclosed instructions for complete directions)

- 1 Put on a panty liner
- 2 Connect and squeeze ointment into applicator
- 3 Lie down in bed (& stay put!)
- 4 Insert applicator into vagina and inject ointment
- 5 Repeat on night two

Made and Distributed by  
**OrganiCare**  
Austin, TX 78744 USA

CTN0026E22

**KILLS 99.9% OF**

**BACTERIA CAUSING BV\***

**GARDNERELLA VAGINALIS**

**2**

DAY DOSE

HOMEOPATHIC MEDICINE

NET WT 0.50Z (14.2 G)

Learn more at  
femiclear.com.



SCAN ME

## FEMICLEAR BACTERIAL VAGINOSIS SYMPTOMS

thymol with olive extract ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71042-025
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>THYMOL</b> (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	6 [hp_X] in 100 g
<b>OLEA EUROPAEA FRUIT VOLATILE OIL</b> (UNII: 8E7358CX1J) (OLEUROPEIN - UNII:2O4553545L)	OLEUROPEIN	3 [hp_X] in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	

### Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71042-025-14	1 in 1 CARTON	06/01/2022	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

**Early use ensures best results.**

**Drug Facts**

**Active ingredients**.....**Purpose**  
Thymol 6X HPUS.....Anti-bacterial agent  
Olive Extract (Zileupain) 2X HPUS.....Anti-microbial and healing agent

**Uses**  
This product is intended to relieve symptoms associated with known bacterial vaginosis infections, including fishy odor, excess discharge, irritation and burning while urinating.

**Warnings**  
For vaginal use only.  
Do not use if you have never had a bacterial vaginosis infection diagnosed by a doctor.  
Ointment may damage condoms and diaphragms and cause them to fail.

**Ask a doctor before use if you have:**  
■ vaginal itching and discomfort for the first time  
■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.  
■ bacterial vaginosis often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.  
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**Do not use**  
■ if you are allergic to any ingredient in this product

**When using this product**  
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)  
■ do not have vaginal intercourse  
■ mild increase in vaginal burning, itching, or irritation may occur  
■ if you do not get relief, consult a doctor

**Stop use and ask a doctor if**  
■ symptoms do not get better in 3 days  
■ symptoms last more than 7 days  
■ you get a rash or hives, abdominal pain, fever, chills, nausea or vomiting  
If pregnant or breast-feeding, ask a healthcare professional before use.  
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Adults and children 12 years or over:  
Use at bed time, read enclosed instructions for complete directions.  
■ to protect clothes, use panty liner.  
■ fill applicator with Vaginal Ointment - use 1/2 of the tube  
■ lie down in bed. Insert applicator into vagina and inject ointment. Remain lying down to avoid leakage.  
■ discard applicator after use. DO NOT reuse.  
■ repeat on second night - use other 1/2 of the tube  
■ Children under 12 years: ask a doctor

**Other information**  
■ do not use if applicator wrapper is torn, open or incompletely sealed  
■ do not use if seal over tube opening has been punctured  
■ Store at 68° - 77° F (20° C - 25° C) If liquefied, refrigerate 10 minutes to thicken.  
■ this is a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days. Most women get some improvement in 2 days and complete relief by 7 days.

**Inactive ingredients**  
beeswax, essential oil (natural fragrance), oxygenated olive oil

**Questions?**  
Call 812.401.3672, OrganiCare, LLC, Austin, TX 78744, USA

**WHAT'S IN THE BOX**

1 - Vaginal Ointment

2 - Applicators

Claims based on clinical and/or in vitro laboratory (non-human/non-animal) studies, and traditional homeopathic practice (not accepted clinical medical evidence); not FDA evaluated. See FemiClear.com.

**NEW!**

**FemiClear®**

**Bacterial Vaginosis Symptoms**

90% Reported a Reduction in

- Fishy Odor
- Itching
- Excess Discharge

Made and Distributed by  
**OrganiCare**  
Austin, TX 78744 USA

CTN1002622

**KILLS 99.9% OF BACTERIA CAUSING BV\***

**GARDNERELLA VAGINALIS**

**HOMEOPATHIC MEDICINE**

**2 DAY DOSE**

NET WT 0.50Z (14.2 G)

**EASY! USE AT BEDTIME**  
(Read enclosed instructions for complete directions)

- 1 Put on a panty liner
- 2 Connect and squeeze ointment into applicator
- 3 Lie down in bed (& stay put!)
- 4 Insert applicator into vagina and inject ointment
- 5 Repeat on night two

Learn more at femiclear.com.

SCAN ME

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2022	

**Labeler** - Organicare Nature's Science, LLC (044204745)

**Registrant** - Organicare Nature's Science, LLC (044204745)

Establishment			
Name	Address	ID/FEI	Business Operations
Organicare Nature's Science, LLC		044204745	manufacture(71042-025)

Revised: 12/2024

Organicare Nature's Science, LLC