ADVIL- ibuprofen tablets, coated tablet, coated Lil' Drug Store Products, Inc.

Advil ®

Active Ingredient

Active ingredient (in each tablet)

Ibuprofen 200 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/Fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- toothache
- backache
- menstrual cramps
- the common cold
- muscular aches
- minor pain of arthritis
- temporarily reduces fever

Warnings Section

Warnings

Allergy Alert

Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance

is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Heart attack and stroke warning:

NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- taking any other drug

When using this product

take with food or milk if stomach upset occurs

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- chest pain
- trouble breathing
- weakness in one part or side of body
- slurred speech
- leg swelling
- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- the smallest effective dose should be used
- adults and children 12 years and over: take 1 tablet every 4 to 6 hours while symptoms persist
- if pain or fever does not respond to 1 tablet, 2 tablets may be used
- do not exceed 6 tablets in 24 hours, unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- read all warnings and directions before use. Keep carton.
- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

acetylated monoglycerides, colloidal silicon dioxide, corn starch, croscarmellose sodium, methylparaben, microcrystalline cellulose,

pharmaceutical glaze, pharmaceutical ink, povidone, pregelatinized starch, propylparaben, sodium benzoate, sodium lauryl sulfate, stearic acid, sucrose, synthetic iron oxide, titanium dioxide, white wax

Questions or comments?

call toll free 1-800-88-ADVIL

For most recent product information, visit www.Advil.com

Dist. by GSK Consumer Healthcare, Warren, NJ 07059 ©2020 GSK or licensor

Primary Display Panel

Advil ®

Ibuprofen Tablets, 200 mg

Pain Reliever/Fever Reducer (NSAID)

[tablet image]


Tablets

30 PACKETS OF 2 TABLETS

www.lildrugstore.com

[UPC]

3 66715 58030 6





of stomach problems, such as hearthurn wou have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke wou are taking a diuretic. Ask a doctor or pharmacist before use if you are wonder a doctor's care for any serious condition. It alking any other drug. When using this product lake with load or milk if stomach upset occurs. Stop use and ask a doctor if you experience any of the following signs of stomach bleeding: lefel faint womit blood have bloody or black stools. I have shoody or black stools in the pain tool have shoody or black stools. I have shoody or black stools in the paint are worth or have shoody or black stools and the stools have shoody or black stools are shoody or black stools. I have shoody or black stools are shoody or have shoody or black stools. I have shoody or have shoody or

L7451A EXP 11/23

ADVIL

ibuprofen tablets, coated tablet, coated

Product Information

NDC:66715-5803 **Product Type** HUMAN OTC DRUG **Item Code (Source)**

ORAL Route of Administration

Active Ingredient/Active Moiety

Basis of Strength Strength **Ingredient Name** IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII: WK2XYI10QM) **IBUPROFEN** 200 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	

DIACETYLATED MONOGLYCERIDES (UNII: 5Z17386USF)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

STEARIC ACID (UNII: 4ELV7Z65AP) SUCROSE (UNII: C151H8M554)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

WHITE WAX (UNII: 7G1J5DA97F) METHYLPARABEN (UNII: A2I8C7HI9T)

SHELLAC (UNII: 46N107B710)

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

FERRIC OXIDE RED (UNII: 1K09F3G675)

CROSCARMELLOSE SODIUM (UNII: M280L1HH48)

PROPYLPARABEN (UNII: Z8IX2SC10H) **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) **SODIUM BENZOATE** (UNII: OJ245FE5EU)

Product Characteristics						
Color	brown ((pinkish brown))	Score	no score			
Shape	ROUND	Size	11mm			
Flavor		Imprint Code	Advil			
Contains						

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715- 5803-0	30 in 1 BOX, UNIT-DOSE	11/16/2006	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NDA	NDA018989	11/16/2006			

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 7/2024 Lil' Drug Store Products, Inc.