MEN DELAY WIPE- benzocaine 3.5% cloth Limitless Male Medical Clinic

KRONOS LONG-LASTING SUPPORT

Active Ingredient

Benzocaine 3.5%

Purpose

Male genital desensitizer

Uses

For temporary male genital desensitization, helping to slow the onset of ejaculation

Warnings

For external use only.

Stop use and contact a doctor if

- this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision.
- you or your partner develop a rash or irritation, such as burning or itching, discontinue use. If symptoms persist, consult a doctor.

When using this product

Avoid contact with the eyes

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Apply a small amount to head and shaft of penis before intercourse, or use as directed by a doctor.

Wash product off after intercourse.

Inactive Ingredients

Alcohol Denat., Butylene Glycol

Label

KRONOS

LONG-LASTING SUPPORT

CONTAINS 1 WIPE

Manufactured for

Limitless Male Performance, LLC

2255 S 132nd St. Ste 100

Omaha, NE 68144

LIMITLESS MALE

Medical Clinic

KRONOS

LONG-LASTING SUPPORT

MALE GENITAL DESENSITIZER

BENZOCAINE 3.5% I CONTAINS 8 WIPES

FAST ACTING

QUICK ABSORBING

CLINICALLY PROVEN

EXTENDS CLIMAX

Mfd. for Limitless Male Performance, LLC

2255 S 132nd St. Ste 100

Omaha, NE 68144

LIMITLESS MALE

Medical Clinic

0 763236 293553

CONTAINS 1 WIPE

LONG-LASTING SUPPORT

KRONOS

Drug Facts

purpose

Active ingredient %2.6 aniscozned

. Male genital desensitize

Uses ■ For temporary male genital desensitization, heliping to slow the onset of ejaculation

Warnings

Stop use and contact a doctor if a this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision. Byou or your partner to a condition requiring medical supervision. For external use only

When using this product ■ Avoid contact with the eyes Keep out of reach of children. If swallowed, get nse: It symptoms persist, consult a doctor.

develop a rash or irritation, such as burning or itching, discontinue

medical help or contact a Poison Control Center right away.

off after intercourse. before intercourse, or use as directed by a doctor, Wash product Directions Apply a small amount to head and shaft of penis



Omaha, NE 68144 2255 S 132nd St. Ste 100 Manufactured for Limitess Male Performance, LLC



MEN DELAY WIPE

benzocaine 3.5% cloth

_			
Drod		Intorm	STIAN
FIUU	ULL		nation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82659-1000

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)

BENZOCAINE

BENZOCAINE

BENZOCAINE

3.5 g in 100 g

I	Inactive	Ingredients	
ı			

Ingredient Name Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)

BOTTLEHE GETCOL (ONII. 3X0303K01

ALCOHOL (UNII: 3K9958V90M)

Product Characteristics

Color White Score

Shape	Size
Flavor	Imprint Code
Contains	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82659- 1000-1	8 in 1 BOX	04/20/2022		
1		1 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	04/20/2022		

Labeler - Limitless Male Medical Clinic (058581288)

Revised: 12/2023 Limitless Male Medical Clinic