

**GUAIFENESIN DM- dextromethorphan hydrobromide, guaifenesin liquid**  
**Innovida Pharmaceutique Corporation**

-----  
**Active Ingredient (in each 5mL tsp)**

Dextromethorphan HBr. USP 10 mg  
Guaifenesin USP 100 mg

**Purpose**

Cough Suppressant  
Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a healthcare professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

do not take more than 6 doses in any 24 hour period

---

Adults and Children 12 years of age and over    10mL (2 teaspoonfuls every 4 hours or as directed by doctor)

Children under 12 years of age

Do not use




**Other Information**

- store at room temperature
- 15° to 30°C (59° to 86°F) TAMPER-EVIDENT;
- do not use if seal under cap is torn broken or missing.

**Inactive Ingredients**

CITRIC ACID, FD&C RED NO. 40, GLYCERIN, GLYCERIN, METHYLPARABEN, POTASSIUM SORBATE, PROPYLENE GLYCOL, PROPYLPARABEN, WATER, SODIUM CITRATE, Strawberry Flavor, SUCRALOSE

**Questions or Comments? 1-888-462-4166****Product label**

<b>Drug Facts</b> <b>Active Ingredient (in each 5 mL tsp)</b> Dextromethorphan HBr USP 10 mg.....Cough suppressant Guaifenesin USP 100 mg.....Expectorant <b>Purpose</b>  <b>Uses</b> ■ temporarily quiets cough associated with the common cold or inhaled irritants helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive. <b>Warnings</b> Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if ■ you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough occurs with too much phlegm (mucus) Stop use and ask a doctor if ■ cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	NDC: 71800-057-05  <b>Guaifenesin DM</b> Dextromethorphan HBr USP 10 mg/ Guaifenesin USP 100 mg  <b>EXPECTORANT COUGH SUPPRESSANT</b>   <b>STRAWBERRY FLAVOR</b>  <b>4.02 fl oz (119 mL)</b>	<b>Drug Facts (continued)</b> <b>Directions</b> ■ Do not take more than 6 doses in any 24 hours period <table border="1"> <tr> <td>Adults and Children 12 years of age and over:</td> <td>10 mL (2 teaspoons) every 4 hours or as directed by doctor</td> </tr> <tr> <td>Children under 12 years of age:</td> <td>do not use</td> </tr> </table> <b>Other Information</b> ■ store at room temperature ■ 15-30°C (59-86°F), TAMPER-EVIDENT; Do not use if seal under cap is torn, broken or missing. <b>Inactive Ingredients</b> Citric acid, FD&C red #40, glycerin, menthol, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry flavor, sucralose. <b>Questions or Comments? 1-888-462-4166</b>  <b>TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS TORN, BROKEN OR MISSING.</b>  Mfd. for: Innovida Pharmaceutique Corporation, Phoenix AZ 85040 Tel.: 888-462-4166 Lot: Exp.: 	Adults and Children 12 years of age and over:	10 mL (2 teaspoons) every 4 hours or as directed by doctor	Children under 12 years of age:	do not use
Adults and Children 12 years of age and over:	10 mL (2 teaspoons) every 4 hours or as directed by doctor					
Children under 12 years of age:	do not use					

**GUAIFENESIN DM**

dextromethorphan hydrobromide, guaifenesin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71800-057
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>STRAWBERRY</b> (UNII: 4J2TY8Y81V)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71800-057-05	119 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/20/2025	

**Labeler** - Innovida Pharmaceutique Corporation (080892908)

Revised: 3/2025

Innovida Pharmaceutique Corporation