EPISTAR PRE-POST BASE- sodium chlorite teat dip liquid Knapp Manufacturing, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

EpiStar Pre-Post Base

Claim of effectiveness.

Helps reduce the spread of organisms which may cause Mastitis

Use Directions

USE DIRECTIONS
NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY

Do not mix with any chemicals other than EpiStar Pre-Post Base.

In a well-ventilated area, mix equal parts EpiStar Pre-Post Activator and EpiStar Pre-Post Base. After mixing, the ready-to-use product will yield a 3000ppm Chlorine Dioxide solution.

Do not mix more product than will be used in 24-hours.

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after

application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry. Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do

not return unused product to original container.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician

immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give

anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.

If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If

on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops

and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a

physician, the emergency number listed on this label or MSDS, or a poison control center

Precautions & Hazards

Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

Storage

Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

Label



CHLORINE DIOXIDE TEAT DIP BASE

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS NOT FOR HUMAN USE FOR EXTERNAL USE ONLY

Do not mix with any chemicals other than EpiStar Pre-Post Activator.

In a well-ventilated area, mix equal parts EpiStar Pre-Post Base and EpiStar Pre-Post Activator. Do not mix more product than will be used in 24-hours.

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do
not return unused product to original container.

Active Ingredient: (Sodium Chlorite 1%)

SELLADOE DE DIOXIDO DE CLORO

Reduce la propagación de organismos que puedan causar la Mastitis

DIRECCIONES DE USO NO PARA USO HUMANO PARA USO EXTERNO SOLAMENTE

No mezcle con ningún producto químico que no sea EpiStar Pre-Post Activator. En un área bien ventilada, mezcle partes iguales de EpiStar Pre-Post Base y EpiStar Pre-Post Activator. No mezcle más producto del que se usará en 24 horas.

BAÑO PREVIO: Antes del ordeño, moje o rocie todo el pezón con este producto. Seque los pezones después de la aplicación con toallas desechables para evitar la contaminación de la leche.

POST-DIPPING: Después del ordefio, rocie o sumerja todo el pezón con este producto. Deje secar al aire. Nota: Si la solución en la taza se ensucia visiblemente, reponga con una mezcia nueva de este producto. No devuelva el producto no utilizado al envase original.

Ingredientes Activos: (Clorato de Sodio 1%)

Lot #:

Expires:

Net Contents:

SKU:





EpiStar Pre-Post Base

CAUTION
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE
FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician

Always use caution when introducing your cows to a new teat dip.

Remember these industry guidelines:

Replace dip cups and/or clean dip lines
When introducing a new dip to a dairy herd, always replace dip cups and/or brushes to prevent the new dip
from mixing with the old dip. If sprey or dip pumps are used, lines should be flushed with hot water to clean
out any residues of the old dip.

Aggressively remove keratin and exfoliated skin from teats
A tamporary exfoliation of dead test skin is common after new dips are introduced. Be sure to aggressively
dean tests to remove exfoliated skin and clean test ends to insure that the dead skin is removed.

Immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops

on skin: Take on contaminates costing, rests and an exists, contact a physician. Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store closed container in a cool, dry location away from sources of heat. If product

PRECAUCIÓN

MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS NO PARA USO HUMANO PRIMEROS AUXILIOS:

PRIMEROS AUXILIOS:
Contacto ocular: Mantenga los ojos abiertos y enjuague cuidadosamente durante 1520 minutos. Quítese los lentes de contacto, después de los primeros 5 minutos si los tiene
puestos y continúe a enjuagar sus ojos. Contacte a un medico inmediatamente. Si se
inglerer Haga que la persona se tome un baso de agua si puede. No le de hada de toma
a una persona inconsciente. No induzca el vomito. Contacte a un medico immediatamente.
Si se inhala: Lleve a la persona al alire libre. Contacte a un medico immediatamente.
Contacto con la piel: Quítese la ropa contaminada, Enjuague la piel con agua y jabón. Si se
desarrolla y persiste la irritación, contacte a un medico.
Asegdirese de tener el contenedor o la calcomania del producto al momento de ir por atención
medica, cuando hable con el medico, cuando hable al numero de asistencia que se encuentra
en la hoia de información del producto o el centro de control de productos venenosos.

en la hoja de información del producto o el centro de control de productos venenosos. PRECAUCION: Evite el contacto con los ojos. No Ingiera. No mezcie con ningún otro producto

ALMACENAMIENTO: Almacene en contenedores cerrados lejos de una fuente de calor. Si el producto se congela, descongélelo y agitelo antes de usario.

VEASE LA HOJA DE DATOS SOBRE MEDIDAS DE SEGURIDAD PARA EL MANEJO DE MATERIALES

Distributed by/Distribuido por

Knapp Manufacturing

5227 E. Pine Ave. • Fresno, CA 93727 • Made in U.S.A. 1-800-255-3924

Emergency No. Only / No. de Emergencia Sólo: (Chem•Tel) 1-800-255-3924

Monitor cows for changes in skin condition Many test dips are designed with emoliants and other skin conditioning ingredients to maintain healthy test skin and fight germs. Pare test skin reactions due to allergic or environmental conditions may occur. Closely monitor test skin whenever a new dip is infroduced. If undersided skin conditions are found, monitor closely and, if persistent, replace dip with one containing a different germidde and/or emoliant formula.

Siempre tener cuidado al usar un nuevo sellador de pezones en las vacas.

Tomar en cuenta las siguientes recomendaciones de la industria:

Usar tazas del sellador limpias y/o limpiar los tubos del rociador del sellador Cuando se usa un nuevo sellador de pezones en las vecas, se deben siempre reemplezer las tazas de aplicac del sellador y tembién los seplilos pare evitar la mezad del sellador anterior con el nuevo. Si se usan rociado o bombas selladoras, limpiar los tubos con agua caliente para retirar cualquier residuo del sellador anterior.

Limplar fuertemente los pezones para retirar la keratina y las escamas Cuando sa usa un nuevo sellador en las vecas, es necesario la exfolación de las escamas que pueden formanse en la piel. Limplar bien fuertemente los pezones y estremos del pezón para eliminar las escamas en la piel.

Controlar las vacas y observar los cambios de condición de la piel

Controlar las vaccia y observar nos cambios de condicion de la peri Muchos selfaciones de pazones contienne emolientes y otros impredientes acondicionadores de la piel para la mantención seludable de la piel del pezón y para la destrucción de germenes padoganos. Ocasionalmente, se podrían producir resociones alérgicas o ambiotentales por lo que se debe controlar de cerca la piel de los pezones cuendo se use un nuevo selfacior. Si se presenta cuanquier condición insusual pensistente de la piel, reemplazer el selfador con otro que contenga una formula con diferente germicida o emoliarite.



NDC #: 43104-XXXX

LN 989XXXX LR 07.2023

Strength

EPISTAR PRE-POST BASE

sodium chlorite teat dip liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:43104-2021

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength

SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6) | SODIUM CHLORITE .0124 kg in 1 kg

Inactive Ingredients

I	Ingredient Name	Strength
ı		

XANTHAN GUM (UNII: TTV12P4NEE)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:43104-2021-1	3.94 kg in 1 JUG				
2	NDC:43104-2021-2	19.7 kg in 1 JUG				
3	NDC:43104-2021-3	59.1 kg in 1 DRUM				
4	NDC:43104-2021-4	216.7 kg in 1 DRUM				
5	NDC:43104-2021-5	1083.5 kg in 1 DRUM				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		05/24/2023		

Labeler - Knapp Manufacturing, Inc. (063012827)

Establishment			
Name	Address	ID/FEI	Business Operations
Knapp Manufacturing, Inc.		063012827	api manufacture

Establishment				
Name	Address	ID/FEI	Business Operations	
BouMatic, LLC		124727400	manufacture	

Revised: 5/2023 Knapp Manufacturing, Inc.