

**SALICYLIC ACID- liquid wart remover liquid
LEADER/ Cardinal Health 110, Inc.**

Leader Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the supervision of a doctor or podiatrist
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask a doctor if discomforts persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash or soak the affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-800-200-6313

Principal Display Panel**LEADER****Maximum Strength****Wart Remover****Salicylic Acid 17%**

Fast acting Liquid

Removes Common and Plantar Warts

NET 0.31 FL OZ (9 mL)

COMPARE TO
COMPOUND W[®]
active ingredient*

100% Money
Back Guarantee

55-01210-01

Fast Acting Liquid
Removes Common and Plantar Warts

0.31 FL OZ (9 mL)

NO VARNISH
AREA

CardinalHealth

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43007
www.reckon.com 1-800-200-6335
Essential to Care[™] since 1879



Return to place of purchase.



*This product is a manufactured and distributed by Cardinal Health Products, Inc.
owner of the registered trademark Compound W.
© 2011 Cardinal Health. All rights reserved. CARDINALHEALTH, the Cardinal Health logo,
LEADERSHIP and the Leader logo are registered trademarks of Cardinal Health.
All other marks are the property of their respective owners.

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts
Active ingredient Salicylic acid 17% w/w
Purpose Wart remover

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the disruption of the footprint pattern.

Warnings
For external use only.
Flammable
■ keep away from fire or flame
■ cap bottle tightly and store at room temperature away from heat

Do not use
■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
■ on genital warts and warts on the face
■ on moles, birthmarks and warts with hair growing from them
■ on mucous membranes ■ on irritated, itched or reddened skin

When using this product
■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly
■ apply small amount of wart remover with applicator to surface of wart
■ let dry and repeat this procedure to once or twice daily as needed until wart is removed for up to 12 weeks

Other information
■ store between 20°-25°C (68°-77°F)
■ close tightly to prevent solidification ■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, microsilicone

Questions? Call 1-800-964-0939

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0329
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0329-1	1 in 1 CARTON	02/09/2018	
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/09/2018	

Labeler - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 11/2024

LEADER/ Cardinal Health 110, Inc.