

**SALICYLIC ACID- liquid wart remover liquid  
LEADER/ Cardinal Health 110, Inc.**

-----  
**Leader Liquid Wart Remover**

***Active ingredient***

Salicylic acid 17%w/w

***Purpose***

Wart remover

***Use***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

***Warnings***

**For external use only.**

**Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

**Do not use**

- if you are a diabetic or have poor blood circulation, except under the supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

**When using this product**

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors

**Stop use and ask a doctor if**

discomforts persists.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

**Other information**

- store between 20°-25°C (68°- 77°F)
- close tightly to prevent solidification
- store in a cool place

**Inactive ingredients**

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?**

Call 1-800-200-6313

**Principal Display Panel**

**LEADER**

**Maximum Strength**

**Wart Remover**

**Salicylic Acid 17%**

Fast acting Liquid

Removes Common and Plantar Warts

**NET 0.31 FL OZ (9 mL)**



COMPARE TO  
COMPOUND W<sup>®</sup>  
active ingredient\*

100% Money  
Back Guarantee

53-01214-01

Fast Acting Liquid  
Removes Common and Plantar Warts

0.31 FL OZ (9 mL)

NO VARNISH  
AREA



DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
www.rekazar.com 1-800-200-4333  
Isential to Care<sup>®</sup> since 1979



Return to place of purchase.



CN 530604

REX V11

\*This product is a manufactured sterile by He de h Products, Inc.,  
owner of the g<sup>®</sup> active ingredient Compound W<sup>®</sup>.  
© 2017 Cardinal Health. All rights reserved. CARDINAL HEALTH, the Cardinal Health logo,  
LEADBY and the Leader logo are trademarks or registered trademarks of Cardinal Health.  
All other marks are the property of their respective owners.

Questions? Call 1-888-964-0939

**Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, microsilica

**Other information:** ■ store between 20°C–25°C (68°–77°F) ■ close tightly to prevent solidification ■ store in a cool place

**Directions:** ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ apply small amount of wart remover with applicator to sufficient area each wart ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

**When using this product:** ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

**Do not use:** ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**Warnings:** ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat ■ on moist, dermatitis and warts with hair growing from them ■ on mucous membranes ■ on irritated, infected or reddened skin

**Use:** ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

**Active ingredient:** Salicylic acid 17% w/w  
**Purpose:** Wart remover

**Drug Facts**

**DO NOT USE IF NECK AND IS BROKEN**

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE



# SALICYLIC ACID

liquid wart remover liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0329
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ETHER (UNII: 0F5N573A2Y)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0329-1	1 in 1 CARTON	02/09/2018	
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/09/2018	

**Labeler** - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 12/2025

LEADER/ Cardinal Health 110, Inc.