

**NIGHTTIME COUGH- dextromethorphan hydrobromide, doxylamine succinate solution**  
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CVS Pharmacy, Inc. Nighttime Cough Drug Facts**

**Active ingredients (in each 30 mL)**

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

**Purpose**

Cough suppressant

Antihistamine

**Uses**

temporarily relieves cold symptoms:

- cough due to minor throat and bronchial irritation
- runny nose and sneezing

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- may cause marked drowsiness

- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

**Other information**

- **each 30 mL contains:** sodium 32 mg
- store at 20-25°C (68-77°F)

**Inactive ingredients**

alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to the active ingredients in Vicks<sup>®</sup> NyQuil<sup>®</sup> Cough

Cough Relief

Nighttime Cough

DEXTROMETHORPHAN HBr

Cough suppressant

DOXYLAMINE SUCCINATE

Antihistamine

Relieves:  
 Cough  
 Sneezing  
 Runny nose  
 ALCOHOL 10%  
 Cherry Flavor  
 12 FL OZ (355 mL)

**Drug Facts (continued)**  
 if pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ take only as directed ■ only use the dose cup provided  
 ■ do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

**Other information**  
 ■ each 30 mL contains: sodium 32 mg  
 ■ store at 20-25°C (68-77°F)

**Inactive ingredients** alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

**Questions or comments? 1-800-719-9260**

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® NyQuil® Cough.  
 Distributed by: CVS Pharmacy, Inc.  
 One CVS Drive, Woonsocket, RI 02895  
 © 2018 CVS/pharmacy  
 CVS.com® 1-800-SHOP CVS  
 V-16430

**CVS Quality**  
 Money Back Guarantee

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**CVS Health.** Compare to the active ingredients in Vicks® NyQuil® Cough\*

**Cough Relief**

NDC 59779-668-40

# Nighttime Cough

DEXTROMETHORPHAN HBr  
 Cough suppressant  
 DOXYLAMINE SUCCINATE  
 Antihistamine

**Relieves:**

- Cough
- Sneezing
- Runny nose

ALCOHOL 10%

Cherry Flavor

12 FL OZ (355 mL)

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

**Drug Facts**

Active ingredients (in each 30 mL)	Purpose
Dextromethorphan HBr 30 mg.....	Cough suppressant
Doxylamine succinate 12.5 mg.....	Antihistamine

**Uses** temporarily relieves cold symptoms:  
 ■ cough due to minor throat and bronchial irritation  
 ■ runny nose and sneezing

**Warnings**  
**Do not use**  
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ glaucoma  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema  
 ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers

**When using this product**  
 ■ excitability may occur, especially in children  
 ■ may cause marked drowsiness ■ avoid alcoholic drinks  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if** cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition. ▶

## NIGHTTIME COUGH

dextromethorphan hydrobromide, doxylamine succinate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-668
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

**Product Characteristics**

Color	RED (Dark Red)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-668-38	295 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/23/2002	
2	NDC:59779-668-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2008	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/23/2002	

**Labeler** - CVS Pharmacy (062312574)

Revised: 11/2019

CVS Pharmacy