

**TYLENOL EXTRA STRENGTH- acetaminophen tablet, film coated**  
**Johnson & Johnson Consumer Inc.**

-----  
**TYLENOL**

**Extra Strength**

***Drug Facts***

**Active ingredient (in each tablet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>▪ take 2 tablets every 6 hours while symptoms last</li> <li>▪ do not take more than 6 tablets in 24 hours, unless directed by a doctor</li> <li>▪ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**

- store between 20-25°C (68-77°F)
- **do not use if neck band or foil inner seal imprinted with "TYLENOL" is broken or missing**

## **Inactive ingredients**

carnauba wax, crospovidone, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, ferric oxide black, hypromellose, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, sucralose, titanium dioxide

## **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

## **PRINCIPAL DISPLAY PANEL**

NDC 50580-692-02

Extra Strength  
TYLENOL<sup>®</sup>  
FOR ADULTS

COATED  
TABLETS

Acetaminophen  
Pain Reliever  
Fever Reducer

Actual Size

100 Tablets  
500 mg each



TYLENOL EXTRA STRENGTH			
acetaminophen tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-692
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPVIDONE (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	red	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	TYLENOL;500
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-692-01	1 in 1 CARTON	08/06/2018	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:50580-692-02	1 in 1 CARTON	08/06/2018	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:50580-692-03	1 in 1 CARTON	08/06/2018	
3		225 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	08/06/2018	

**Labeler** - Johnson & Johnson Consumer Inc. (878046358)

Revised: 1/2024

Johnson & Johnson Consumer Inc.