OCEAN POTION QUICK DRY 50 SUNSCREEN - avobenzone, homosalate, octisalate, octocrylene lotion

Sun & Skin Care Research, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Homosalate: 15% Octisalate: 5% Octocrylene: 7% Avobenzone: 3%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other skin protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin. **Stop use and ask a doctor if** rash occurs. **When using this product** keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply after 80 minutes of swimming or sweating and immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including limiting time in the sun, especially from 10a.m.-2p.m., wear long-sleeved shirts, pants hats and sunglasses.
- children under 6 months: Ask a doctor

Other Information

- For use on skin only
- Avoid contact with fabric
- Protect this product from excessive heat and direct sun

VITAMIN D IS ESSENTIAL TO
YOUR HEALTH. EACH 1 OZ APPLICATION
DELIVERS 200 IU OF VITAMIN D3 TO YOUR
SKIN. FORMULATED WITHOUT HARSH INGREDIENTS SUCH AS OXYBENZONE AND PARABENS.

*WHEN USED REGULARLY AS DIRECTED, HELPS PREVENT PREMATURE SKIN AGING CAUSED BY THE SUN'S HARMFUL RAYS.

Drug Facts

Active ingredients

Purpose

Avobenzone 3.0%, Homosalate 12.0%, Octisalate 5.0%, Octocrylene 5.0%

Sunscreen

helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- •after 80 minutes of swimming or sweating
- immediately after towel drying at least every 2 hours **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun
- limit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeved shirts, pants, hats, and sunglasses
 children under 6 months: Ask a doctor

Inactive Ingredients

Acrylates / C10-30 Alkyl Acrylate Crosspolymer, Acrylates Copolymer, Caprylyl Glycol, Carbomer, Cholecalciferol, Diisopropyl Adipate, Dimethyl Capramide, Disodium Edta, Fragrance, Hydroxypropyl Methylcellulose, Macrocystis Pyrifera Extract, Phenoxyethanol, Polyester-8, Propylene Glycol, Carbon Cortes T. Toward P. Propylene Glycol, Carbon Cortes T. Toward P. Propylene Glycol, Carbon Cortes T. Propylene Glycol, Carbon Cortes T. Toward P. Propylene Glycol, Carbon Cortes T. Toward P. Propylene Glycol, Carbon Cortes T. Propylene Glycol, Carbon Car orbitan Oleate, Tocopheryl Acetate, Triethanolamine, Water

Other Information

For use on skin only. Avoid contact with fabric protect this product from excessive heat and direct sun.





Manufactured and Distributed by



Sun And Skin Care Research, Inc. 851 Greensboro Rd., Cocoa, FL 32926 Made in U.S.A. www.oceanpotion.com 1-800-715-3485

PMS 300 PMS 1788

Black PMS 2583

PMS 2623



8 FL OZ (237 mL)

OCEAN POTION QUICK DRY 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:62802-147 Product Type

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 mL in 100 mL		
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 mL in 100 mL		
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	7 mL in 100 mL		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 mL in 100 mL		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIISOPROPYL ADIPATE (UNII: P7E6 YFV72X)	
DIMETHYL CAPRAMIDE (UNII: O29 Y6 X2JEZ)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)	
PHENO XYETHANOL (UNII: HIE492ZZ3T)	
POLYESTER-8 (1400 MW, CYANO DIPHENYLPRO PENO YL CAPPED) (UNII: T9296U138P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62802-147-08	237 mL in 1 BOTTLE		
2	NDC:62802-147-03	89 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	0 1/0 1/20 12		

Labeler - Sun & Skin Care Research, LLC (849772207)

Establishment				
Name	Address	ID/FEI	Business Operations	
Sun & Skin Care Research, LLC		849772207	manufacture	