

SCOTT CLEAR CORN REMOVERS- 40% w/w salicylic acid corn remover plaster
Creative Foam Corporation

Scott Foot Care Clear Corn Removers

Active Ingredient

Salicylic Acid 40% w/w

Purpose

Corn Removal

Uses

- For removal of corns
- Relieves pain by removing corns

Warning

For external use only

Do not use:

- If you are a diabetic
- If you have poor blood circulation
- On irritated skin or area that is infected or reddened

Stop use and ask a doctor if discomfort lasts

Keep out of reach of children

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center immediately.

Directions:

Wash affected area, dry thoroughly

If necessary, cut medicated disk to fit corn

Apply medicated disk with sticky side adhering to skin

Cover medicated disk with enclosed cushion

After 48 hours, remove disk

Repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)

May soak corn in warm water for 5 minutes to a

Other Information

Store between 15 ° C and 30 ° C (59 ° F and 86 ° F)

Inactive Ingredients

Vinyl Acetate

Scott Clear Corn Removers

Medicated Corn Removers cushion corns from painful shoe pressure and friction, while safely removing corns with the medicated disk. The pads are designed for use on small corns.

Manufactured and distributed by
Creative Foam Corporation
Flint, MI 48507

Questions? 800-390-3668



Visit us at
aetnafootproducts.com

R006312



0 33116 55000 8

NDC# 82660-006-05

SCOTT

FOOT CARE



Corn Removers

Medicated

*Medicated Disks Safely Remove Corns
Soft Pads Provide Pressure Relief*

9 Pads
9 Medicated Disks

DRUG FACTS

Active Ingredients	Purpose
Salicylic acid 40%	Corn Removal

Uses

- For removal of corns
- Relieves pain by removing corns

Warning
For external use only

Do not use:

- If you are a diabetic
- If you have poor blood circulation
- On irritated skin or area that is infected or reddened

Stop use and ask a doctor if discomfort lasts

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center immediately

Directions:

- Wash affected area dry thoroughly
- If necessary, cut medicated disk to fit corn
- Apply medicated disk with sticky side adhering to skin
- Cover medicated disk with enclosed cushion
- After 48 hours, remove disk
- Repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- May soak corn in warm water for 5 minutes to assist removal

Other Information
Store between 15C° and 30C° (59F° and 86F°)

Inactive Ingredients
Vinyl acetate

SCOTT CLEAR CORN REMOVERS

40% w/w salicylic acid corn remover plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82660-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82660-006-05	100 mg in 1 BOX; Type 0: Not a Combination Product	12/31/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	12/31/2020	

Labeler - Creative Foam Corporation (620897061)

Revised: 12/2025

Creative Foam Corporation