

**E MEI SHAN MEDICATED- camphor and menthol plaster**  
**MADISON ONE ACME INC**

-----  
**Drug Facts**

**Active Ingredients**

Camphor 3.1%

Menthol 2.6%

**Purpose**

External Analgesic

External Analgesic

**Uses**

For the temporary relief of minor aches and pains of muscles and joints due to:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings**

**For external use only**

**Allergy alert:** This product contains natural rubber latex which may cause allergic reactions

**Do not use**

■ on irritated or damaged skin ■ on wounds

**Ask a doctor or pharmacist before use if you have**

■ any concerns about using this product

**When using this product**

■ avoid contact with the eyes or mucous membranes

■ do not bandage tightly

■ do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns)

■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster

**Stop use and ask a doctor if**

■ condition worsens

■ symptoms persist for more than 7 days

■ symptoms clear up and occur again within a few days

- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
- you feel actual pain or experience blistering or burning after application (it is normal to feel a warming or cooling sensation)
- when using for pain of arthritis:
  - pain persists for more than 10 days
  - redness is present
  - in conditions affecting children under 12 years of age

**Report any unexpected side effects** from the use of this product to the FDA MedWatch Program

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- adults and children 2 years of age and older
  - clean and dry affected area
  - remove the protective film from the plaster
  - apply plaster to affected area not more than 3 to 4 times daily
  - remove plaster from the skin after at most 8-hour application
  - wet plaster with warm water before removing from the skin
- children under 2 years of age: consult your physician

### ***Other information***

- keep plasters tightly closed in the zip-lock pouch
- store at 15 to 30 C (59 to 86 F) in a dry place away from sunlight

### ***Inactive ingredients***

Angelica sinensis root, ocimum gratissimum leaf oil, butylated hydroxytoluene, cinnamon oil, saposhnikovia divaricata root, angelica dahurica root, ginger, lanolin, natural latex rubber, petrolatum, rosin, safflower, nepeta tenuifolia flowering top, and zinc oxide on an elastic cloth and covered with a protective paper film.

### ***Questions or comments?***

(888) 221-3496 M-F 9 am to 5 pm

- you may also report serious side effects to this phone number

E MEI SHAN MEDICATED PLASTER

NDC 55614-730-01

Simple backache, Arthritis, Strains, Bruises, Sprains

5 Plaster

Each Plaster 7 x 10 cm (2.76 x 3.94 in)

E Mei Shan 峨嵋山風濕膏紙盒 - 02/26/2021

Size: 164mm x 104mm x 13mm

0  
49987101145  
6

|  |  |   |  |
|--|--|---|--|
| <b>Drug Facts 藥品資料</b>   |  | <b>Drug Facts 藥品資料 (continued) 續</b>  |  |
| <b>Active Ingredients 有效成份</b><br>Camphor 樟腦 3.1%<br>Menthol 薄荷腦 2.0%  |  | <b>Purpose 用途</b><br>External Analgesic 外用止痛<br>External Analgesic 外用止痛   |  |
| <b>Uses 作用</b> For the temporary relief of minor aches and pains of muscles and joints due to:<br>■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains<br>背部疼痛 ■ 關節炎 ■ 扭傷 ■ 瘀傷 ■ 扭傷   |  | <b>Directions 使用說明</b><br>■ adults and children 2 years of age and older 2歲及以上的成人和兒童:<br>■ clean and dry affected area 清潔及弄乾受影響區域<br>■ remove the protective film from the plaster 從膏布上取下保護膜<br>■ apply plaster to affected area not more than 3 to 4 times daily 每天不超過3至4次在受影響區域貼上膏布<br>■ remove plaster from the skin after at most 8-hour application 最多8小時後，移除皮膚上的膏布<br>■ wet plaster with warm water before removing from the skin 從皮膚上取下之前先用溫水濕透膏布<br>■ children under 2 years of age: consult your physician 2歲以下兒童：諮詢您的醫生 |  |
| <b>Warnings 警告</b> For external use only 只限外用<br><b>Allergy alert 過敏警告:</b> This product contains natural rubber latex which may cause allergic reactions. 本產品含有天然橡膠乳液，可能引起過敏反應。   |  | <b>Other information 其他資訊</b><br>■ keep plasters tightly closed in the zip-lock pouch 將膏藥密封保存在拉鏈袋中<br>■ store at 15° to 30°C (59° to 86°F) in a dry place away from sunlight 在攝氏15°至30° (華氏59°至86°) 下保存在乾燥避光之處  |  |
| <b>Do not use 不能用於</b><br>■ on irritated or damaged skin 發炎或破損皮膚 ■ on wounds 傷口<br><b>Ask a doctor or pharmacist before use if you have</b><br>如果有以下情況，在使用前請諮詢醫生或藥劑師<br>■ any concerns about using this product 對使用本產品有任何顧慮  |  | <b>Inactive ingredients 非活性成分</b><br>Angelica sinensis root, ocimum gratissimum leaf oil, butylated hydroxytoluene, cinnamon oil, saposnikovia divaricata root, angelica dahurica root, ginger, lanolin, natural latex rubber, petrolatum, rosin, safflower, nepeta tenuifolia flowering top, and zinc oxide on an elastic cloth and covered with a protective paper film.<br>當歸，丁香羅勒油，二丁基羥基甲苯，肉桂油，防風，白芷，干薑，羊毛脂，天然橡膠，黃凡士林，松香，紅花，荆芥，及氧化鋅置於彈力布上並覆蓋保護紙膜。   |  |
| <b>When using this product 在使用本產品時</b><br>■ avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜<br>■ do not bandage tightly 切勿包紮過緊<br>■ do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns)<br>不要以加熱墊、熱水瓶或加熱燈的形式對患處施加熱量 (這樣做會增加嚴重灼傷的風險)<br>■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster 避免貼在毛髮濃密處，以免在撕掉膏藥時引起皮膚發炎   |  | <b>Questions or comments? 問題或意見? (888) 221-3496</b><br>M-F, 9 am to 5 pm 週一至週五，上午9時至下午5時<br>■ you may also report serious side effects to this phone number.<br>您還可以使用這個電話號碼報告嚴重的副作用  |  |
| <b>Stop use and ask a doctor if</b> 立即停止使用並向醫生諮詢，如果<br>■ condition worsens 病情惡化<br>■ symptoms persist for more than 7 days 症狀持續七天以上<br>■ symptoms clear up and occur again within a few days 症狀好轉後數天內復發<br>■ excessive irritation of the skin develops 皮膚有嚴重刺激或發炎<br>■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs<br>噁心、嘔吐、腹瀉不適、腹瀉或出現皮疹<br>■ you feel actual pain or experience blistering or burning after application (it is normal to feel a warming or cooling sensation)<br>在使用後您會感到切實的疼痛或出現水泡或有灼熱感 (溫暖或清涼的感覺是正常的) |  | <b>美國總代理 U.S. Distributor:</b><br> <b>SOLSTICE MEDICINE COMPANY</b><br>美國蘇氏藥業有限公司<br>215 W. Ann Street<br>Los Angeles, CA 90012<br>Toll Free: 1-888-221-3496<br><a href="http://www.solsticemed.com">www.solsticemed.com</a>   |  |
| <b>Report any unexpected side effects</b> from the use of this product to the FDA MedWatch Program. 向FDA MedWatch計劃報告使用本產品所產生的任何意外副作用<br><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away  |  | <b>Product of China 中國產品</b>  |  |

# 峨嵋山風濕膏®



NDC 55614-730-01



民間秘方  
療效顯著

精工提煉  
使用方便

# 峨嵋山風濕膏®

## E MEI SHAN® MEDICATED PLASTER

※新劑型 ※新配方 ※可拉長或伸縮

✓ Simple backache 一般腰背痛  
✓ Arthritis 關節炎  
✓ Strains 損傷  
✓ Bruises 瘀傷  
✓ Sprains 扭傷

5 PLASTER (五貼裝) 每貼 (7厘米 x 10厘米)  
Each Plaster 7 x 10 cm (2.76 x 3.94 in)

## E MEI SHAN® MEDICATED PLASTER

# 峨嵋山牌®

NEW PACKAGING STARTING FEBRUARY 2021  
自二零二一年二月改用此新裝

# E MEI SHAN MEDICATED

camphor and menthol plaster

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55614-730 |
| <b>Route of Administration</b> | TRANSDERMAL    |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength   | Strength |
|---|---------------------|----------|
| <b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET) | CAMPHOR (SYNTHETIC) | 31 mg    |
| <b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)                         | MENTHOL             | 26 mg    |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ANGELICA SINENSIS ROOT</b> (UNII: B66F4574UG)          |          |
| <b>OCIMUM GRATISSIMUM LEAF OIL</b> (UNII: AVG2506KDV)     |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)        |          |
| <b>CINNAMON OIL</b> (UNII: E5GY4I6YCZ)                    |          |
| <b>SAPOSHNIKOVIA DIVARICATA ROOT</b> (UNII: 8H84LFK2QD)   |          |
| <b>ANGELICA DAHURICA ROOT</b> (UNII: 1V63N2S972)          |          |
| <b>GINGER</b> (UNII: C5529G5JPQ)                          |          |
| <b>LANOLIN</b> (UNII: 7EV65EAW6H)                         |          |
| <b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)            |          |
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)                      |          |
| <b>ROSIN</b> (UNII: 88S87KL877)                           |          |
| <b>SAFFLOWER</b> (UNII: 4VBL71TY4Y)                       |          |
| <b>NEPETA TENUIFOLIA FLOWERING TOP</b> (UNII: 2FN3BA1MZE) |          |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)                      |          |

## Packaging

| # | Item Code        | Package Description                             | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55614-730-01 | 1 in 1 BOX                                      | 02/16/2021           |                    |
| 1 |                  | 5 in 1 POUCH; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017                                     | 02/16/2021           |                    |

**Labeler** - MADISON ONE ACME INC (096196758)

**Registrant** - MADISON ONE ACME INC (096196758)

**Establishment**

| Name                                     | Address | ID/FEI    | Business Operations    |
|--|---------|-----------|------------------------|
| Zhejiang Dingtai Pharmaceutical Co., Ltd |         | 420598724 | manufacture(55614-730) |

Revised: 11/2025

MADISON ONE ACME INC