

LUNGEX II- ginkgo biloba, colon (suis), lung (suis), pancreas suis, germanium sesquioxide, cuprum metallicum, manganum metallicum, stannum metallicum, alpha-ketoglutaricum acidum, citricum acidum, fumaricum acidum, malic acid, pyruvic acid, succinicum acidum, naphthoquinone, arsenicum metallicum, calcarea carbonica, aconiticum acidum, cis, natrum oxalaceticum, phosphorus liquid
Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each drop): 33.30% Of Natrum Oxalaceticum 12X, 30X. 1.11% Of Alpha-Ketoglutaricum Acidum+ 8X, 12X, 30X; Citricum Acidum 8X, 12X, 30X, Pyruvic Acid 8X, 12X, 30X; Arsenicum Metallicum 12X, Calcarea Carbonica 12X, Cuprum Metallicum 12X, Manganum Metallicum 12X, Stannum Metallicum 12X; Colon (Suis) 12X, 30X, Fumaricum Acidum 12X, 30X, Lung (Suis) 12X, 30X, Malicum Acidum 12X, 30X, Pancreas Suis 12X, 30X, Phosphorus 12X, 30X, Succinicum Acidum 12X, 30X; Aconiticum Acidum, Cis- 30X, Naphthochinonum 30X, 0.01% Of Colon (Suis) 6X, Ginkgo Biloba 6X, Lung (Suis) 6X, Pancreas Suis 6X; Cuprum Metallicum 8X, Fumaricum Acidum 8X, Germanium Sesquioxide 8X, Malicum Acidum 8X, Manganum Metallicum 8X, Stannum Metallicum 8X, Succinicum Acidum 8X; Naphthochinonum 9X, 12X; Aconiticum Acidum, Cis- 12X.

INDICATIONS:

May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 2 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

INDICATIONS:

May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd.

Woodbine, IA 51579 **800-869-8078**

PACKAGE LABEL DISPLAY:

ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

LUNGEX II

1 fl. oz. (30 ml)

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

DIRECTIONS: Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 2 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc., 201 Apple Blvd.
Woodbine, IA 51579 **800.869.8078**



HOMEOPATHIC REMEDY

LUNGEX II™

INDICATIONS: May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.**

1 fl. oz. (30 ml) 20% Ethanol

Active Ingredients (in each drop):

33.30% of Natrum Oxalaceticum 12X, 30X.
1.11% of alpha-Ketoglutar Ac, Citricum Ac, Pyruvic Acid 8X, 12X, 30X; Arsenicum Met, Calc Carb, Cuprum Met, Mang Met, Stannum Met 12X; Colon, Fumaricum Ac, Lung, Malic Ac, Pancreas, Phos, Succinicum Acidum 12X, 30X; Aconiticum Acidum, Cis-, Naphthochinonum 30X.
0.01% of Colon, Ginkgo, Lung, Pancreas 6X; Cuprum Met, Fumaricum Ac, Germanium Sesquioxide, Malic Ac, Mang Met, Stannum Met, Succinicum Acidum 8X; Naphthochinonum 9X, 12X; Aconiticum Acidum, Cis- 12X.

Inactive Ingredients:

Demineralized water, 20% Ethanol.

LOT: XXXXXX

MFD: MM/YY



3 63113 70104 3

LUNGEX II

ginkgo biloba, colon (suis), lung (suis), pancreas suis, germanium sesquioxide, cuprum metallicum, manganum metallicum, stannum metallicum, alpha-ketoglutaricum acidum, citricum acidum, fumaricum acidum, malic acid, pyruvic acid, succinicum acidum, naphthoquinone, arsenicum metallicum, calcarea carbonica, aconiticum acidum, cis, natrum oxalaceticum, phosphorus liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0439
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GINKGO (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	6 [hp_X] in 1 mL
SUS SCROFA COLON (UNII: 94J255A0UC) (SUS SCROFA COLON - UNII:94J255A0UC)	SUS SCROFA COLON	6 [hp_X] in 1 mL
SUS SCROFA LUNG (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	6 [hp_X] in 1 mL
SUS SCROFA PANCREAS (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	6 [hp_X] in 1 mL
GERMANIUM SESQUIOXIDE (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	8 [hp_X] in 1 mL
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	8 [hp_X] in 1 mL
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	8 [hp_X] in 1 mL
TIN (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	8 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
FUMARIC ACID (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
PYRUVIC ACID (UNII: 8558G7RUTR) (PYRUVIC ACID - UNII:8558G7RUTR)	PYRUVIC ACID	8 [hp_X] in 1 mL
SUCCINIC ACID (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL
1,2-NAPHTHOQUINONE (UNII: 804K62F61Q) (1,2-NAPHTHOQUINONE - UNII:804K62F61Q)	1,2-NAPHTHOQUINONE	9 [hp_X] in 1 mL
ARSENIC (UNII: N712M78A8G) (ARSENIC - UNII:N712M78A8G)	ARSENIC	12 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
ACONITIC ACID (UNII: 93371T1BXP) (ACONITIC ACID - UNII:93371T1BXP)	ACONITIC ACID	12 [hp_X] in 1 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	12 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0439-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/08/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/08/2017	

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0439) , api manufacture(44911-0439) , label(44911-0439) , pack(44911-0439)

Revised: 10/2024

Energique, Inc.