# ALLERGY RELIEF- diphenhydramine hydrochloride capsule, liquid filled Strive Pharmaceuticals Inc.

-----

## **RIGHT REMEDIES Allergy Relief**

## **Drug Facts**

## Active ingredient (in each softgel)

Diphenhydramine HCl 25 mg

## **Purpose**

**Antihistamine** 

## Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

## Warnings

## Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

## Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement to the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

## When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

## **Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and	1 to 2
older	softgels
children 6 to under 12 years	1 softgel
children under 6 years	do not use

## Other information

- store at 25°C (77°F) in a dry place
- protect from light, heat and moisture

## Inactive ingredients

edible white ink, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution

## Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

Compare to the active ingredient in **BenadryI®** Dye-Free Allergy\*

## **RIGHT REMEDIES**

# READ AND KEEP OUTER PACKAGE FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

# TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Johnson&Johnson Corporation, owner of the registered trademark Benadryl® Dye-Free Allergy.

Distributed by: Strive Pharmaceuticals Inc., East Brunswick, NJ 08816 Product of United Arab Emirates Packaged and Quality Assured in the USA

REV.00-022022

## **Packaging**



220 220-00.VE R 81.007 268 07TO AZU arti nibaruszA villeuO bris bagaxbe9 Product of United Arab Emirates

Distrib uted by: Strive Pharmaceuticals Inc., East Brun awick, NJ 0881 6

\*This product is not manufadured or dishibuted by John son & Johnson Corporation, owner of the registered trademark Beradryl® Dye-Free Allergy.

machinery
 excitability may occur, especially in children

- Increase drow siness
  Lise çaut ion when driv in g a motor vehicle or operating
  - marked drows mess may occur
    avoid alcoholic beverages
    avoid alcoholic beverages
    isoponol, sedaïves, and tranquilizers may incoholic drown and transport
    - - When using this product

taking sedatives or tranquilizers.

Aska doctor or pharmacist before use if you are

b coarate g rand

- glau coma difficulty in unination due to enlargement to the
  - chron ic bron chiffs
  - Ask a doctor before use if you have a breathing problem such as emphysema or

- even on eused on skin with any other product containing diphenhydramine,

  - to makea child sleepy

s вин ше <sub>М</sub>

- ru nny, nose
- temporarily relieves these symptoms due to the common
  - itching of the nose or throat
    - a runny nose itchy,watery eyes
  - o ther upper respiratory allergies:

temporarily relieves these symptoms due to hay fever or sasn

Diph enhy dramine THCl 25 mg. enimist aiditin A

(la gitos dos a ni) Active ingredient

Drug Facts

1-888-577-8033 Monday-Friday 8am-4pm EST Questions or comments?

providone, pur filed water, sorbit ol sorbitan solution

edible white ink, getain, glycerin, isopropyl alcohol, medium chain triglycerides, polyethyle ne glycol,

■ take every 4 to 6 hours, oras directed by a doctor ■ don ot take more than 6 doses in 24 hours

med coal attention is cribical for adults as well as children even if you do not notice any signs or symptoms.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help

If pregnant or breast-feeding, ask a health professional

or contact a Poiso in Control Center right away. Pro mpt

stnaibarpar jugar av to san ts

Other information

children under 6 years

children 6 to und er 12 years and older

adults and children 12

Directions

льэгэ

■ store at 25°C (77°P) in a dry place ■ protectfrom light, heat and moisture

Drug Fa*cts* (continued)

Warmings (continued)

[READ AND KEEP OUTER PACKAGE FOR COMPLETE WARNINGS AND PRODUCT INFORMATION]

Purpose



esu ton o b

lagitos f

1 to 2 softgels

DIPHENHYDRAMINE HCL 25 mg- Antihistamine



sneezing, runny nose, itchy watery eyes, itchy throat 16



Compare to the active ingredient in Benadry |® Dye-Free Allergy\*

NDC 70692-780-16

**Dve-Free** 

# ergy Relief

**DIPHENHYDRAMINE HCL 25 mg** 

**Antihistamine** 

Relieves:

sneezing, runny nose,





## **DRUG FACTS TABLE**

## Drug Facts

Active ingredient (in each softgel)

Purpose

Diphenhydramine HCl 25 mg.....Antihistamine

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy,watery eyes
- sneezing
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

## Warnings

## Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

## Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement to the prostaté gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

## When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
  alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## Drug Facts (continued)

## Warnings (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

## Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and older	1 to 2 softgels
children 6 to under 12 years	1 softgel
children under 6 years	do not use

## Other information

- store at 25°C (77°F) in a dry place
- protect from light, heat and moisture

## Inactive ingredients

edible white ink, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, providone, purified water, sorbitol sorbitan solution

## Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

## **ALLERGY RELIEF**

diphenhydramine hydrochloride capsule, liquid filled

### **Product Information HUMAN OTC DRUG** Item Code (Source) NDC:70692-780 **Product Type Route of Administration ORAL**

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients		
Ingredient Name	Strength	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
SORBITAN (UNII: 6O92ICV9RU)		

Product Characteristics			
Color	white (Transparent)	Score	no score
Shape	OVAL (oblong)	Size	15mm
Flavor		Imprint Code	780
Contains			

ı	Packaging			
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date
:	NDC:70692-780- 16	2 in 1 CARTON	04/06/2023	
:	L	8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/06/2023	

## Labeler - Strive Pharmaceuticals Inc. (080028013)

Revised: 12/2024 Strive Pharmaceuticals Inc.