

BENADRYL- diphenhydramine hydrochloride tablet, film coated
Lil' Drug Store Products, Inc.

Benadryl®

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 15 mg
- store between 20-25°C (68-77°F). Protect from light.
- **do not use if pouch is torn or damaged**

Inactive ingredients

carnauba wax, croscarmellose sodium, D&C red no. 27 aluminum lake, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

call **1-877-717-2824** (toll free) or **215-273-8755** (collect)

Repackaged and distributed by:

Lil' Drug Store Products, Inc., 1201 Continental Place NE, Cedar Rapids, IA 52402

PRINCIPAL DISPLAY PANEL - 25 mg Tablet Pouch Carton

Benadryl®

ALLERGY

Diphenhydramine HCl 25 mg | Antihistamine

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat

ULTRATABS®*

*small tablet size

6
Tablets

3 POUCHES OF 2 TABLETS EACH

Lil'

Drug Store[®]



DO NOT USE IF POUCH IS TORN OR DAMAGED

Drug Facts

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings


- Do not use**
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

LIFT PANEL FOR CONTINUED DRUG FACTS



Drug Facts (continued)

Inactive ingredients

carnauba wax, croscarmellose sodium, D&C red no. 27 aluminum lake, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

call 1-877-717-2824 (toll free) or 215-273-8755 (collect)

Drug Facts (continued)

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
--	----------------

Product manufactured by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA



Benadryl[®] Allergy, 4ct - Travel BASIX

Benadryl[®]

ALLERGY

Diphenhydramine HCl 25 mg | Antihistamine

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat

ULTRATABS[®]*

*small tablet size

4 Tablets

2 POUCHES OF 2 TABLETS EACH

[Travel BASIX logo]



Benadryl® Allergy, 4ct - CVP® HEALTH

Benadryl®

ALLERGY

Diphenhydramine HCl 25 mg | Antihistamine

Sneezing

Itchy, Watery Eyes

Runny Nose

Itchy Throat

ULTRATABS®*

*small tablet size

4

Tablets

2 POUCHES OF 2 TABLETS EACH

[CVP HEALTH logo]



Benadryl® Allergy, 25pc - Lil' Drug Store®

Benadryl

ALLERGY

Diphenhydramine HCl 25 mg | Antihistamine

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat

ULTRATABS®*

***small tablet size**

[tablet image]

**25 POUCHES OF
2 TABLETS EACH**

[Lil Drug Store logo]



Benadryl® Allergy, 30pc - Lil' Drug Store®

Benadryl

ALLERGY

Diphenhydramine HCl 25 mg | Antihistamine

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat

ULTRATABS®*

***small tablet size**

[tablet image]

**25 POUCHES OF
2 TABLETS EACH**

[Lil Drug Store logo]



BENADRYL

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9706
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	B;WL;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9706-1	1 in 1 CARTON	09/16/2010	07/09/2015
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9706-2	2 in 1 CARTON	12/14/2018	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9706-3	3 in 1 CARTON	12/14/2018	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/16/2010	

BENADRYL

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6406
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	B;WL;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6406-2	2 in 1 CARTON	11/28/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-6406-7	25 in 1 BOX, UNIT-DOSE	04/19/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-6406-8	30 in 1 BOX, UNIT-DOSE	04/19/2022	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/19/2022	

BENADRYL

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6506
---------------------	----------------	---------------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	B;WL;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6506-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/06/2022	

Labeler - Lil' Drug Store Products, Inc. (093103646)

