

## **CLEAR ACNE KIT- acne kit**

### **Kamedis**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Clear Acne Kit**

#### **Step 1 - Acne Face Cleanser**

#### **Drug Facts**

#### **Active Ingredient**

Salicylic acid 1.0%

#### **Purpose**

Acne Treatment

#### **Use**

- For the treatment of acne

#### **Warnings**

#### **For external use only**

#### **When using this product**

- Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication at a time should be used, unless otherwise directed by a doctor.

#### **Stop use and ask a doctor**

- If irritation persists

#### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Wet face. Apply to hands, add water and work into lather. Gently massage all over face avoiding eye area. Rinse thoroughly and pat dry. Good for daily use.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day
- For children under 10 years of age, consult your physician.

#### **Inactive Ingredients**

Benzyl Alcohol, Chlorphenesin, Cocamide MEA, Cocamidopropyl Betaine, Common Purslane (Portulaca Oleracea) Extract, Fragrance, Glycerin, Glyceryl Stearate SE, Hexylene Glycol, Hydrolyzed Jojoba Ester, Lauroyl Lysine, Methyl Glucose Caprate/ Caprylate/ Oleate, Myristic Acid, Propanediol, Salt (Sodium Chloride), Soapberry (Sapindus Mukurossi) Fruit Extract, Sodium Cocoyl Apple Amino Acids, Sodium Hydroxide, Sodium Lauroyl Methyl Isethionate, Sodium Methyl Cocoyl Taurate,

Squalane, Stearic Acid, Tetrasodium EDTA, Trisodium Ethylenediamine Dissuccinate, Vitamin E (Tocopheryl Acetate), Water, Xanthan Gum.

## **Questions or Comments?**

1-855-626-6606

## **Step 2 - Acne Spot Treatment**

### **Drug Facts**

#### **Active Ingredient**

Salicylic acid 2.0%

#### **Purpose**

Acne Treatment

#### **Use**

- For the treatment of acne

#### **Warnings**

##### **For external use only**

##### **When using this product**

- Avoid unnecessary sun exposure and use sunscreen.
- Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication at a time should be used, unless otherwise directed by a doctor.

##### **Stop use and ask a doctor**

- If irritation persists

##### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Cleanse the skin thoroughly before applying medication.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- For children under 10 years of age, consult your physician.

#### **Inactive Ingredients**

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Alcohol, Amur Cork Tree (Phellodendron Amurense) Bark Extract, Baikal Skullcap (Scutellaria Baicalensis) Root Extract, Benzyl Alcohol, Capryloyl Glycine, Chinese Rhubarb (Rheum Palmatum) Root Extract, Chlorphenesin, Chrysanthemum (Chrysanthemum Indicum) Flower Extract, Cinnamon (Cinnamomum Zeylanicum) Bark Extract, Common Purslane (Portulaca Oleracea) Extract, Fragrance, Glycerin, Great Burnet (Sanguisorba Officinalis) Root Extract, Hexylene Glycol, Norway Spruce (Picea Abis) Extract, Propanediol, Sarcosine, SD Alcohol 40-C, Sodium Phytate, Tromethamine, Water, Xanthan Gum

## Questions or Comments?

1-855-626-6606

### Step 3 - Acne Face Moisturizer Drug Facts

#### Active Ingredient

Salicylic acid 2.0%

#### Purpose

Acne Treatment

#### Use

- For the treatment of acne

#### Warnings

##### For external use only

##### When using this product

- Avoid unnecessary sun exposure and use sunscreen.
- Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.
- Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication at a time should be used, unless otherwise directed by a doctor.

##### Stop use and ask a doctor

- If irritation persists

##### Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Cleanse the skin thoroughly before applying medication.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- For children under 10 years of age, consult your physician.

#### Inactive Ingredients

Alcohol, Arachidyl Alcohol, Arachidyl Glucoside, Ascorbyl Tetraisopalmitate, Baikal Skullcap (Scutellaria Baicalensis) Root Extract, Behenyl Alcohol, Benzyl Alcohol, Capryloyl Glycine, Carbomer, Cetyl Alcohol, Chlorphenesin, Chinese Rhubarb (Rheum Palmatum) Root Extract, Chrysanthemum (Chrysanthemum Indicum) Flower Extract, Cinnamon (Cinnamomum Zeylanicum) Bark Extract, Common Purslane (Portulaca Oleracea) Extract, Dicaprylyl Carbonate, Fragrance, Glucose, Glycerin, Hexylene Glycol, Norway Spruce (Picea Abis) Extract, Phenethyl Alcohol, Plankton Extract, Propanediol, Sarcosine, SD Alcohol 40-C, Shea Butter (Butyrospermum Parkii), Sodium Hydroxide, Sodium Phytate, Squalane, Stearyl Alcohol, Water, Xanthan Gum.

## Questions or Comments?

1-855-626-6606

Made in USA

Manufactured for Kamedis, New Jersey 07601

1-855-626-6606

[www.kamedis-usa.com](http://www.kamedis-usa.com)

**Carton Label**

**Kamedis**  
DERMATOLOGY  
PROVEN BOTANICALS

**CLEAR**

Salicylic Acid 1.0%  
Acne Treatment  
**Acne Face  
Cleanser**

NDC 50719-0031-1  
**Kamedis**  
DERMATOLOGY  
PROVEN BOTANICALS

**CLEAR**

Salicylic Acid 1.0%  
Acne Treatment

**Acne  
Face  
Cleanser**

Cleans,  
treats and  
clears up  
skin prone to  
acne breakouts



- Made with Botanical Purslane
- Non-drying formula
- Free of Parabens, Steroids, Dyes, Benzoyl Peroxide

3.38 fl. oz. (100 ml)

Our purpose at Kamedis is to share our discoveries of truly effective skin solutions, because you deserve better.

That's why Kamedis formulations are derived from plants and result from years of scientific studies and clinical trials, combining the right botanicals for your skin with careful sourcing, extraction and purification.

The naturally vivid greens, ambers, sapphire and honey colors of our formulations are proof of how concentrated and pure our botanicals really are.

Highly Concentrated Pure Botanical Formulations.



**FEATURED BOTANICAL**

Portulaca oleracea, commonly called **Purslane**, is known for its anti-irritation properties



All Kamedis botanicals work in combination to provide prebiotic properties that contribute to overall skin health

**Sapindus Mukurossi  
Soapberry**



For best results combine with Kamedis Acne Spot Treatment and Kamedis Acne Face Moisturizer

**Acne Face Cleanser**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Salicylic acid 1.0% .....	Acne Treatment
<b>Use</b>	
• For the treatment of acne	
<b>Warnings</b>	
For external use only	
When using this product	
• Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.	
• Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication at a time should be used, unless otherwise directed by a doctor.	
<b>Stop use and ask a doctor</b>	
• If irritation persists	
<b>Keep out of reach of children</b>	
• If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Wet face. Apply to hands, add water and work into lather. Gently massage all over face avoiding eye area. Rinse thoroughly and pat dry. Good for daily use.	
• Cover the entire affected area with a thin layer one to three times daily.	
• Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.	
• If bothersome dryness or peeling occurs, reduce application to once a day or every other day.	
• For children under 10 years of age, consult your physician.	
<b>Inactive Ingredients</b>	
Benzyl Alcohol, Calophanesin, Cocamide MEA, Cocamidopropyl Betaine, Common Purslane (Portulaca Oleracea) Extract, Fragrance, Glycerin, Glyceryl Stearate SE, Hexylene Glycol, Hydrolyzed Jojoba Ester, Lauryl Lysine, Methyl Glucose Caprate/Caprylate/Oleate, Myristic Acid, Propandiol, Salt (Sodium Chloride), Soapberry (Sapindus Mukurossi) Fruit Extract, Sodium Cocoyl Apple Amino Acids, Sodium Hydroxide, Sodium Lauryl Methyl Isethionate, Sodium Methyl Cocoyl Taurate, Squalene, Stearic Acid, Tetrasodium EDTA, Trisodium Ethylene diamine Disuccinate, Vitamin E (Tocopheryl Acetate), Water, Xanthan Gum.	
<b>Questions or Comments?</b>	
1-855-626-6606	

Made in USA  
Manufactured for Kamedis, New Jersey 07901  
1-855-626-6606

[www.kamedis-usa.com](http://www.kamedis-usa.com)



LB0342PKA

UPC: 7 290006 27877 7

# CLEAR

Salicylic Acid 2.0% Acne Treatment

## Acne Spot Treatment

Quickly treats acne breakouts, reduces inflammation and sebum production



*We share our discoveries of truly effective skin solutions because you deserve better.*

Kamedis  
DERMATOLOGY  
PROVEN BOTANICALS

**CLEAR**

Salicylic Acid 2.0%  
Acne Treatment  
**Acne Spot Treatment**

**Clinically Proven**

CLEARER SKIN WITHIN

**12**  
HOURS

- Made with Botanical Purslane
  - Free of Parabens, Steroids, Dyes, Benzoyl Peroxide
- 0.74 fl. oz. (22 ml)

Kamedis  
DERMATOLOGY  
PROVEN BOTANICALS

**CLEAR**

Salicylic Acid 2.0%  
Acne Treatment  
**Acne Spot Treatment**

www.kamedis-usa.com



Made in USA  
Manufactured for Kamedis  
New Jersey, 07601  
1-855-626-6606



UPC: 7 290006 27875 3

### FEATURED BOTANICAL

Portulaca Oleracea, commonly called Purslane, is known for its anti-irritation properties



All Kamedis botanicals work in combination to provide probiotic properties that contribute to overall skin health

Phellodendron Amurense  
Amur Cork Tree

Sanguisorba Officinalis  
Great Burner

Chrysanthemum Indicum  
Chrysanthemum

Sanguisorba Officinalis  
Balkan Skullcap

Rhynchospora Alata  
Rhubarb

For best results combine with Kamedis Face Cleanser and Kamedis Acne Face Moisturizer

Drug Facts	Directions	Warnings	Other information
<p><b>Acne Spot Treatment</b></p> <p>Salicylic acid 2.0% Acne Treatment</p> <p><b>Active ingredient</b></p> <p><b>Purpose</b></p> <p>Acne Treatment</p> <p><b>Use</b></p> <p>For the treatment of acne</p> <p><b>Directions</b></p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p>Stop use and ask a doctor if irritation persists.</p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p><b>Warnings</b></p> <p>For external use only.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p><b>Other information</b></p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>
<p><b>Acne Spot Treatment</b></p> <p>Salicylic acid 2.0% Acne Treatment</p> <p><b>Active ingredient</b></p> <p><b>Purpose</b></p> <p>Acne Treatment</p> <p><b>Use</b></p> <p>For the treatment of acne</p> <p><b>Directions</b></p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p>Stop use and ask a doctor if irritation persists.</p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p><b>Warnings</b></p> <p>For external use only.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>	<p><b>Other information</b></p> <p>Keep out of reach of children.</p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>Cleanse the skin thoroughly before applying medication.</p> <p>Cover the entire affected area with a thin layer one to three times daily.</p> <p>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</p> <p>Use other topical acne medication at the same time or immediately following the use of this product. Do not use benzoyl peroxide or retinoids at the same time or immediately following the use of this product.</p> <p>Use eye drops thoroughly with water.</p> <p>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water.</p> <p>When using this product, avoid unnecessary sun exposure and use sunscreen.</p> <p>For external use only.</p>







acne face cleanser liquid

### Product Information

**Item Code (Source)** NDC:50718-0031

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	14.4 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PURSLANE (UNII: M6S840WXG5)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
GLYCERIN (UNII: PDC6A3C0OX)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SQUALANE (UNII: GW89575KF9)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3011KX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
COCO MONOETHANOLAMIDE (UNII: C80684146D)	
LAUROYL LYSINE (UNII: 113171Q70B)	
MYRISTIC ACID (UNII: 0I3V7S25AW)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SAPINDUS MUKOROSSIFRUIT (UNII: 66H9NW427Y)	
SODIUM LAUROYL METHYL ISETHIONATE (UNII: II6VCD3S6R)	
SODIUM METHYL COCOYL TAURATE (UNII: JVL98CG53G)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE SODIUM (UNII: MP1J8420LU)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
SODIUM COCOYL APPLE AMINO ACIDS (UNII: EB3U1PA61T)	
METHYL GLUCOSE (UNII: QCF122NF3R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50718-0031-1	1 in 1 CARTON		
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/01/2018	

## Part 2 of 3

### CLEAR ACNE SPOT TREATMENT

acne spot treatment liquid

## Product Information

Item Code (Source)	NDC:50718-0032
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	28.8 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)	
ALCOHOL (UNII: 3K9958V90M)	
PHELLODENDRON AMURENSE BARK (UNII: PBG27B754G)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CHRYSANTHEMUM INDICUM FLOWER (UNII: I6OER6U04L)	
PURSLANE (UNII: M6S840WYG5)	
GLYCERIN (UNII: PDC6A3C0OX)	
RHEUM PALMATUM ROOT (UNII: G025DAL7CE)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
PICEA ABIES WOOD (UNII: 72GZ8K8996)	
PROPANEDIOL (UNII: 5965N8W85T)	
SARCOSINE (UNII: Z711V88R5F)	
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)	
TROMETHAMINE (UNII: 023C2WHX2V)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CINNAMON BARK OIL (UNII: XE54U569EC)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50718-0032-1	1 in 1 CARTON		
1		22 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/01/2018	

## Part 3 of 3

### CLEAR ACNE FACE MOISTURIZER

acne face moisturizer lotion

## Product Information

Item Code (Source)	NDC:50718-0033
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	28.8 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
ALCOHOL (UNII: 3K9958V90M)	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35JOOJ)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PURSLANE (UNII: M6S840WYG5)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
RHEUM PALMATUM ROOT (UNII: G025DAL7CE)	
CHRYSANTHEMUM INDICUM FLOWER (UNII: I6OER6U04L)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
PICEA ABIES WOOD (UNII: 72GZ8K8996)	
PROPANEDIOL (UNII: 5965N8W85T)	
SARCOSINE (UNII: Z711V88R5F)	

<b>WATER</b> (UNII: 059QF0KO0R)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>CINNAMON BARK OIL</b> (UNII: XE54U569EC)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>HEXASODIUM PHYTATE</b> (UNII: ZBX50UG81V)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)
<b>NORI</b> (UNII: 477TV3P5UX)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50718-0033-1	1 in 1 CARTON		
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/01/2018	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/01/2018	

**Labeler** - Kamedis (080311300)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Bio genesis Inc.		069117328	manufacture(50718-0034)