

BLOCKAID- lidocaine, tetracaine cream
SofTap Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DRUG FACTS

ACTIVE INGREDIENTS (per ml) PURPOSE

- Lidocaine USP - 3%

topical anesthetic

- Tetracaine USP - 2%

topical anesthetic

EXP0923 LOT04

Drug Facts

ACTIVE INGREDIENTS (per ml) PURPOSE

- Lidocaine USP-3% topical anesthetic
- Tetracaine USP-2% topical

OTHER INGREDIENTS

• Deionized water, caprylc/capric triglyceride, stearic acid, glycerin, glyceryl stearate, petrolatum, safflower oil, shea butter, polysorbate 60, stearyl alcohol, sweet almond oil, tocopheryl acetate, bht, propylene glycol, sodium carbomer, phenoxyethanol, methylparaben, phenoxyethanol. May contain: FD&C Green #3, FD&C Yellow #5, FD&C Blue

USES

- On adults over 18 only
- Temporarily relieves pain due to cuts, scrapes, or abrasions

DO NOT USE

- With occlusion
- If you have a known allergy or sensitivity to any ingredients.
- If pregnant or breastfeeding
- On large areas of the body.
- In large quantities. Apply only 1-2ml to desired area.
- If you have a history of liver disease or impairment.
- If safety seal is broken before first use.



Do not use if safety seal is broken before first use. **KEEP OUT OF REACH OF CHILDREN. US FDA**



PURPOSE

- Lidocaine USP - 3%

topical anesthetic

- Tetracaine USP - 2%

topical anesthetic

OTHER INGREDIENTS

Deionized water, caprylc/capric triglyceride, stearic acid, glycerin, glyceryl stearate, petrolatum, safflower oil, shea butter, polysorbate 60, stearyl alcohol, sweet almond oil, tocopheryl acetate, bht, propylene glycol, sodium carbonate, phenoxyethanol, methylparaben, polyparaben. May contain: FD&C Green #3, FD&C Yellow #5, FD&C Blue #1

USES

- On adults over 18 only
- Temporarily relieves pain due to cuts, scrapes, or abrasions

DO NOT USE

- With occlusion
- If you have a known allergy or sensitivity to any ingredients
- If pregnant or breastfeeding
- On large areas of the body
- In large quantities. Apply only 1-2ml to desired area
- If you have a history of liver disease or impairment
- If safety seal is broken before first use

KEEP OUT OF

The eye and mouth. If accidental contact occurs, you may feel burning or stinging. Wash with water or eyewash immediately. If your eyes have pain, blurry vision, extreme sensitivity to light, or a feeling of sand in the eye, contact an eye care physician immediately.

WHEN USING THIS PRODUCT

You may not feel pain. Avoid sources of heat or injury. You may have temporary rash, redness, swelling, or itching. Contact your physician promptly if you notice any unusual effects such as dizziness or drowsiness, difficulty breathing, trembling, chest pain, or irregular heartbeat.

Made in the USA for SofTap

550 N Canyons Pkwy

Livermore, CA 94551

www.softaps.com

EXP0923LOT04

Drug Facts (cont.)

KEEP OUT OF

- The eye and mouth. If accidental contact occurs, you may feel burning or stinging. Wash with water or eyewash immediately. If your eyes have pain, blurry vision, extreme sensitivity to light, or a feeling of sand in the eye, contact an eye care physician immediately.

WHEN USING THIS PRODUCT

- You may not feel pain. Avoid sources of heat or injury
- You may have temporary rash, redness, swelling, or itching
- Contact your physician promptly if you notice any unusual effects such as dizziness or drowsiness, difficulty breathing, trembling, chest pain, or irregular heartbeat.

Made in the USA for SofTap
550 N. Canyons Pkwy.
Livermore, CA 94551
www.softaps.com

Diff
tes
or
mir
if a
USE
WA
KE

Controlled substance
If swallowed seek medical help or contact a Poison Control Center at 1-800-527-0700

DIRECTIONS

For external use only. Prior to application, a sensitivity test is advised. Before applying, cleanse the skin with an alcohol-free or acetone-free cleanser. Apply 1-2 cc to the desired area for up to 6 times per day. Discontinue use if allergic reaction occurs. Store in a cool dark place (up to 80 degrees F) or refrigerate.

EXP0923 LOT04

DIRECTIONS: For external use only. Prior to application, a sensitivity test is advised. Before applying, cleanse the skin with an alcohol-free or acetone-free cleanser. Apply 1-2 cc. to the desired area. Allow 10-15 minutes for thin skin and 30-45 minutes for thick skin. Discontinue use if allergic reaction occurs. Store in a cool dark place.

USES: On adults over 18. Temporarily relieves pain due to cuts, scrapes, or abrasions

WARNINGS

KEEP OUT OF THE REACH OF CHILDREN.

If swallowed seek medical help or contact a Poison Control Center immediately.

WARNINGS

KEEP OUT OF REACH OF CHILDREN

WARNINGS

If swallowed seek medical help or contact a Poison Control Center immediately

BLOCKAID

TOPICAL ANESTHETIC PHASE I

10 gms



ELOKALAD[®]

TOPICAL ANESTHETIC PHASE 1

10gms

BLOCKAID

lidocaine, tetracaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82718-1110
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRACAINE (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	0.02 g in 10 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.03 g in 10 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
SODIUM CARBONATE (UNII: 45P3261C7T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
PETROLATUM (UNII: 4T6H12BN9U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALMOND OIL (UNII: 66YXD4DKO9)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
SHEA BUTTER (UNII: K49155WL9Y)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	blue (light blue)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82718-1110-1	10 g in 1 TUBE; Type 0: Not a Combination Product	05/06/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		05/06/2022		

Labeler - SofTap Inc (780568353)

Revised: 5/2022

SofTap Inc