

**FAMOTIDINE- famotidine tablet, film coated**  
**Precision Dose, Inc.**

-----  
**Famotidine Tablet**

**20 mg**

***For Hospital Use Only***

***Drug Facts***

**Active ingredient (in each tablet)**

Famotidine 20 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert**

Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- **Use as directed per healthcare professional.**
- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- read the directions and warnings before use
- store at 20°-25°C (68°-77°F)
- protect from moisture

**Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

**Questions or comments?**

**1-800-397-9228**

**GLUTEN FREE**

**How Supplied**

NDC 68094-054-65  
Unit Dose Packages of 200 Tablets  
(20 × 10) per Carton

Packaged by:  
**Precision Dose, Inc.**  
South Beloit, IL 61080

For inquiries call Precision Dose, Inc.  
at 1-800-397-9228 or email  
druginfo@precisiondose.com

LI1465 Rev. 08/23

**PRINCIPAL DISPLAY PANEL - 20 mg Tablet Blister Pack Carton Label**

Precision Dose™

NDC 68094-054-65

Unit Dose

Famotidine

Tablets 20 mg

200 Tablets

(20 x 10)

(in each tablet)

Famotidine 20 mg

Acid reducer

Directions

To relieve symptoms, swallow 1 tablet  
with a glass of water. Do not chew.

GLUTEN FREE

USUAL DOSE: SEE ENCLOSED DRUG FACTS

Store at 20°-25°C (68°-77°F)

protect from moisture

Keep out of reach of children.

Hospital Use Only.


LC1464

R1

Packaged by:

Precision Dose, Inc.

South Beloit, IL 61080



NDC 68094-054-65

Unit Dose

Famotidine  
Tablets 20 mg

200 Tablets

(20 x 10)

(in each tablet)

Famotidine 20 mg.....Acid reducer

**Directions**

To relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.

**GLUTEN FREE**

**USUAL DOSE: SEE ENCLOSED DRUG FACTS**

Store at 20°-25°C (68°-77°F)

protect from moisture

Keep out of reach of children.

Hospital Use Only.

LC1464

R1

Packaged by:  
Precision Dose, Inc.  
South Beloit, IL 61080



3 68094 05465 2

## FAMOTIDINE

famotidine tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68094-054(NDC:0113-0194)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (Famotidine - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	

**POLYVINYL ALCOHOL, UNSPECIFIED** (UNII: 532B59J990)

**TALC** (UNII: 7SEV7J4R1U)

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L194
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68094-054-65	10 in 1 CARTON	03/28/2024	
1	NDC:68094-054-59	20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M001	03/28/2024	

**Labeler** - Precision Dose, Inc. (035886746)

Revised: 2/2024

Precision Dose, Inc.