

**YEAST GARD HOMEOPATHIC GEL HOMEOPATHIC GEL TREATMENT- borax, collinsonia canadensis, berberis vulgaris, hamamelis virginiana gel
Wisconsin Pharmacal Company**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredients

Borax 3X HPUS

Collinsonia Canadensis 3X HPUS

Berberis Vulgaris 6X HPUS

Hamamelis Virginiana 6X HPUS

Purpose Temporary relief from external vaginal discomfort including itching, burning, and irritation

Uses For temporary relief of symptoms associated with vaginal yeast infection, including: itching, burning, and irritation.

Warnings

For external vaginal use only. Use only as directed.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician.

Stop use and ask doctor if

- Symptoms worsen, last more than 7 days, or clear up and occur again within a few days.
- You get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

Do not use if

- you have never had a vaginal yeast infection diagnosed by a doctor.

When using this product

- Wash hands thoroughly with soap and water before and after use
- Avoid contact with eyes
- If burning sensation occurs and lasts more than a few minutes, remove gel and discontinue use
- Do not use more than one week unless directed by a doctor
- If you do not get complete relief ask a doctor before using another product.

Ask a doctor before use if you have

- Vaginal itching and discomfort for the first time
- Lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a serious condition.
- Vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- Been exposed to the human immunodeficiency virus (HIV) that causes AIDS
- You have an STD (sexually transmitted disease) or PID (Pelvic inflammatory disease)
- You have frequent and painful urination

If pregnant or breast-feeding, ask a health professional before use.

Directions

Directions

- Apply to affected area as often as needed. Because the area is irritated, you could experience a slight burning sensation. If this persists more than a few minutes, remove gel and discontinue use.
- Wash hand thoroughly with soap and water before and after use.
- Do not use for children under two years. Consult a doctor if condition persists.

Inactive Ingredients

Allantoin, Benzalkonium Chloride 50%, Disodium EDTA, Glucono Delta Lactone, Polysorbate 20, Propanediol, Sodium Benzoate, Sodium Hydroxide, Tea Tree Oil, Water, Xanthan Gum

Other Information

Other information

- Do not use if safety seal under cap is missing or broken
- Store at room temperature
- Lot number and expiration date: see date on tube and box flap.
- Retain carton for complete Drug Facts Warnings
- There is no scientific evidence that this product works. Ther product claims are based on theories of homeopathy from the 1700's that are not accepted by most modern medical experts.

Questions or comments? 1-800-635-3696

Homeopathic Relief
Yeast-Gard™
ADVANCED
Gel Treatment
Original Gentle
Formula
NET WT 1 OZ (28 g)

Active ingredients: Borax 3X HPUS*, Godium Boarae, Collicsonia Canadensis 3X HPUS* (Stone Root), Berberis Vulgaris 6X HPUS* (Barberry), Hamamelis Virginiana 6X HPUS* (Witch Hazel), *X is a homeopathic dilution. The letters "HPUS" indicate that these ingredients are officially monographed in the Homeopathic Pharmacopoeia of the United States. See www.YeastGard.com/homeopathy for details.

Uses: For temporary relief from external vaginal discomfort including: • itching • burning • irritation • vaginal irritation, or burning, especially during intercourse or urination, and, vaginal redness.

Warnings: For external use only. Vaginal discharge unlike that described above, for example a foul or "fishy" smelling discharge or one that is yellow/green in color, may indicate something other than yeast infection. If this is the case, consult doctor before use. When using this product, avoid contact with eyes. If burning sensation occurs and lasts more than a few minutes, remove gel and discontinue use. Do not use more than one week unless directed by doctor. Stop use and ask doctor if condition worsens or symptoms persist more than seven days, or clear up and occur again within a few days. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. If in eyes, flush with water for 15 minutes and call a physician.

Directions: Apply to affected area as often as needed. Because the cream may already be irritated, you could experience a slight burning sensation. If this persists more than a few minutes, remove gel and discontinue use. Do not use for children under two years. Consult a doctor if condition persists.

Other information: Store at room temperature. • There is no scientific evidence that this product works. The product claims are based on theories of homeopathy from the 1700's that are not accepted by most modern medical experts. • Lot#/EXP: - See date on tube and box flap.

Inactive ingredients: Aluminum, Benzalkonium Chloride, Disodium EDTA, Glucosyl Beta Lactone, Polyoctate 20, Propylene Glycol, Sodium Benzoate, Sodium Hydroxide, Tea Tree Oil, Water, Xanthan Gum

Questions or comments? 1-800-835-3876
Manufactured by: Late Consumer Products Inc., Jackson, WI 53037 U.S.A. ©2017 www.yeastgard.com J166501 J

Homeopathic Relief

Original Gentle Formula

Helps Relieve Symptoms OF VAGINAL YEAST INFECTIONS[†]

Soothes and Cools EXTERNAL VAGINAL BURNING, ITCHING AND IRRITATION[†]

Helps Relieve Symptoms Associated with Vaginal Yeast Infection Including Itching, Burning and Irritation[†]



#D1665011

Homeopathic Formula Paraben-free

NET WT. 1 OZ (28 g)

Yeast·Gard[™] ADVANCED[™] Gel Treatment

Yeast·Gard[™] ADVANCED[™]

LOT# EXP.

©2017 MADE IN U.S.A. OR U.S. AND IMPORTED MATERIALS www.YeastGard.com

Lake Consumer Products, Inc. 1 Pharmacol Way, Jackson, WI 53037

These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food & Drug Administration. *X is a homeopathic dilution. The letters H.P.U.S. indicate that these ingredients are officially monographed in the Homeopathic Pharmacopoeia of the United States. See www.YeastGard.com/homeopathy for details. RETAIN THIS CARTON FOR COMPLETE PRODUCT DIRECTIONS AND INFORMATION.

Drug Facts

Active Ingredients

Borax 3X H.P.U.S.[†] (Sodium Borate)
 Colloidal Calcium Hydroxide 3X H.P.U.S.[†] (Stone Root)
 Berberis Vulgaris 6X H.P.U.S.[†] (Barberry)
 Hamamelis Virginiana 6X H.P.U.S.[†] (Witch Hazel)

Temporary relief from external vaginal discomfort including itching, burning, and irritation[†]

Uses For the temporary relief of symptoms associated with vaginal yeast infection, including: ■ itching ■ burning ■ irritation[†]

Warnings For external vaginal use only. Use only as directed.

Do not use if ■ You have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have ■ Vaginal itching and discomfort for the first time ■ Lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or four-smelling vaginal discharge. You may have a more serious condition. ■ Vaginal yeast infections often occur as once a month or 3 in 6 months. You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system. ■ Been exposed to the human immunodeficiency virus (HIV) that causes AIDS. ■ You have an STD (sexually transmitted disease) or PID (pelvic inflammatory disease). ■ You have frequent and painful urination.

When using this product ■ Wash hands thoroughly with soap and water before and after use. ■ Do not use more than one week unless directed by a doctor. ■ If you do not get complete relief, ask a doctor before using another product.

Stop use and ask a doctor if ■ Symptoms worsen, last more than 7 days, or clear up and occur again within a few days. ■ You get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician. ■ Apply to affected area as often as needed. Because the area is irritated, you could experience a slight burning sensation. It persists more than a few minutes, remove gel and discontinue use. ■ Wash hands thoroughly with soap and water before and after use. ■ Do not use for children under two years. Consult a doctor if condition persists.

Other information ■ Do not use if safety seal under cap is missing or broken. ■ Store at room temperature. ■ Lot number and expiration date: see date on tube and box flap. ■ Refer to the complete Drug Facts Warnings. ■ There is no scientific evidence that this product works. The product claims are based on theories of homeopathy from the 1700s that are not accepted by most modern medical experts.

Inactive Ingredients Benzate, Sodium Hydroxide, Tea Tree Oil, Water, Xanthan Gum

Questions or comments? 1-800-635-3696

borax, collinsonia canadensis, berberis vulgaris, hamamelis virginiana gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68093-7247
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS) (HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK - UNII:T7S323PKJS)	HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK	6 [hp_X] in 1 g
COLLINSONIA CANADENSIS ROOT (UNII: O2630F3XDR) (COLLINSONIA CANADENSIS ROOT - UNII:O2630F3XDR)	COLLINSONIA CANADENSIS ROOT	3 [hp_X] in 1 g
SODIUM BORATE (UNII: 91MBZ8H3QO) (BORATE ION - UNII:44OAE30D22)	SODIUM BORATE	3 [hp_X] in 1 g
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PROPANEDIOL (UNII: 5965N8W85T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALLANTOIN, (+)- (UNII: XDK458E1J9)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0K00R)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
TEA TREE OIL (UNII: VIF565UC2G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68093-7247-1	1 in 1 CARTON	04/01/2007	
1		28.35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2007	

Labeler - Wisconsin Pharmacal Company (800873986)

Establishment

Name	Address	ID/FEI	Business Operations
Wisconsin Pharmacal Company		800873986	manufacture(68093-7247)

Revised: 12/2018

Wisconsin Pharmacal Company