COLD AND FLU- acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated WALMART INC.

Equate 44-617

Active ingredients (in each caplet)

Acetaminophen 325 mg Dextromethorphan HBr 10 mg Guaifenesin 200 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Expectorant Nasal decongestant

Uses

- temporarily relieves these common cold and flu symptoms:
 - nasal congestion
 - sore throat
 - cough
 - headache
 - minor aches and pains
 - sinus congestion and pressure
- temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

blisters

- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- diabetes
- thyroid disease
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

 cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

Other information

- each caplet contains: sodium 3 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-287-1915

Principal display panel

equate™

NDC 79903-218-20

Cold & Flu Acetaminophen - Pain Reliever/Fever Reducer Dextromethorphan HBr - Cough Suppressant Guaifenesin - Expectorant Phenylephrine HCI - Nasal Decongestant

MAXIMUM STRENGTH

Relieves:

- Fever
- Cough
- Nasal congestion
- Body pain
- Sore throat
- Chest congestion
- Sinus congestion
- Headache

Ages 12+

Actual Size

20 CAPLETS

PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call **1-888-287-1915.**

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex ® FAST-MAX ® Cold & Flu. 50844 ORG082361709

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



COLD AND FLU

Inactive Ingredients

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated

Product Information					
HUMAN OTC DRUG	Item Code (Source)		NDC:79903-218		
ORAL					
Active Ingredient/Active Moiety					
Ingredient Name			ength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)				325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)				10 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)				200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)				5 mg	
	ORAL Moiety dient Name 9D) (ACETAMINOPHEN - UNI ROMIDE (UNII: 9D2RTI9KYH 3ROTS)) (GUAIFENESIN - UNII:495W	ORAL Moiety dient Name 9D) (ACETAMINOPHEN - UNII:36209ITL9D) ROMIDE (UNII: 9D2RTI9KYH) 3ROTS) (GUAIFENESIN - UNII:495W7451VQ)	ORAL Moiety Moiety Basis of Str 9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN ROMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPHYDROBROMIDE (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN	ORAL Moiety Moiety Basis of Strength .9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN ROMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPHAN HYDROBROMIDE .9D (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN DE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE	

Ingredient Name	Strength			
STARCH, CORN (UNII: 08232NY3SJ)				
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				

Product CharacteristicsColorredScore

Color	reu	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	44;617
Contains			

Packaging

	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	IDC:79903- 18-20	2 in 1 CARTON	12/15/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/15/2023	

Labeler - WALMART INC. (051957769)

Establishment					
Name	Address	ID/FEI		Business Operations	
LNK International, Inc.		832867837	manufactur	e(79903-218) , pack(79903-218, 79903-218)	
Establishment					
Name	Ad	dress	ID/FEI	Business Operations	

LNK International, Inc.

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		117025878	manufacture(79903-218)		

Revised: 12/2023

WALMART INC.