CADMIUM METALLICUM- cadmium metallicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CADMIUM METALLICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CADMIUM METALLICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, CA

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CADMIUM METALLICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, (

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CADMIUM METALLICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CADMIUM METALLICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CADMIUM METALLICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CADMIUM METALLICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CADMIUM METALLICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CADMIUM METALLICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

CADMIUM METALLICUM

cadmium metallicum pellet

Product Information

Product Type HUMAN OTC DRUG

Item Code (Source)

NDC:63545-588

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	500 [hp_C]

Inactive Ingredients

rength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 588-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022			
2	NDC:63545- 588-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022			
3	NDC:63545- 588-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022			
4	NDC:63545- 588-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Category Citation Date					
	05/06/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

CADMIUM METALLICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-582	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	6 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Chara	Product Characteristics				
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 582-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022			
2	NDC:63545- 582-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022			
3	NDC:63545- 582-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022			

Marketing Information					
MarketingApplication Number or MonographMarketing StartMarketing EndCategoryCitationDateDate					
unapproved homeopathic		05/06/2022			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-585	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 585-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022		
2	NDC:63545- 585-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022		
3	NDC:63545- 585-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		
4	NDC:63545- 585-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/06/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-586
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm

Flavor	In	mprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 586-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022		
2	NDC:63545- 586-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022		
3	NDC:63545- 586-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		
4	NDC:63545- 586-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	05/06/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-589		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 589-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022				
2	NDC:63545- 589-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022				
3	NDC:63545- 589-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022				
4	NDC:63545- 589-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	05/06/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

cadmium metallicum pellet

n			
Proc	TOLIF	Inform	DATION
	JULL		ıatıvı

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-590

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)

CADMIUM (UNII: 00BH33GNGH) CADMIUM 1 [hp_Q]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

	ka		

Item Code Package Description Marketing Start Marketing End
Date Date

١,	NDC:63545-	10000 in 1 BOTTLE, GLASS; Type 0: Not a	05/06/2022	
	590-01	Combination Product	03/00/2022	

ting Start Marketing End Pate Date
2
)

cadmium metallicum pellet

—		
Product	Intorm	STION
riouuct		ativii

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	t Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:63545- 584-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/06/2022		
2	NDC:63545- 584-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		
3	NDC:63545- 584-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/06/2022		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/06/2022	

cadmium metallicum pellet

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

I	Ingredient Name	Basis of Strength Strength		
I	CADMIUM (UNII: 00BH33GNGH) (CADMIUM - UNII:00BH33GNGH)	CADMIUM	200 [hp_C]	

Inactive Ingredients

nactive ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging Marketing Start Marketing End # Item Code **Package Description** Date Date **1** NDC:63545-587-01 200 in 1 VIAL, GLASS; Type 0: Not a Combination 05/06/2022 **Product** 2 NDC:63545-500 in 1 VIAL, GLASS; Type 0: Not a Combination 05/06/2022 587-02 Product 3 NDC:63545-3000 in 1 BOTTLE, GLASS; Type 0: Not a 05/06/2022 587-03 **Combination Product** 4 NDC:63545-10000 in 1 BOTTLE, GLASS; Type 0: Not a 05/06/2022 587-04 **Combination Product**

	Marketing Information			
Marketing Application Number of Category Citation		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	unapproved homeopathic		05/06/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment Name Address ID/FEI Business Operations Hahnemann Laboratories, INC. 147098081 manufacture(63545-582, 63545-584, 63545-585, 63545-586, 63545-587, 63545-589, 63545-590)

Revised: 5/2022 Hahnemann Laboratories, INC.