

**ROCKSAUCE WARMING MASSAGE- menthol, methyl salicylate cream
Implus Footcare, LLC**

RockSauce Warming Massage Cream

DRUG FACTS

ACTIVE INGREDIENT

Menthol 10%

Methyl Salicylate 20%

PURPOSE

Topical Analgesic

USES:

Provides soothing heat to sore muscles and joints.

WARNINGS:

For external use only.

When using this product,

do not take by mouth or place in nostrils, apply to wounds or damaged skin. **Use as directed.**

Ask a health professional before use

if you have sensitive skin or are pregnant or breastfeeding. Discontinue use if irritation occurs.

Keep out of reach of children.

In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS:

Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:

ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, ALOE BARBADENSIS LEAF

JUICE, AMINOMETHYL PROPANOL, AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCERIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TOCOPHERYL ACETATE, WATER

Package Labeling:

WORKS WITH ROCKTAPE®

DONNÉES SUR LES MÉDICAMENTS

DATOS DEL MEDICAMENTO **OBJECTIF**
Menthol 10%.....Analgésique topique
Salicylate de méthyle 20%.....Analgésique topique

UTILISATIONS : Apporte une chaleur apaisante aux muscles et aux articulations endoloris.

AVERTISSEMENTS : Pour usage externe uniquement. Lors de l'utilisation de ce produit, ne pas prendre par la bouche, ne pas mettre dans les narines, ne pas appliquer sur des plaies ou des lavabos endommagés. Si vous avez la peau sensible, si vous êtes enceinte ou si vous allaitez, demandez conseil à un professionnel de la santé avant d'utiliser le produit. Cesser l'utilisation en cas d'irritation. **Tenir hors de portée des enfants.** En cas d'ingestion accidentelle, consultez un médecin ou appelez immédiatement le centre antipoison. Ne convient pas aux enfants de moins de 5 ans.

MODE D'EMPLOI : Appliquer généreusement sur la zone douloureuse et masser jusqu'à ce que la lotion soit absorbée par la peau. Répétez l'opération 3 à 4 fois par jour. Conservez à une température comprise entre 20 et 25°C (68 et 77°F).

INGRÉDIENTS INACTIFS :
Acétate de tocophéryle, ALCOOL CETEARYLIQUE, AMINOMÉTHYL PROPANOL, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, CAPSAICINE, Copolymère d'ammonium-acryloyldiméthylaurate/VP, EAU, EXTRAIT DE FLEUR D'ARNICA MONTANA, Jus de feuille d'Aloe Barbadosis, Maltodextrine, Phénoxyéthanol, Phénoxyéthanol ETHYLHEXYLGLYCÉRIN, Phosphate de potassium et de cétyle, PROPYLENE GLYCOL.

PAPER / PLASTIC / GLASS / METAL / COMPOSTABLE

LOT

FONTIONNE AVEC ROCKTAPE®

ROCKSAUCE 1x

CRÈME DE MASSAGE CHAUFFANTE

ENFLAMMÉE

APAISE LES MUSCLES ET LES ARTICULATIONS ENDOLORIS

CRÈME DE MASSAGE CHAUFFANTE
12 OZ / 354.8 mL

WORKS WITH ROCKTAPE®

ROCKSAUCE 1x

WARMING MASSAGE CREAM

FIRE

SOOTHES SORE MUSCLES & JOINTS

WARMING MASSAGE CREAM
12 OZ / 354.8 ML

FONTIONNE AVEC ROCKTAPE®

ROCKSAUCE

DRUG FACTS

ACTIVE INGREDIENT	PURPOSE
Menthol 10%	Topical Analgesic
Methyl Salicylate 20%	Topical Analgesic

USES: Provides soothing heat to sore muscles and joints.

WARNINGS: For external use only. When using this product, do not take by mouth or place in nostrils, apply to wounds or damaged skin. **Use as directed.** Ask a health professional before use if you have sensitive skin or are pregnant or breastfeeding. Discontinue use if irritation occurs. **Keep out of reach of children.** In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS: Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:
ACRYLATES/C10-30 ALKYL ACRYLATE COPOLYMER, ALDE BARBADENSIS LEAF JUICE, AMINOMETHYL PROPANOL, AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCERIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TOCOPHERYL ACETATE, WATER

Fabriqué pour Impilus Canada
8399 Lawson Road, Unit 104,
Milton, Ontario L9T 9L1
Canada
800-387-9538 • caorders@4impilus.com
ID: 129312 | License# 525

Manufactured for Impilus Footcare, LLC
2001 TW Alexander Drive • Box 13925
Durham, NC 27709, USA
1-800-446-7587 • help@4impilus.com

Made in China | Fabriqué en Chine

© 2025 Impilus Footcare, LLC • 03/25
rocktape.com/impact

0 38472 00116 4

FROM THE **ROCKTAPE**

DES **ROCKTAPE**

FROM THE **ROCKTAPE**


DES **ROCKTAPE**

MAKERS OF **HOGKTAPE**
Go stronger, longer

FABRICANTS DE **HOGKTAPE**
Go stronger, longer

MAKERS OF **HOGKTAPE**
Go stronger, longer

FABRICANTS DE **HOGKTAPE**
Go stronger, longer



46mm
92mm
46mm

ROCKSAUCE

FIRE / FEU

DRUG FACTS

ACTIVE INGREDIENT	PURPOSE
Menthol 10%	Topical Analgesic
Methyl Salicylate 20%	Topical Analgesic

USES: Provides soothing heat to sore muscles and joints.

WARNINGS: For external use only. When using this product, do not take by mouth or place in nostrils, apply to wounds or damaged skin. Use as directed. Ask a health professional before use if you have sensitive skin or are pregnant or breastfeeding. Discontinue use if irritation occurs. Keep out of reach of children. In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS: Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:
ACRYLATES/C10-30 ALKYL ACRYLATE COPOLYMER, ALDE BARBADENSIS LEAF JUICE, AMINOMETHYL PROPANOL, AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCERIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TODOPHERYL ACETATE, WATER

Manufactured for Implus Footcare, LLC
2001 TW Alexander Drive • Box 13925
Durham, NC 27709, USA
1-800-446-7587 • help@4implus.com

Fabriqué pour Implus Canada
8399 Lawson Road, Unit 104,
Milton, Ontario L9T 9L1
800-387-9538 • caorders@4implus.com
ID: 129312 | License# 525

Made in China | Fabriqué en Chine

© 2025 Implus Footcare, LLC - 03/25
rocktape.com/impact

DONNÉES SUR LES MÉDICAMENTS

DATOS DEL MEDICAMENTO	OBJETIVO
Menthol 10%	Analgesique topique
Salicylate de méthyle 20%	Analgesique topique

UTILISATIONS : Apporte une chaleur apaisante aux muscles et aux articulations endoloris.

AVERTISSEMENTS : Pour usage externe uniquement. Lors de l'utilisation de ce produit, ne pas prendre par la bouche, ne pas mettre dans les narines, ne pas appliquer sur des plaies ou des lésions endommagées. Si vous avez la peau sensible, si vous êtes enceinte ou si vous allaitez, demandez conseil à un professionnel de la santé avant d'utiliser le produit. Cesser l'utilisation en cas d'irritation. **Tenir hors de portée des enfants.** En cas d'ingestion accidentelle, consultez un médecin ou appelez immédiatement le centre antipoison. Ne convient pas aux enfants de moins de 5 ans.

MODE D'EMPLOI : Appliquer généralement sur la zone douloureuse et masser jusqu'à ce que la lotion soit absorbée par la peau. Répétez l'opération 3 à 4 fois par jour. Conservez à une température comprise entre 20 et 25°C (68 et 77°F).

INGRÉDIENTS INACTIFS :
Acétate de tocophéryle, ALCOOL CETEARYLIQUE, AMINOMÉTHYL PROPANOL, Acrylates/C10-30 Alkyl Acrylate Copolymer, CAPSAICINE, Copolymère d'ammonium-acryloyldiméthylaurate/VP, EAU, EXTRAIT DE FLEUR D'ARNICA MONTANA, Jus de feuille d'Aloe Barbardensis, Maltodextrine, Phénoxyéthanol, Phénoxyéthanol ETHYLHEXYLGLYCÉRIN, Phosphate de potassium et de cétyle, PROPYLENE GLYCOL

DO NOT EAT OR DRINK / NE PAS MANGER NI BOIRE

WARMING MASSAGE CREAM
CRÈME DE MASSAGE CHAUFFANTE

12 OZ / 354.8 mL

15mm

ROCKSAUCE WARMING MASSAGE

menthol, methyl salicylate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81683-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB)	
AMINOMETHYL PROPANOL (UNII: LU49E6626Q)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81683-004-01	1 in 1 BOX	05/01/2025	
1		354.8 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/01/2025	

Labeler - Implus Footcare, LLC (361531585)