### AVEDANA HEMORRHOIDAL MAXIMUM STRENGTH- hemorrhoidal cream Unipack LLC

-----

## Avedana <sup>®</sup> Hemorrhoidal Pain Relief Cream

#### **Active Ingredients**

Glycerin 14.4% Phenylephrine HCL 0.25% Pramoxine HCl 1% White petrolatum 15%

## Purpose

Protectant Vasoconstrictor Local anasthetic Protectant

## Uses

-for temporary relief of pain, soreness, and burning.

-helps relieve the local itching and discomfort associated with hemorrhoids.

-temporarily shrinks hemorrhoidal tissue.

-temporarily provides a coating for relief of anorectal discomforts.

-temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful.

## Warnings

For external use only.

## Ask a doctor before use if you have

- -heart disease
- -high blood pressure
- -thyroid disease
- -diabetes
- -difficulty in urination due to enlargement of the prostate gland

## Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

## When using this product

-do not exceed the recommended daily dosage unless directed by a doctor -do not put into the rectum by using fingers or any mechanical device or applicator

## Stop use and ask a doctor if

-bleeding occurs

-condition worsens or does not improve within 7 days

-an allergic reaction develops

-the symptom being treated does not subside or if redness, irritation, swelling pain, or other symptoms develop or increase

## If pregnant or breast-feeding

ask a health professional before use.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

-adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream. When first opening the tube, puncture foil seal with top end of cap. Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.

-For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.

-thoroughly cleanse dispensing cap after each use and replace cover.

-children under 12 years of age: ask a doctor.

## Directions

Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement. -For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.

### Other information

store at 15°C - 30°C (59°F -86°F)

#### Inactive ingredients

Aloe barbadensis leaf extract, butylated hydroxytoluene, cetyl esters, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, sodium citrate, stearic acid, stearyl alcohol, vitamin E, water


## Avedana Hemorrhoidal Cream <sup>®</sup> Maximum Strength w/ Aloe & Vitamin E Tube Label

Tube Label 0.9oz



#### Avedana Hemorrhoidal Cream ® Maximum Strength w/ Aloe & Vitamin E 1 TUBE | NET WT 0.9 OZ (26 g)

0.9oz Carton Label



## Avedana Hemorrhoidal Cream ® Maximum Strength w/ Aloe & Vitamin E 1 TUBE | NET WT 1.8 OZ (51 g)

1.8oz Tube Label



Avedana Hemorrhoidal Cream <sup>®</sup> Maximum Strength w/ Aloe & Vitamin E 1 TUBE | NET WT 1.8 OZ (51 g)

1.8oz Carton Label



AVEDANA HEMORRH hemorrhoidal cream	IOIDAL MAXIM	UM STREN	GTH		
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (So	urce)	NDC:437	49-470
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	edient Name		Basis of St	rength	Strength
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)			PETROLATUM		150 mg in 1 g
GLYCERIN (UNII: PDC6A3C0OX) (GI	YCERIN - UNII:PDC6A3C00	X)	GLYCERIN		144 mg in 1 g
PRAMOXINE HYDROCHLORIDE (U	JNII: 88AYB867L5) (PRAMOX	(INE -	PRAMOXINE		10 mg

UNII:068X84E056)	HYDROCHLORIDE	in 1 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE	25 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0K00R)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)				
MINERAL OIL (UNII: T5L8T28FGP)				
CETYL PALMITATE (UNII: 5ZA2S6B08X)				
ALOE (UNII: V5VD430YW9)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
LANOLIN (UNII: 7EV65EAW6H)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLPARABEN (UNII: Z8IX2SC10H)				

<b>Product Characteristics</b>			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

# Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43749-470- 01	1 in 1 CARTON	11/04/2020	
1	NDC:43749-470- 03	25.5 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:43749-470- 02	1 in 1 CARTON	11/04/2020	
2	NDC:43749-470- 04	51 g in 1 TUBE; Type 0: Not a Combination Product		

mation		
oplication Number or Monograph Citation	Marketing Start Date	Marketing End Date
5	11/04/2020	
	Citation	Citation Date

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Unipack LLC		009248480	manufacture(43749-470)
Unipack LLC		009248480	manufacture(43749-470)

Revised: 11/2024

Unipack LLC