

PRONTO PLUS PINWORM TREATMENT- pyrantel pamoate liquid
Insight Pharmaceuticals LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PRONTO®
PLUS
Pyrantel Pamoate Suspension
Pinworm Treatment

Drug Facts

Active ingredient (in each ½ TSP)

Pyrantel pamoate 360 mg
(equivalent to 125mg / ½ TSP pyrantel base)

Purpose

Pinworm treatment

Use

for the treatment of pinworms

Warnings

Ask a doctor before use if

- you are pregnant
- you have liver disease

When using this product abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur. If any of these conditions persist, consult a doctor.

Keep out of reach of children.

Overdose Warning

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read package insert carefully before using. Use only according to directions. Do not exceed the recommended dosage unless directed by a doctor.
- shake well before using
- adults and children 2 years of age and older: dose one time as a single dose; do not repeat treatment unless directed by a doctor.
- find the right dose on chart below. Use weight to dose.
- use enclosed dosing cup. Do not use with any other device.
- take any time of day, with or without meals. May be taken alone or with milk or fruit juice. Use of a laxative is not needed before, during, or after taking Pronto Plus.
- when one individual in a household has pinworms, the entire household should be treated unless

otherwise advised. See Warnings

- if any worms other than pinworms are present before or after treatment, ask a doctor
- if any symptoms or pinworms are still present after treatment, ask a doctor

Weight (lbs)	Single Dose (TSP)
Under 25 lbs or under 2 years	Ask a doctor
25-37	½
38-62	1
63-87	1 ½
88-112	2
113-137	2 ½
138-162	3
163-187	3 ½
188 and over	4

Other information

The maximum dosage listed (4 TSP) contains 16 mg of sodium. Keep carton for full drug facts. Store at 15°C - 25°C (59°F - 77°F).

Inactive ingredients

cherry flavor, citric acid, glycerin, lecithin, magnesium aluminum silicate, methylcellulose, povidone, purified water, simethicone, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

Distributed by: **INSIGHT Pharmaceuticals Corp.**

Langhorne, PA 19047-1749 © 2010 Insight Pharmaceuticals Corporation

Questions?

Call 1-888-542-3546

www.prontoplus.com

PRINCIPAL DISPLAY PANEL - 59 mL Carton

FULL PRESCRIPTION STRENGTH

PRONTO®

PLUS

Pyrantel Pamoate Suspension

Pinworm Treatment

Doctor Recommended Ingredient

- ***Eliminates Pinworms with One Dose***
- ***Relieves Itching and Irritation from Pinworms***
- ***Child Resistant Cap***

Great Cherry Taste

Sugar Free

2 FL OZ (59 mL)

NEW FAMILY SIZE

Do not use if foil seal under bottle cap imprinted with "Sealed for Your Protection" is broken or missing.

Drug Facts

Active ingredient (in each ½ TSP) **Purpose**
 Pyrantel pamoate 360 mg Pinworm treatment
 (equivalent to 125mg / ½ TSP pyrantel base)

Use for the treatment of pinworms

Warnings

Ask a doctor before use if

- you are pregnant
- you have liver disease

When using this product abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur. If any of these conditions persist, consult a doctor.

Keep out of reach of children.

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away. ▶

FULL PRESCRIPTION STRENGTH

PRONTO[®]

PLUS

Pyrantel Pamoate Suspension Pinworm Treatment

Doctor Recommended Ingredient

- Eliminates Pinworms with One Dose
- Relieves Itching and Irritation from Pinworms
- Child Resistant Cap

Great Cherry Taste
Sugar Free



2 FL OZ (59 mL)

NEW FAMILY SIZE

Do not use if foil seal under bottle cap imprinted with "Sealed for Your Protection" is broken or missing.

Drug Facts (continued)

Directions

- read package insert carefully before using. Use only according to directions. Do not exceed the recommended dosage unless directed by a doctor.
- shake well before using
- adults and children 2 years of age and older: dose one time as a single dose; do not repeat treatment unless directed by a doctor.
- find the right dose on chart below. Use weight to dose.
- use enclosed dosing cup. Do not use with any other device.
- take any time of day, with or without meals. May be taken alone or with milk or fruit juice. Use of a laxative is not needed before, during, or after taking Pronto Plus.
- when one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See Warnings
- if any worms other than pinworms are present before or after treatment, ask a doctor

	Weight (lbs)	Single Dose (TSP)
• if any symptoms or pinworms are still present after treatment, ask a doctor	Under 25 lbs or under 2 years	Ask a doctor
	25-37	½
	38-62	1
	63-87	1 ½
	88-112	2
	113-137	2 ½
	138-162	3
	163-187	3 ½
	188 and over	4

Other information The maximum dosage listed (4 TSP) contains 16 mg of sodium. Keep carton for full drug facts. Store at 15°C - 25°C (59°F - 77°F).

Inactive ingredients cherry flavor, citric acid, glycerin, lecithin, magnesium aluminum silicate, methylcellulose, povidone, purified water, simethicone, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

Distributed by/Distribuido por: **INSIGHT Pharmaceuticals Corp.**
 Langhorne, PA 19047-1749 © 2010 Insight Pharmaceuticals Corporation
Questions? / ¿Tiene preguntas?
 Call / Llame al 1-888-542-3546 www.prontoplus.com

POTENCIA DE UN MEDICAMENTO RECETADO

PRONTO[®]

PLUS

Pamoato de pirantel suspensión Tratamiento contra los oxiuros

**Ingrediente recomendado
por los médicos**

■ **Elimina los oxiuro con una dosis**

■ **Alivia la comezón y la irritación causada por los oxiuros**

■ **Tapa a prueba de niños**



*Fabuloso
sabor a cereza
Sin azúcar*

No lo utilice si está roto o falta el sello de aluminio debajo de la tapa del frasco con la leyenda "Sealed for Your Protection" (sellado para su protección)

2 OZ LÍQUIDA (59 mL)

3 63736 32416 2

Información sobre el medicamento

Información sobre el medicamento (continuación)


Instrucciones

- antes de usarlo lea el prospecto con cuidado. Úselo únicamente según las instrucciones. No exceda la dosis recomendada a menos que lo indique un médico.
- agítelo bien antes de usarlo
- adultos y niños a partir de los 2 años: dosifíquelo por una sola vez como dosis única; no repita el tratamiento a menos que lo indique el médico.
- encuentre la dosis correcta en el cuadro que sigue. Use el peso para determinar la dosis.
- use el vaso dosificador que se incluye. No lo use con ningún otro dispositivo.
- tómelo a cualquier hora del día, con las comidas o sin ellas. Puede tomarse solo, con leche o con jugo de frutas. No es necesario usar un laxante antes, durante ni después de tomar Pronto Plus.
- cuando una persona del grupo familiar tiene oxiuros, debe tratarse a todo el grupo familiar, salvo notificación en contrario por algún otro motivo. Vea las Advertencias

	Peso (en libras)	Dosis única (TSP)
• si se observan otros vermes además de los oxiuros antes o después del tratamiento, consulte con el médico	Menos de 25 o menor de 2 años	Consulte con el médico
	25-37	½
• si se observan síntomas u oxiuros después del tratamiento, consulte con el médico	38-62	1
	63-87	1 ½
	88-112	2
	113-137	2 ½
	138-162	3
	163-187	3 ½
	188 and over	4

Información adicional La dosis máxima indicada (4 TSP) contiene 16 mg de sodio. Conserve el cartón con la información completa sobre el medicamento. Almacene de 15°C a 25°C (59°F a 77°F).

Excipientes sabor a cereza, ácido cítrico, glicerina, lecitina, silicato de magnesio y aluminio, metilcelulosa, povidona, agua purificada, simeticona, benzoato de sodio, citrato de sodio, sacarina sódica, sorbitol



PRONTO PLUS PINWORM TREATMENT

pyrantel pamoate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-240
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Pyrantel pamoate (UNII: 81BK194Z5M) (Pyrantel - UNII:4QIH0N49E7)	Pyrantel pamoate	5 mL in 250 mL

Inactive Ingredients

Ingredient Name	Strength
Citric Acid Monohydrate (UNII: 2968PHW8QP)	
Glycerin (UNII: PDC6A3C0OX)	
magnesium aluminum silicate (UNII: 6M3P64V0NC)	
povidone (UNII: FZ989GH94E)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium citrate (UNII: 1Q73Q2JULR)	
saccharin sodium (UNII: SB8ZUX40TY)	
sorbitol (UNII: 506T60A25R)	
cyclomethicone 6 (UNII: XHK3U310BA)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-240-24	24 in 1 CASE		
1		1 in 1 CARTON		
1		59 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part357B	09/20/2010	

Labeler - Insight Pharmaceuticals LLC (176792315)

Revised: 11/2010

Insight Pharmaceuticals LLC