

**MUCUS RELIEF DM MAXIMUM STRENGTH- guaifenesin, dextromethorphan  
hbr tablet**  
**WinCo Foods, LLC**

-----  
**Drug Facts**

**Active ingredients (in each extended-release tablet)**

Dextromethorphan HBr 60 mg

Guaifenesin 1200 mg

**Purpose**

Cough Suppressant

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product,**

do not use more than directed.

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

carbomer, colloidal silicon dioxide, D&Cyellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?**

Call **1-800-824-1706** Monday - Friday 9AM - 4PM MST

**Principal Display Panel**

\*Compare to the active ingredients in Maximum Strength Mucinex® DM

Mucus Relief DM

EXPECTORANT & COUGH SUPPRESSANT

Maximum Strength

DEXTROMETHORPHAN HBr 60 mg / COUGH SUPPRESSANT

GUAIFENESIN 1200 mg / EXPECTORANT

Controls Cough for 12 Hours

Thins & Loosens Mucus

Extended-Release Tablets

\*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Maximum Strength MUCINEX® DM.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY:**

WINCO FOODS, LLC,

BOISE, ID 83704

## Package Label

**Drug Facts**

Active ingredients (in each extended-release tablet)	Purposes
Dextromethorphan HBr 60 mg	Cough Suppressant
Guaifenesin 1200 mg	Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

**Warnings**

**Do not use** ■ for children under 12 years of age

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product, do not use more than directed.**

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years of age and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

**Other information** ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients** carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?** Call 800-824-1706 Monday - Friday 9am - 4pm MST

\*This product is not manufactured or distributed by RECKITT BENCKISER LLC, distributor of Maximum Strength MUCINEX® DM.

**DISTRIBUTED BY:**  
WINCO FOODS, LLC,  
BOISE, ID 83704

**PARENTS:**  
Learn about how medicine works.  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**100% SATISFACTION GUARANTEE**  
Comments & Questions?  
800-824-1706

PLD-A520A F006037 WF1907

0 70552 25080 2

\*Compare to the active ingredients in Maximum Strength MUCINEX® DM

**WinCo FOODS**

**Mucus Relief DM**

EXPECTORANT & COUGH SUPPRESSANT

**Maximum Strength**

DEXTROMETHORPHAN HBr 60 mg/  
COUGH SUPPRESSANT

GUAIFENESIN 1200 mg/ EXPECTORANT

Controls Cough for 12 Hours

.....

Thins & Loosens Mucus

**14**  
Tablets

Extended-Release Tablets  
for 12-Hour Relief

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**LOT/ EXP.:**

**PRODUCT OF:**

**WINCO FOODS Mucus Relief DM**

## MUCUS RELIEF DM MAXIMUM STRENGTH

guaifenesin, dextromethorphan hbr tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-345	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	60 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	1200 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CARBOMER 934 (UNII: Z135WT9208)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POVIDONE (UNII: FZ989GH94E)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	yellow	Score	no score	
Shape	OVAL	Size	22mm	
Flavor		Imprint Code	AN039	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-345-14	14 in 1 CARTON	09/01/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA209692	09/01/2019	

**Labeler** - WinCo Foods, LLC (056098817)

