

LIDOPATCH PAIN RELIEF- lidocaine and menthol patch
3T Federal Solutions LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LidoPatch™

Drug Facts

Active Ingredients	Purpose
Lidocaine 3.99%	Topical analgesic
Menthol 1%	Topical analgesic

Uses

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

Warnings

For external use only.

Do not use if you are allergic or sensitive to lidocaine or menthol. Do not use if pouch is damaged or opened.

When using this product

- ☐ use only as directed
- ☐ avoid contact with eyes or mucous membranes
- ☐ do not apply to open wounds or sensitive skin
- ☐ do not bandage tightly or use a heating pad

Stop use and ask a doctor if

- ☐ excessive redness or irritation is present
- ☐ condition worsens
- ☐ pain persists for more than 7 days
- ☐ symptoms clear up and occur again within a few days

If **pregnant or breast-feeding**, ask a health professional before use.

Keep out of Reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions

- ☐ adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- ☐ children: consult your physician
- ☐ remove protective film, gently apply to affected area.

Inactive Ingredients

Glycerol, Water, Acrylamide/acrylate co-polymer, (Poly) vinyl pyrrolidone, Germaben II

Questions?

Email info@lidopatch.com

MFG by JAR Laboratories, Elmhurst, IL 60126

PRINCIPAL DISPLAY PANEL - 3 Topical Patch Carton

NDC 50682 527 03

**GET PAIN
RELIEF NOW!**

LidoPatch®

CONTAINS LIDOCAINE

**PAIN
RELIEF
PATCH**

- ▣ ***SAME ACTIVE INGREDIENT AS
LEADING PRESCRIPTION PATCH***
- ▣ ***ONE PATCH FOR 24 HOUR PAIN RELIEF***
- ▣ ***FOR RELIEF OF LOCALIZED PAIN***
- ▣ ***FAST ACTING***
- ▣ ***ULTRA THIN, FLEXIBLE, TRIM TO FIT***

3 TOPICAL PATCHES PER BOX




LidoPatch®

NDC 50682 527 03



LidoPatch®



LidoPatch®

CONTAINS LIDOCAINE

PAIN RELIEF PATCH

GET PAIN RELIEF NOW!



LidoPatch®

3 TOPICAL PATCHES (4" X 5 1/2") IN INDIVIDUAL SEALED POUCHES

3 TOPICAL PATCHES (10CM X 14CM) IN INDIVIDUAL SEALED POUCHES

- ✓ **SAME ACTIVE INGREDIENT AS LEADING PRESCRIPTION PATCH**
- ✓ **ONE PATCH FOR 24 HOUR PAIN RELIEF**
- ✓ **FOR RELIEF OF LOCALIZED PAIN**
- ✓ **FAST ACTING**
- ✓ **ULTRA THIN, FLEXIBLE, TRIM TO FIT**

3 TOPICAL PATCHES PER BOX



Drug Facts

Active Ingredients

Lidocaine 3.99%.....	Topical analgesic
Menthol 1%.....	Topical analgesic

Purpose

Uses

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

Warnings

For external use only. Do not use if you are allergic or sensitive to lidocaine or menthol. Do not use if pouch is damaged or opened.

When using this product

- use only as directed
- avoid contact with eyes or mucous membranes
- do not apply to open wounds or sensitive skin
- do not bandage tightly or use a heating pad

Stop use and ask a doctor if

- excessive redness or irritation is present
- condition worsens
- pain persists for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use. Keep out of Reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions

- adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- children: consult your physician
- remove protective film, gently apply to affected area.

Inactive Ingredients

Glycerol, Water, Acrylamide/acrylate co-polymer, (Poly) vinyl pyrrolidone, Germaben II

Questions? Email info@lidopatch.com

MFG for 3T Federal Solutions LLC, 6013 Techni Center DR., STE B Austin, TX 78721.
MFG by JAR Laboratories, Elmhurst, IL 60126.

Made in USA.

LIDOPATCH PAIN RELIEF

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50682-527
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
lidocaine (UNII: 98PI200987) (lidocaine - UNII:98PI200987)		lidocaine	40 mg	
menthol (UNII: L7T10EIP3A) (menthol - UNII:L7T10EIP3A)		menthol	50 mg	
Inactive Ingredients				
Ingredient Name		Strength		
Glycerin (UNII: PDC6A3C0OX)				
Acrylamide (UNII: 20R035KLCI)				
Diazolidinyl Urea (UNII: H5RIZ3MPW4)				
Urea (UNII: 8W8T17847W)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50682-527-03	3 in 1 CARTON		
1		1 in 1 POUCH		
2	NDC:50682-527-07	7 in 1 CARTON		
2		1 in 1 POUCH		
3	NDC:50682-527-30	30 in 1 CARTON		
3		1 in 1 POUCH		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part348	02/01/2012		

Labeler - 3T Federal Solutions LLC (557502155)

Establishment

Name	Address	ID/FEI	Business Operations
Katecho		139791743	MANUFACTURE

Revised: 3/2012

3T Federal Solutions LLC