

**HEB MINERAL SUNSCREEN SPF 50- zinc oxide lotion
H.E.B.**

HEB Mineral Sunscreen SPF 50

Active ingredients

Zinc Oxide 21.6%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying

- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone PEG-10 dimethicone crosspolymer, sodium chloride, ethylhexylglycerin, fragrance



MINERAL 50

Mineral Sunscreen

Safe for Baby & Family
UVA/UVB Protection
Water Resistant (80 minutes)
Free of Chemical Sunscreens
Paraben Free

BROAD SPECTRUM SPF 50



3.4 FL OZ (100 mL)

Dermatologist Tested - Hypoallergenic
PABA Free

Drug Facts

Active Ingredient	Purpose
Zinc Oxide 21.6%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information • protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

Inactive ingredients water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyl(dodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-vinyl dimethicone/PEG-10 dimethicone crosspolymer sodium chloride, ethylhexylglycerin, fragrance.

Questions or comments? Call toll free 1-800-527-7731

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TEXAS 78204



13089-2002

0 4 1220 35515 0

HEB MINERAL SUNSCREEN SPF 50

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-338
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	216 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: X323T6QO4M)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYL METHICONE (8 MPA.S) (UNII: 3YWG8XYT8H)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-338-66	100 mL in 1 TUBE; Type 0: Not a Combination Product	03/04/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/04/2020	

Labeler - H.E.B. (007924756)

Revised: 10/2024

H.E.B.