

**AXIM DAYTIME - NIGHT TIME 48 SOFTGELS- acetaminophen,
dextromethorphan hydrobromide, doxylamine succinate, phenylephrine
hydrochloride**
**AXIM DAYTIME - NIGHT TIME 72 SOFTGELS- acetaminophen,
dextromethorphan hydrobromide, doxylamine succinate, phenylephrine
hydrochloride**
VIVUNT PHARMA LLC

AXIM DayTime & Night Time

Day Time

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg
Dextrometrophan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain Reliever-fever reducer
Cough Suppressant
Nasal Decongestant

Uses

Temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition

Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose warning

In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

- Take only as directed (see overdose warning):
- Do not take more than 8 softgels in 24 hours.

adults and children over 12 years	2 softgels with water every 4 hours
children 4 to under 12 years	consult a doctor
children under 4 years	do not use

Other information

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if carton is open or blister unit is broken.

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

Night Time

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 15 mg
Doxylamine succinate 6.25 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Antihistamine

Uses

Temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4000 mg of acetaminophen in 24 hours.
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleep

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

These could be signs of a serious condition.

Keep out of reach of children.**If pregnant or breast-feeding**

ask a health professional before use.

Overdose warning

Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Directions

- Take only as directed (see overdose warning):
- Do not take more than 8 softgels in 24 hours.

adults and children over 12 years	2 softgels with water every 6 hours
children 4 to under 12 years	consult a doctor
children under 4 years	do not use

Other information

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if carton is open or blister unit is broken.

Inactive ingredients

D&C Yellow No. 10, FD&C Blue No. 1, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

Product of India**Distributed by:**

VIVUNT PHARMA LLC
8950 SW 74th. Court. Suite 1901
Miami, Florida. Z,C. 33156-3178

PRINCIPAL DISPLAY PANEL - 48 Caps Day&Night

Compare to Vicks® DayQuil® & NyQuil®

Cold&Flu LiquiCaps®

active ingredients*

NDC 82706-003-01

Day Time

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

32 SOFTGELS** **Liquid-filled capsules

Night Time

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

Acetaminophen, Dextromethorphan HBr, Doxylamine Succinate

16 SOFTGELS** **Liquid-filled capsules

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® & NyQuil® Cold&Flu LiquiCaps®.



PRINCIPAL DISPLAY PANEL - 72 Caps Day&Night

Compare to Vicks® DayQuil® & NyQuil®

Cold&Flu LiquiCaps®

active ingredients*

NDC 82706-004-01

Day Time

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

48 SOFTGELS** **Liquid-filled capsules

Night Time

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

Acetaminophen, Dextromethorphan HBr, Doxylamine Succinate

24 SOFTGELS** **Liquid-filled capsules

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® & NyQuil® Cold&Flu LiquiCaps®.

DayTime COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

DayTime NIGHTTIME COLD & FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

AXIM DAYTIME - NIGHT TIME 48 SOFTGELS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-003

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-003-01	1 in 1 PACKAGE; Type 1: Convenience Kit of Co-Package	05/09/2022	08/20/2025

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 BLISTER PACK	32
Part 2	2 BLISTER PACK	16

Part 1 of 2

AXIM DAYTIME

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source)	NDC:82706-001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE K30 (UNII: U725QWY32X)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

FD&C RED NO. 40 (UNII: WZB9127XOA)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Part 2 of 2

AXIM NIGHT TIME
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

Product Information	
Item Code (Source)	NDC:82706-002
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients	
Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GELATIN (UNII: 2G86QN327L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
POVIDONE K30 (UNII: U725QWY32X)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GLYCERIN (UNII: PDC6A3C0OX)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	08/20/2025

AXIM DAYTIME - NIGHT TIME 72 SOFTGELS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-004
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-004-01	1 in 1 PACKAGE; Type 1: Convenience Kit of Co-Package	05/09/2022	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 BLISTER PACK	48
Part 2	3 BLISTER PACK	24

Part 1 of 2

AXIM DAYTIME

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source)	NDC:82706-001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE K30 (UNII: U725QWY32X)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Part 2 of 2

AXIM NIGHT TIME

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

Product Information	
Item Code (Source)	NDC:82706-002
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients	
Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

GELATIN (UNII: 2G86QN327L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
POVIDONE K30 (UNII: U725QWY32X)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GLYCERIN (UNII: PDC6A3C0OX)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Labeler - VIVUNT PHARMA LLC (045829437)

Revised: 10/2025

VIVUNT PHARMA LLC