

SAN-A-GEL- san-a-gel liquid
Misco Industrial, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

Drug Facts

Active ingredient

Ethyl Alcohol 60%

Purpose

Antiseptic

Uses

• Handwash to help decrease bacteria on the skin.

• Recommended for repeated use.

Warnings

• Flammable. Keep away from fire or flame.

• For external use only.

Do not use

• In the eyes.

When using this product

• Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.

• If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if

• Irritation develops. If condition persists for more than 72 hours consult a doctor.

Directions

Place a 'palmful' (5 grams) of product in one hand.

• Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).

• Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).

• Will air dry in 15 seconds.

Other information

Store below 95°F

• Close spout to avoid evaporation.

Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.

MISCO INDUSTRIAL, LLC

1018 Stearman Drive • White House, TN 37188

615-334-1861

MISCO

INDUSTRIAL

Premium Quality

SAN-A-GEL

1625

GEL ANTISEPTIC HANDWASH

Kills 99.9% of Most Common Germs

Evaporates Quickly • Leaves Hands Soft

WARNING / ADVERTENCIA

FLAMMABLE. KEEP OUT OF REACH OF CHILDREN

See Additional Cautions on Side Panel

INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS

Vea Precauciones Adicionales a Lado

NET CONTENTS: 1 GALLON

Datos Medicos

Ingrediente Activo

Alcohol etílico 60%

Propósito

Antiséptico

Usos

• Lave con las manos para disminuir la bacteria en la piel.

• Recomendado para uso repetitivo.

Advertencia

• Inflamable. Mantenga alejado del fuego.

• Para uso externo solamente.

No use

• En los ojos.

Cuando usando este producto

• No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación.

• Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

Para el uso y pregúntele a un doctor

• Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulte con un doctor.

• Mantenga lejos de los niños.

Direcciones

Coloque 5 gramos del producto en la palma de una mano.

• Difundir en ambas manos y frotar dentro de la piel hasta que se seque.

• Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos).

• Se seca con el aire en 15 segundos.

Otra información

Almacene bajo de 95°F

• Cierre el pico para evitar evaporación.

Ingredientes inactivo

Aqua, Trietanolamina, Fragancia, Acrílico Polímero.

HMIS Ratings: Health - 1, Flammability - 3, Reactivity - 0, Personal - A.

Made in USA

00004616

NDC 82041-693-03

MISCO

INDUSTRIAL

Premium Quality

SAN-A-GEL

1625

GEL ANTISEPTIC HANDWASH

Kills 99.9% of Most Common Germs

Evaporates Quickly

Leaves Hands Soft

WARNING: FLAMMABLE

KEEP OUT OF REACH OF CHILDREN

See Additional Cautions On Back Panel

NET CONTENTS: 4 FL. OZ.

Made in USA

Drug Facts

Active ingredient

Ethyl Alcohol 60%

Purpose

Antiseptic

Uses

• Handwash to help decrease bacteria on the skin.

• Recommended for repeated use.

Warnings

• Flammable. Keep away from fire or flame.

• For external use only.

Do not use

• In the eyes.

When using this product

• Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.

• If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if

• Irritation develops. If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children.

Directions

Place a 'palmful' (5 grams) of product in one hand.

• Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).

• Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).

• Will air dry in 15 seconds.

Other information

• Store below 95°F.

• Close spout to avoid evaporation.

Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.

HMIS Ratings: Health - 1, Flammability - 3, Reactivity - 0, Personal - A.

MISCO INDUSTRIAL, LLC

1018 Stearman Drive • White House, TN 37188

615-334-1861

NDC 82041-693-01

SAN-A-GEL
san-a-gel liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:82041-693 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 67 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| CARBOMER 940 (UNII: 4Q93RCW27E) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:82041-693-01 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/25/2017 | |
| 2 | NDC:82041-693-03 | 3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/25/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph not final | part333A | 10/25/2017 | |

Labeler - Misco Industrial, LLC (050285488)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------|----------------|---------------|----------------------------|
| QuestSpecialty Corporation | | 103840377 | manufacture(82041-693) |

Revised: 5/2022

Misco Industrial, LLC