CONFIDENCE 0.10-2- iodine concentrate Universal

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Universal Confidence 0.10-2

Confidence™ 0.10-2

A concentrate designed for use with an on-site blending unit / Un concentrado diseñado para usarse con una unidad de mezcla en el sitio

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

NOT FOR HUMAN USE

ACTIVE INGREDIENT:

Iodine * 0.42% w/w

After dilution according to directions

Iodine * 0.1%

* From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex

pH 5 minimum

FIRST AID:

Contact with product can cause irritation to eyes. Avoid contact with eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, then continue flushing. Get medical attention if irritation develops and persists.

If Swallowed: Do not induce vomiting. Call a physician or poison control center immediately.

STORAGE AND DISPOSAL:

Thoroughly rinse all measuring devices and store out of reach of children.

Avoid contact with food or feed. Avoid storing near heat or open flame. Keep from freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all label instructions before using this product. For additional information, refer to the Safety Data Sheet (SDS) available from your Universal representative.

- Pre-dip, post-dip. The only dip you need.
- Elevated free iodine for fast kill of mastitis-causing organisms.
- Unique pH balance formula has glycerin plus cosmetic grade complexors for

excellent skin conditioning.

- Proven effective in reducing the incidence of mastitis.
- Contains food grade ingredients to eliminate residue concerns

DIRECTIONS FOR USE

GENERAL INSTRUCTIONS

- Dilute before using. See "Directions for Dilution".
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each miling. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Confidence[™] 0.10-2 for sanitizing equipment.

DIRECTIONS FOR DILUTION

Automatic Blending

• Designed for use with a DeLaval recommended on-site blending unit. When diluted, Confidence[™] 0.10-2 will yield a ready-to-use 0.1% iodine teat dip with 2% glycerin.

Manual Blending

- Confidence[™] 0.10-2 is a concentrate and must be diluted before use. Failure to follow the following instructions may result in a product which may not be effective as a teat dip or which may cause injury to animal.
- Add three (3) gallons of potable water to one (1) gallon of Confidence[™] 0.10-2 to a blending container.
- Mix thoroghly by shaking closed blending container.
- When properly diluted, one gallon of Confidence[™] 0.10-2 will yield four (4) gallons of a ready-to-use 0.1% iodine teat dip with 2% glycerin.

PRE-DIPPING

- Made sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with properly diluted Confidence[™] 0.10-2.
- Allow 15 to 30 seconds contact time.
- Dry cow's teat with a single-service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, clip or spray cow's teats with properly diluted Confidence[™] 0.10-2. Do not wipe.
- If outside temperature is below freezing, allow teat dip to air-dry on cow's teats before the cow leaves the parlor; or allow teat dip to remain on cow's teats before cow leaves the parlor then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Chemtrec Emergency Number

1-800-424-9300

NPE Free Formula

LOT NO.:

EXP. DATE:

0469 NDC: 57906-469			<u>Universal</u>
Confidence™ 0. ⁻	10-2		
A concentrate designed for use with an on-site blending unit / Un concentrado diseñado para usarse con una unidad de mezcla en el sitio KEP OUT OF REACH OF CHILDREN COLIDADO CUIDADO MANTENER FUERA DEL ALCANCE DE LOS NIÑOS CUIDADO SUSTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUESE LA LEA ANTES DE USAR ESTE PRODUCTO NOT FOR HUMAN USE COTIVE INCREDIENT: Iodine *	 Unique pH balance f complexors for exce. Proven effective in ri- Contains food grade concerns DIRECTIONS FOR GENERAL INSTRUC Dilute before using; Consult your veterin sore or chapped teat Thoroughly clean an miliking. Use fresh te should be changed it is introduced. Do no container. Do not use Confiden equipment. DIRECTIONS FOR I Automatic Blendin Designed for use with blending unit. When ready-to-use.01% io: Manual Blending Confidence^{IM} 0.10-2 before use. Failuret 	for fast kill of mastitis-causing organisms. ormula has giverin plus cosmetic grade lient skin conditioning. educing the incidence of mastitis. ingredients to eliminate residue RUSE TIONS: See "Directions for Dilution". arian before using teat dip on a cow with is. d sanitize teat dip cup before each at dip for each milking. Dip solution fit becomes visibly dirty or if sediment t pour used teat dip back into original ce™ 0.10-2 for cleaning or sanitizing DILUTION: g ha DeLaval recommended on-site diluted, Confence™ 0.10-2 will yield a dine teat dip with 2% glycerin. is a concentrate and must be diluted , followine following instructions may thich may not be effective as a teat dip on	 Add three (3) gallons of potable water to one (1) gallon of Confidence™ 0.10-2 a blending container. Mix thoroughly by shaking closed blending container. When properly dluted, one gallon of Confidence™ 0.10-2 will yield four (4) gallons of a ready-to-use 0.1% iodine teat dlp with 2% glycerin. PRE-DIPPING Make sure udder and teats are clean and dry. Check foremilk and udder for mastitis. Dip or spray cow's teats with properly dluted Confidence™ 0.10-2. Allow 15 to 30 seconds contact time. Dry cow's teats with a single-service paper towel before milking. Mater unit. POST DIPPINC Immediately after removing inflations, dip or spray cow's teats with properly dluted Confidence™ 0.10-2. Do not wipe. If outside temperature is below freezing, allow teat djp to air- dry on cow's teats defore the cow leaves the parlor; nor allow teat dip to remain on cow's teats before cow leaves the parlor then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.
STORAGE AND DISPOSAL: Thoroughly rinse all measuring devices and store out of reach of children. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep from freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner. Read and understand all label instructions before using this product. For additional information,		55 US GAL. (208.2 L)	
refer to the Safety Data Sheet (SDS) available from your Universal representative. Manufactured for: Universal 11100 N. Congress Avenue Kansas City, MO 64153 Phone: 816-891-7700 Manufactured by: WestAgro, Inc., © 2021, Made in USA 0469-A0221	and the second second second	Chemtrec Emerg 1-800-42	gency Number

CONFIDENCE 0.10-2

iodine concentrate

Product Information					
Product Type OTC ANIMAL DRUG I			Code (Source)	NDC:57906-469	
Route of Administration	TOPICAL				
.					
Active Ingredient/Active Moiety					
Ingredier	nt Name		Basis of Strength	Strength	
•			Basis of Strength	Strength .0042 kg in 1 kg	
Ingredier				-	
Ingredier				-	
Ingredier				-	
Ingredier IODINE (UNII: 9679TC07X4) (IODIN					

GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 335 (UNII: G6DQL26D50)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM IODIDE (UNII: F5WR8N145C)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM IODATE (UNII: U558PCS5Z9)	

_		
Pac	Van	Ind
Fau	Nau	IIIG

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57906-469-01	216 kg in 1 DRUM		
2	NDC:57906-469-27	1080 kg in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/06/2021	

Labeler - Universal (605831627)

Registrant - WestAgro, Inc. (069288728)

Establishment					
Name	Address	ID/FE	I		Business Operations
WestAgro, Inc.		147528723		api man	ufacture, manufacture, label, pack
Establishme	nt				
Name		Address	ID	/FEI	Business Operations

K Klean dba WestAgro, I	nc.	002222368	api manufacture, manufacture, label, pack
Establishmen	t		
	-		

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label