

COPPERTONE OIL FREE SPF 50 SUNSCREEN- avobenzone 3%, homosalate 10%, octisalate 4.5%, octocrylene 8% lotion
Beiersdorf Inc

Oil Free Lotion SPF 50

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 4.5%, Octocrylene 8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, aluminum starch octenylsuccinate, styrene/acrylates copolymer, glycerin, polyester-27, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, neopentyl glycol diheptanoate, behenyl alcohol, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate

Questions?

1-866-288-3330

Coppertone® Sunscreen Lotion

Oil Free FACE

50

Won't clog pores or cause breakouts

Free of oxybenzone, octinoxate, dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

3 FL OZ (88 mL)

Coppertone
SUNSCREEN LOTION



OIL FREE
FACE
50

WON'T CLOG PORES
OR CAUSE BREAKOUTS

Free of oxybenzone,
octinoxate, dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 50

3 FL OZ (88 mL)

Broad Spectrum UVA/UVB
protection specially
formulated for the face.



Hypoallergenic
Fragrance Free
Lightweight

Drug Facts

| Active ingredients | Purpose |
|---|-----------|
| Avobenzone 3%, Homosalate 10%, Octisalate 4.5%, Octocrylene 8% | Sunscreen |

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure
■ reapply: ■ after 80 minutes of swimming or sweating
■ immediately after towel drying ■ at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

Inactive ingredients water, aluminum starch octenylsuccinate, styrene/acrylates copolymer, glycerin, polyester-27, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, neopentyl glycol diheptanoate, behenyl alcohol, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate

Questions? 1-866-288-3330

www.coppertone.com


Beiersdorf

Beiersdorf Inc. Stamford, CT 06901

®=reg. TM. of Beiersdorf AG,

Germany

20006614



COPPERTONE OIL FREE SPF 50 SUNSCREEN

avobenzone 3%, homosalate 10%, octisalate 4.5%, octocrylene 8% lotion

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66800-4094 |
|-------------------------|----------------|--------------------|----------------|
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 8 g in 100 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 3 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 4.5 g in 100 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 10 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| GLYCERYL STEARATE SE (UNII: FCZ5MH785I) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| DISODIUM EDTA-COPPER (UNII: 6V475AX06U) | |
| SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR) | |
| ARACHIDYL GLUCOSIDE (UNII: 6JVW35J00J) | |
| POLYESTER-7 (UNII: 0841698D2F) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU) | |
| STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A) | |
| SYNTHETIC BEESWAX (UNII: 08MNR5YE2R) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| ISODODECANE (UNII: A8289P68Y2) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--|
| Color | white | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:66800-4094-3 | 88 g in 1 TUBE; Type 0: Not a Combination Product | 04/01/2022 | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|------------------|--|------------------------|----------------------|
|------------------|--|------------------------|----------------------|

| Category | Citation | Date | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M020 | 04/01/2022 | |

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc