

COMPOUND W TOTAL CARE WART AND SKIN KIT- salicylic acid
HK Kolmar Canada, Inc

Compound W Total Care Wart & Skin Kit

Drug Facts

Active ingredient

Salicylic acid 17% w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts
- the common wart is easily recognized by the rough “cauliflower-like” appearance on the surface.
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use

- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.
- if you have diabetes or poor blood circulation.

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.
- avoid inhaling vapors
- cap tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- by squeezing tube gently, apply one drop at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information

- store at room temperature
- avoid excessive heat 37°C (99°F)
- skin discoloration may occur during or after use
- wipe the tip of the tube with a paper towel between uses

Inactive ingredients

alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polysorbate 80, water

Questions?

1-800-443-4908 CompoundW.com

Package Labeling:

NEW!
TOTAL CARE

#1 DERMATOLOGIST
RECOMMENDED BRAND

CompoundW[®]

WART REMOVER

TOTAL CARE WART & SKIN

REMOVES WART | RESTORES SKIN



Plantar warts are recognized by their location only on the bottom of the foot, their tenderness, and their interruption of the footprint pattern.



Common warts are skin-colored, usually appear on the hands and feet, and are easily recognized by the rough "cauliflower-like" appearance of the surface.



**MAX STRENGTH
FAST ACTING GEL**

- ✓ Penetrates & removes warts
- ✓ Starts killing warts fast
- ✓ No drip

GEL NET WT 0.25 oz (7 g)



**proheal
CREAM**

- ✓ Apply after wart is removed
- ✓ Helps restore appearance of healthy skin



CREAM NET WT 0.25 oz (7 g)

proheal CREAM

Directions For use after wart is removed. Wash affected area and dry area thoroughly. Sufficiently cover the entire area of the removed wart with cream. Apply two times daily and continue until appearance of skin is healthy.

Warnings For external use only. Do not use while treating the wart with Compound W[®] Gel. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Do not use on broken skin.

Ingredients Water, Olea Europaea (Olive) Fruit Oil, Stearic Acid, Glycerin, Cetearyl Alcohol, Beeswax, Triethanolamine, Pistacia Lentiscus (Mastic) Gum, Hypericum Perforatum Extract, Sodium Cetearyl Sulfate, Phenoxyethanol, Glycerin Glycol, Ethylhexylglycerin, Xanthan Gum, Salvia Officialis Extract, Calendula Officialis (Sage) Flower Extract, Tocopherol, Triethyl Citrate, BHA, Citric Acid.

Dist. by Medtech Products Inc., Tarrytown NY 10591, a Prestige Consumer Healthcare company, Compound W[®] Gel made in France, proheal Cream made in Greece, CWUS024101 © 2023 Trade dress is owned by Medtech Products Inc. All rights reserved.

#1 DERMATOLOGIST
RECOMMENDED BRAND

CompoundW[®]

WART REMOVER

CompoundW[®]

WART REMOVER

MAX STRENGTH
FAST ACTING GEL

Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w	Wart remover

Uses For the removal of common and plantar warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern.

Warnings

For external use only. Flammable. Keep away from fire and flame.

Do not use on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Cap tightly and store at room temperature away from heat.

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Wash affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Squeeze tube gently, apply one drop at a time to sufficiently cover each wart. Let dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature. Avoid excessive heat (37°C (98°F)). Skin discoloration may occur during or after use. Wipe the tip of the tube with a paper towel between uses.

Inactive ingredients alcohol, camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropanol, nitrocellulose, polysorbate 80, water

Questions? 1-800-443-4908 CompoundW.com

Wart Identification Guide:

CWUS024101



103847

CompoundW[®]

WART REMOVER

Salicylic acid
FAST ACTING GEL

NET WT
0.25 OZ (7 g)

Active ingredient Salicylic acid 17% w/w

Purpose Wart remover

Use For the removal of common and plantar warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern. **WARNINGS** For external use only. Flammable. Keep away from fire and flame. Do not use on red, irritated, or infected skin. On moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes. If you have diabetes or poor blood circulation. When using this product avoid contact with eyes. If product gets into the eye, flush with water

for 15 minutes. Avoid inhaling vapors. Stop use and ask a doctor if discomfort persists. Cap tube tightly and store at room temperature away from heat. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. **Directions** Wash affected area. May soak wart in warm water for 5 minutes. Dry area thoroughly. Apply one drop at a time to sufficiently cover each wart. Let dry. Repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks. **Inactive ingredients** See Carton.

©2022 Dist. by Medtech Products Inc., Tarrytown NY 10591, a Prestige Consumer Healthcare company
Questions? 1-800-443-4908 CompoundW.com

CWUS01150

COMPOUND W TOTAL CARE WART AND SKIN KIT

salicylic acid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49354-130
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49354-130-00	1 in 1 KIT	12/05/2022	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	7 g

Part 1 of 1

COMPOUND W WART REMOVER MAXIMUM STRENGTH FAST ACTING

salicylic acid gel

Product Information

Item Code (Source)	NDC:49354-003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PYROXYLIN (UNII: KYR8BR2X6O)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49354-003-00	1 in 1 CARTON		
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	12/05/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	12/05/2022	

Labeler - HK Kolmar Canada, Inc (243501959)

Revised: 10/2023

HK Kolmar Canada, Inc