

CLINPRO TOOTH CREME- sodium fluoride paste, dentifrice
3M ESPE Dental Products

Drug Facts

Active ingredient

Sodium fluoride 0.21% (0.12% w/v fluoride ion)

Purpose

Anticavity Toothpaste

Use

Helps protect teeth and roots against cavities

Warnings

Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years & older: brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist
- do not swallow
- to minimize swallowing, use a pea-sized amount in children under 6
- supervise children's brushing until good habits are established
- children under 2 years: ask a dentist

Inactive ingredients

water, sorbitol, hydrated silica, glycerin, polyethylene-polypropylene glycol, flavor, polyethylene glycol, sodium lauryl sulfate, titanium dioxide, carboxymethyl cellulose, sodium saccharin, tri-calcium phosphate

Questions? 1-800-634-2249

Principal Display Panel - 57g Carton Label

3M ESPE

Clinpro™ Tooth Crème

Spearmint

0.21% Sodium Fluoride **Anti-Cavity Toothpaste**

Contents: 1 Tube NET WT 2 oz (57 g)

FLAVOR NOT DISTRIBUTED IN U.S.A.



Principal Display Panel - 24g Carton Label

3M ESPE

Clinpro™ Tooth Creme

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

24g

Spearmint



Principal Display Panel - 24g Tube Label

3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

24g

Spearmint


Korea
3M Korea
수입업자:
한국리미티드(주)

Taiwan
3M Taiwan
3F, No. 198,
Jingmao 2nd Rd.
Nangang District,
Taipei City, Taiwan,
11568

New Zealand
3M New Zealand Limited
94 Apollo Drive, Rosedale
Auckland, 0632, New Zealand
3M NZ LTD Ph (09) 4774040
24 Hour Emergency: NZ National
Poison Centre: 0800 764 766

Australia
3M Australia Pty Limited
Building A, 1 Rivett Road
North Ryde NSW,
2113, Australia
Product Info: 136 136
Emergency: 1800 097 146

Made in USA
3M ESPE
Dental Products
2510 Conway Avenue
St Paul, MN
55144-1000 USA



3M ESPE
Clinpro™ Tooth Crème
0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate
24 g
Spearmint

INGREDIENTS: Water (Aqua), Sorbitol, Hydrated Silica, Glycerin, Poloxamer 407, Aroma, PEG-12, Sodium Lauryl Sulfate, Titanium Dioxide, Cellulose Gum, Sodium Saccharin, Sodium Fluoride (950 ppm F-, 0.21% w/w, 0.12% w/v fluoride ion), Tri-Calcium Phosphate.

WARNINGS: DO NOT SWALLOW. Keep out of reach of children under 6 years of age. Do not freeze or expose to extreme heat.

DIRECTIONS FOR USE



1 Use pea-size amount



2 Brush 2 minutes



3 Spit

3M, ESPE and Clinpro are trademarks of 3M or 3M Deutschland GmbH. © 3M 2019. All rights reserved.
34-8724-2173-9-A

Principal Display Panel - 90 mL Carton Label

3M ESPE

Clinpro™ Tooth Creme

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml

Spearmint



Principal Display Panel - 90 mL Tube Label

3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml

Spearmint

34-8724-1343-9-A



E.U. Responsible Person
3M Deutschland GmbH
Dental Products
Carl-Schurz-Str. 1
41453 Neuss - Germany


Made in USA
3M ESPE
Dental Products
2510 Conway Avenue
St. Paul, MN 55144-1000 USA
www.3MESPE.com

3M, ESPE and Clinpro are trademarks of
3M or 3M Deutschland GmbH.
© 3M 2019. All rights reserved.

3M ESPE Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride • Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml



Spearmint



en 0.21% w/w Sodium Fluoride. Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-). Apply twice daily, brush 2 minutes and spit. DO NOT SWALLOW. Keep out of reach of children under 6 years. To minimize swallowing in children under 6 years, use a pea-sized amount (0.3 g or 0.24 ml), supervise brushing. In case of fluoride intake from other sources, consult a dentist. For children under 2 years, ask a dentist.

de 0,21% (Gew.-%) Natriumfluorid. Zahnpasta mit Tri-Calcium Phosphat (950 ppm F-) Zweimal täglich anwenden, dazu 2 Minuten lang einbürsten und anschließend ausspucken. NICHT VERSCHLUCKEN Außerhalb der Reichweite von Kindern unter 6 Jahren aufbewahren. Um zu vermeiden, dass Kinder unter 6 Jahren das Produkt verschlucken, sollte eine erbsengroße Menge (0,3 g oder 0,24 ml) verwendet und das Zähneputzen und Ausspucken überwacht werden. Falls durch die Anwendung weiterer fluoridhaltiger Produkte eine zusätzliche Fluoridaufnahme erfolgt, wenden Sie sich an einen Zahnarzt. Fragen Sie Ihren Zahnarzt bezüglich einer Anwendung bei Kindern unter 2 Jahren.

fr Fluorure de sodium à 0,21 % p/p. Pâte anti-cavité avec du phosphate tricalcique (950 ppm F-) Appliquer deux fois par jour, brosser pendant 2 minutes et recracher. NE PAS AVALER. Tenir hors de portée des enfants de moins de 6 ans. Afin de minimiser l'ingestion chez les enfants de moins de 6 ans, utiliser une quantité de dentifrice de la taille d'un petit pois (0,3 g ou 0,24 ml) et contrôler le brossage. En cas d'apport de fluorure provenant d'autres sources, consulter un chirurgien-dentiste. Pour les enfants de moins de 2 ans, consulter un chirurgien-dentiste.

it Pasta dentifricia anticarie a base di sodio fluoruro allo 0,21% p/p con fosfato tricalcico (950 ppm F-) Applicare due volte al giorno, spazzolare per due minuti e sputare. NON INGERIRE. Tenere lontano dalla portata dei bambini di età inferiore a 6 anni. Per ridurre la possibilità di ingestione in bambini di età inferiore a 6 anni, utilizzare una quantità delle dimensioni di un pisello (0,3 g o 0,24 ml) e supervisionare lo spazzolamento. In caso di assunzione di fluoro da altre fonti, rivolgersi a un dentista. Per i bambini di età inferiore a 2 anni, rivolgersi a un dentista.

es 0,21 % en peso de fluoruro de sodio. Pasta anticaries con fosfato tricalcico (950 ppm F-) Aplique dos veces al día, cepílese durante dos minutos y escupa. NO INGERIR. Mantenga fuera del alcance de los niños menores de 6 años. Para minimizar la ingesta en niños menores de 6 años, utilice una cantidad pequeña (0,3 g o 0,24 ml) y supervise el cepillado. En caso de ingesta de fluoruro de otras fuentes, consulte a su dentista. Para niños menores de 2 años, consulte a su dentista.

pt 0,21% p/p de fluoreto de sódio. Pasta anti-cáries com fosfato tricalcico (950 ppm F-). Aplicar duas vezes ao dia, escovar durante 2 minutos e cuspir. NÃO ENGOLIR. Manter longe do alcance das crianças com menos de 6 anos. Para minimizar que as crianças com menos de 6 anos engulem, coloque o equivalente a uma ervilha (0,3 g ou 0,24 ml) na escova e supervisione a escovagem. Caso ocorra a ingestão de fluoreto, consulte o dentista. Para crianças com menos de 2 anos, consulte o dentista.

Principal Display Panel - 113g Carton Label

3M ESPE

Clinpro™ Tooth Creme

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113g

Spearmint



Principal Display Panel - 113g Tube Label

3M ESPE

Clinpro™ Tooth Creme

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113g

Spearmint

3M ESPE Clinpro™ Tooth Crème


0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113 g

클린프로치약 (스피아민트향)

의약외품

Spearmint




INGREDIENTS: Water (Aqua), Sorbitol, Hydrated Silica, Glycerin, Poloxamer 407, Aroma, PEG-12, Sodium Lauryl Sulfate, Titanium Dioxide, Cellulose Gum, Sodium Saccharin, Sodium Fluoride (950 ppm F-, 0.21% w/w, 0.12% w/v fluoride ion), Tri-Calcium Phosphate.

WARNINGS: DO NOT SWALLOW. Keep out of reach of children under 6 years of age. Do not freeze or expose to extreme heat.

DIRECTIONS FOR USE



Use pea-size amount



Brush 2 minutes



Spit

Made in USA for
3M ESPE
Dental Products
2510 Conway Avenue
St. Paul, MN
55144-1000 USA

Sponsors/Importers:
Australia
3M Australia Pty Limited
Building A, 1 Rivett Road
North Ryde NSW,
2113, Australia
Product Info: 136 136
Emergency: 1800 097 146

New Zealand
3M New Zealand Limited
94 Apollo Drive, Rosedale
Auckland, 0632, New Zealand
3M NZ LTD Ph (09) 4774040
24 Hour Emergency: NZ National
Poison Centre: 0800 764 766

Korea
3M Korea
수입업자:
한국쓰리엠(주)

Taiwan
3M Taiwan
3F, No. 198, Jingmao 2nd Rd.
Nangang District
Taipei City, Taiwan, 11568

3M, ESPE and Clinpro are trademarks of 3M or
3M Deutschland GmbH.
© 3M 2019. All rights reserved. 34-8724-2171-3-A

CLINPRO TOOTH CREME

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48878-3170
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
sodium fluoride (UNII: 8ZYQ1474W7) (fluoride ion - UNII:Q80VPU408O)	fluoride ion	0.950 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
sorbitol (UNII: 506T60A25R)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
glycerin (UNII: PDC6A3C00X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
sodium lauryl sulfate (UNII: 368GB5141J)	
titanium dioxide (UNII: 15FIX9V2JP)	
carboxymethylcellulose sodium (UNII: K679OBS311)	
saccharin sodium (UNII: SB8ZUX40TY)	
tricalcium phosphate (UNII: K4C08XP666)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	SPEARMINT (SPEARMINT)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48878-3170-1	1 in 1 BOX	12/20/2010	
1		113 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:48878-3170-2	1 in 1 BOX	12/20/2010	
2		24 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:48878-3170-5	1 in 1 BOX	12/20/2013	
3		113 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		12/20/2010	

Labeler - 3M ESPE Dental Products (801390852)

Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceuticals LLC		151177797	manufacture(48878-3170)