## **BERYLLIUM SULPHURICUM- beryllium sulphuricum pellet Hahnemann Laboratories, INC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## BERYLLIUM SULPHURICUM 6C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 6C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 12C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 12C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 12C

Min. net wt: 100g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BERYLLIUM** SULPHUR. **30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

00000

sucrose

pellets orally once

Inactive ingredients:

## TWIST TO OPEN - USE ONLY IF SEALED

## BERYLLIUM SULPHURICUM 30C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 30C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## BERYLLIUM SULPHUR. 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 100C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BERYLLIUM** SULPHUR. 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

## BERYLLIUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 200C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## TWIST TO OPEN - USE ONLY IF SEALED

## BERYLLIUM SULPHURICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BERYLLIUM** SULPHUR. 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

00000

sucrose

pellets orally once

Inactive ingredients:

## BERYLLIUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## TWIST TO OPEN - USE ONLY IF SEALED

## BERYLLIUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## BERYLLIUM SULPHUR. 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

## BERYLLIUM SULPHURICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BERYLLIUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## BERYLLIUM SULPHURICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### BERYLLIUM SULPHURICUM

beryllium sulphuricum pellet

### **Product Information**

**Product Type** 

HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-0008

**Route of Administration** 

**ORAL** 

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains	Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0008-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022		
2	NDC:37662- 0008-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022		
3	NDC:37662- 0008-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	05/16/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0015	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	1 [hp_Q]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNIII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

l	Pac	ckaging			
	#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
			10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/16/2022	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0012	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	200 [hp_C]	

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics					
Color white Score no score					
Shape ROUND		Size	2mm		
Flavor Imprint Code					
Contains	Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0012-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022			
2	NDC:37662- 0012-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022			
3	NDC:37662- 0012-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022			
4	NDC:37662- 0012-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022			

Marketing In	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		05/16/2022			

Product Information				
Product Type	Item Code (Source)	NDC:37662-0011		
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BERYLLIUM SULFATE TETRAHYDRATE (UNII: 2TYK3LF8ZN) (BERYCATION - UNII:YMB6GL9WCJ)	YLLIUM BERYLLIUM SULFATE TETRAHYDRATE	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape ROUND Size 2mm					

Flavor	Imprint Code	
Contains		

Ш	Packaging					
	# Item Code Package Description		Marketing Start Date	Marketing End Date		
	NDC:37662- 0011-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022			
	NDC:37662- 0011-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022			
	NDC:37662- 0011-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022			
	NDC:37662- 0011-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022			

Marketing Information				
eting End Date				

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0010
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	30 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape ROUND		Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0010-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022				
2	NDC:37662- 0010-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022				
3	NDC:37662- 0010-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022				
4	NDC:37662- 0010-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022				

Marketing Information					
Marketing Application Number or Monograph Category Citation Date Date					
unapproved homeopathic		05/16/2022			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0009	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	12 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:37662- 0009-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022					
2	NDC:37662- 0009-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022					
3	NDC:37662- 0009-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022					

Marketing Information					
Marketing Application Number or Monograph Marketing Start Ma Category Citation Date					
	05/16/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0013	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 0013-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022
2	NDC:37662- 0013-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022
3	NDC:37662- 0013-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022
4	NDC:37662- 0013-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
	05/16/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0014	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>BERYLLIUM SULFATE TETRAHYDRATE</b> (UNII: 2TYK3LF8ZN) (BERYLLIUM CATION - UNII:YMB6GL9WCJ)	BERYLLIUM CATION	1 [hp_M]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

	Packaging				
7	tem Code	Package Description	Marketing Start Date	Marketing End Date	
:	NDC:37662- 0014-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022		

	_	NDC:37662- 0014-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/16/2022	
			3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022	
4		NDC:37662- 0014-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/16/2022	

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved homeopathic		05/16/2022						

## Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment							
Name	Address	ID/FEI	Business Operations				
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0008, 37662-0009, 37662-0010, 37662-0011, 37662-0012, 37662-0013, 37662-0014, 37662-0015)				

Revised: 5/2022 Hahnemann Laboratories, INC.