MUCUS RELIEF DM MAXIMUM STRENGTH- dextromethorphan hbr, guaifenes in liquid Ameris ourceBergen (Good Neighbor Pharmacy) 46122

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of botherosme mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm(mucus)

When using this product,

• do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL III= milliliter
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL every 4 hours
- children under 12 years of age: do not use

Other information

- each 20 mL contains: sodium 20 mg
- store between 20-25°C (68-77°F). Do not refrigerate

Inactive ingredients

anhydrous citric acid, disodium EDTA, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Principal Display Panel

Compare to Maximum Strength Mucinex® Fast-Max® DM Max active ingredients*

Maximum Strength Mucus Relief

DM Max

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

- Mucus
- Cough
- Chest Congestion

For Ages 12 Years & Over

FL OZ (mL)

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® DM Max Maximum Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

Distributed By AmerisourceBergen

1300 Morris Drive, Chesterbrook, Pa 19087

Questions or Concerns? Visit us at www.mygnp.com

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST





Compare to Maximum Strength Mucinex' Fast-Max® DM Max active ingredients*

NDC 46122-371-30

Maximum Strength Mucus Dollar

DM Max

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

- · Mucus · Cough
- Chest Congestion

For Ages 12 Years & Over

Distributed By AmerisourceBergen 1300 Morris Drive, Chesterbrook, PA 19087 Questions or Concerns? Visit us at www.mygnp.com Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

6 fl oz (177 mL)



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® DM Max.



PLD-D409A LB004108

Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mgCough suppressant
Guaifenesin 400 mgExpectorant

PEEL CORNER FOR MORE DRUG FACTS

Purposes

Drug Facts (continued)

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product, do not use more than directed.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL every 4 hours
- children under 12 years of age: do not use

Other information

- each 20 mL contains: sodium 20 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Drug Facts (continued)

Inactive ingredients

citric acid, disodium EDTA, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Good Neighbor Pharmacy Mucus Relief Maximum Strength

MUCUS RELIEF DM MAXIMUM STRENGTH

dextromethorphan hbr, guaifenesin liquid

Pro	duct	Infor	mation
110	uuci	TIHUI	. IIIa uvii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-371
--------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL		
		400 mg		

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)

GUAIFENESIN

GUAIFENESIN

400 mg
in 20 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)		
PROPYL GALLATE (UNII: 8D4SNN7V92)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Packaging # Item Code Package Description Marketing Start Date Marketing End Date 1 NDC:46 122-371-30 177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product 05/31/2016

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH FINAL	part341	05/31/2016				