

COPPERTONE SPORT SUNSCREEN SPF 100- avobenzene 3%, homosalate 15%, octisalate 5%, octocrylene 10%, oxybenzone 6% lotion
Beiersdorf Inc

Sport Lotion SPF 100

Drug Facts

Active ingredients

Avobenzene 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, butyloctyl salicylate, styrene/acrylates copolymer, butylene glycol, benzyl alcohol, bis-stearyl ethylenediamine/neopentyl glycol/stearyl hydrogenated dimer dilinoleate copolymer, tocopherol (vitamin E), diethylhexyl syringylidenemalonate, sodium ascorbyl phosphate, triethanolamine, chlorphenesin, acrylates/C10-30 alkyl acrylate crosspolymer, oleth-3, fragrance, disodium EDTA

Questions?

1+866-288-3330

Coppertone ® Sunscreen Lotion

Sport 100

Stays on Strong When You Sweat

No Dyes, PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 100

3 FL OZ (88 mL)


Coppertone[®]
 SUNSCREEN LOTION



100
4-IN-1
PERFORMANCE

Stops up to 99% UV Rays
Resists Sweat + Heat + Water

Free of Octinoxate,
 PABA, Phthalates & Dyes

Water Resistant (80 Minutes)
 Broad Spectrum SPF 100

3 FL OZ (89 mL)

Drug Facts

| | |
|---|----------------|
| Active ingredients | Purpose |
| Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6% | Sunscreen |

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients water, butyloctyl salicylate, styrene/acrylates copolymer, butylene glycol, benzyl alcohol, diethylhexyl syringylidenemalonate, chlorphenesin, polyamide-8, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, oleth-3, disodium EDTA, sodium ascorbyl phosphate, fragrance, tocopherol (vitamin E)

Questions? 1-866-288-3330

www.coppertone.com

48226.790.BA.97

Beiersdorf

Made in Mexico/Distributed by:
 Beiersdorf Inc., Stamford, CT 06901
 ©=reg. TM. of Beiersdorf AG, Germany



COPPERTONE SPORT SUNSCREEN SPF 100

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10%, oxybenzone 6% lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66800-2465 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y) | OXYBENZONE | 6 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 3 g in 100 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 15 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 10 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR) | |
| OLETH-3 (UNII: BQZ26235UC) | |
| FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0) | |
| DISODIUM EDTA-COPPER (UNII: 6V475AX06U) | |
| WATER (UNII: 059QF0KO0R) | |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) | |

Product Characteristics

| | | | |
|-----------------|------------------------------|---------------------|--|
| Color | white ((White to off-white)) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:66800-2465-3 | 88 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/01/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 11/01/2021 | |

Labeler - Beiersdorf Inc (001177906)

