

**COPPERTONE SPORT SUNSCREEN SPL 15- avobenzone 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion**  
**Beiersdorf Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Coppertone Sport Lotion SPF 15**

***Drug Facts***

***Active ingredients***

Avobenzone 2%, Homosalate 5%, Octisalate 4.5%, Octocrylene 3%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure

- reapply:

- after 80 minutes of swimming or sweating

- immediately after towel drying

- at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, aluminum starch octenylsuccinate, glycerin, silica, phenoxyethanol, isododecane, ethylhexylglycerin, polyester-27, styrene/acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, tocopherol (vitamin E), glyceryl stearate, PEG-100 stearate, beeswax, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance

### ***Questions?***

1-866-288-3330

Coppertone® Sunscreen Lotion

Sport 15

Stays on Strong When You Sweat

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 15

7 FL OZ (207 mL)

**Coppertone**<sup>®</sup>  
SUNSCREEN LOTION

**S**<sup>TM</sup>  
**SPORT**

Stays on  
Strong When  
You Sweat

**15**

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)  
Broad Spectrum SPF 15

7 FL OZ (207 mL)

P0027849

# Beiersdorf

Beiersdorf Inc. Wilton, CT 06897  
©-reg. TM. of Beiersdorf AG, Germany

## Drug Facts

### Active Ingredients

Azobenzene 2%, Homosalate 5%,  
Octisalate 4.5%, Octocrylene 3%

### Purpose

Sunscreen

**Use** ■ helps prevent sunburn

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

■ apply liberally 15 minutes before sun exposure

■ reapply:

■ after 80 minutes of swimming or sweating

■ immediately after towel drying

■ at least every 2 hours

■ **See Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m. – 2 p.m.

■ wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor

### Other Information


■ protect this product from excessive heat and direct sun

■ may stain or damage some fabrics or surfaces

**Inactive Ingredients:** water, aluminum starch octenylsuccinate, glycerin, silica, phenoxethanol, lauridodecane, ethylhexylglycerin, polyester-27, styrene/acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, tocopherol (vitamin E), glyceryl stearate, PEG-100 stearate, beeswax, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance

Directions?





## COPPERTONE SPORT SUNSCREEN SPL 15

avobenzone 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:66800-3091 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 5 g in 100 g   |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 3 g in 100 g   |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 4.5 g in 100 g |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 2 g in 100 g   |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A) |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                          |          |
| <b>FRAGRANCE FLORAL ORC0902236</b> (UNII: R66Z4YW3X0)              |          |
| <b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO) |          |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)                               |          |
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)                           |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                    |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                      |          |
| <b>OLETH-3</b> (UNII: BQZ26235UC)                                  |          |
| <b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)                     |          |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)                    |          |
| <b>TROLAMINE</b> (UNII: 9O3K93S3TK)                                |          |
| <b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)       |          |
| <b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)                |          |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)                            |          |

### Product Characteristics

|              |                            |              |  |
|--------------|----------------------------|--------------|--|
| <b>Color</b> | white (White to Off-white) | <b>Score</b> |  |
|--------------|----------------------------|--------------|--|

|                 |  |                     |  |
|-----------------|--|---------------------|--|
| <b>Shape</b>    |  | <b>Size</b>         |  |
| <b>Flavor</b>   |  | <b>Imprint Code</b> |  |
| <b>Contains</b> |  |                     |  |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66800-3091-7 | 207 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/01/2021           |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 11/01/2021           |                    |

**Labeler** - Beiersdorf Inc (001177906)

Revised: 3/2023

Beiersdorf Inc