

STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet

Freds Inc

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: **calcium 20 mg**
- each tablet contains: **sodium 6 mg** VERY LOW SODIUM
- store at 25°C (77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol*, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to the Active Ingredients in Colace® 2-IN-1**

STOOL SOFTENER

+ Stimulant Laxative

DOCUSATE SODIUM 50 mg - Stool Softener

SENNOSIDES 8.6 mg - Stimulant Laxative

- Gentle, dependable
- Relief in 6-12 hours

TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**This product is not manufactured or distributed by Purdue Products LP., distributor of

Peri-Colace®.

DISTRIBUTED BY: fred's, Inc.

4300 NEW GETWELL ROAD

MEMPHIS, TN 38118

www.fredsinc.com

Product Label



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet) Purpose
 Docusate sodium 50 mg..... Stool softener
 Sennosides 8.6 mg..... Stimulant laxative

Uses
 ■ for overnight relief from occasional constipation (irregularity)
 ■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use
 ■ laxative products for longer than 1 week unless directed by a doctor
 ■ if you are now taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Drug Facts (continued under label)

This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

100% satisfaction guaranteed
 Questions or comments:
 1-855-331-FRED (3733)

DISTRIBUTED BY: fred's, Inc.
 4300 NEW GETWELL ROAD
 MEMPHIS, TN 38118
 www.fredsinc.com

SKU# 768014
 PLD-EBU
 LB0006340
 Lot No.: 0 845791 24976 3
 Exp. Date:

PEEL HERE →

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
 These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information
 ■ each tablet contains: calcium 30 mg
 ■ each tablet contains: sodium 6 mg VERY LOW SODIUM
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients carnauba wax*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake*, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate*, stearic acid*, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

FRED'S PHARMACY Stool Softener + Stimulant Laxative

STOOL SOFTENER PLUS STIMULANT LAXATIVE

docusate sodium and sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-829
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL097;PSD21;S44
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-829-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2018	06/30/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/31/2018	06/30/2024

Labeler - Freds Inc (005866116)