

BOTAO BABY DIAPER RASH CREAM- zinc oxide cream
Peer Pharm Ltd.

Botao Baby Diaper Rash Cream

Drug Facts

Active Ingredients(in each 30 ml)

Zinc Oxide 12%

Purpose

Sunscreen

Uses

- Helps treat and prevent diaper rash
- Protects chafed skin due to diaper rash and helps seal out wetness

warnings

- For external use only.

Do not use

- on damaged or broken skin.

When using this product,

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, call a poison control center or get medical help right away.

Directions

Change Wet and Soiled Diapers Promptly

Cleanse the diaper area

Allow to dry

Apply cream liberally as often as necessary , with each diaper change , especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Inactive Ingredients


Coconut Alkanes, Cocos Nucifera (Virgin Coconut) Oil, Caprylic/Capric Triglyceride, Aloe Barbadensis Leaf Juice, Ricinus Communis (Castor) Seed Oil*, Ethyl Macadamiate, Shea Butter Ethyl Ester, Glycerin*, Polyglyceryl Esters, Polyhydroxystearic Acid, Citrus Aurantium Dulcis (Orange) Peel Wax, Simmondsia Chinensis (Jojoba) Seed Oil*, Jojoba Esters, Coco-Caprylate/Caprates, Copernicia Cerifera (Carnauba) Wax*, Butyrospermum Parkii (Shea Butter) Fruit*, Tocopherol (Vitamin E), Capric Acid, Silica, Disteardimonium Hectorite, Kaolin, Argania Spinosa (Argan) Kernel Oil, Rosa Canina Seed (Rosehip) Oil, Lavandula Angustifolia (Lavender) Oil, Olea Europaea (Olive) Oil, Origanum Vulgare (Oregano) Leaf Extract, Tocopheryl Acetate, Basabolol, Malic Acid. May Contain: Iron Oxides.
*Certified Organic

Other Information

- Store in room temperature
- protect from freezing
- may stain clothing

Package Labeling

	הטח עבודה:	צבעי קרמיון/עורגור:	צבעים קטנים/מטופחים:	סוג הציוד:	K&C צבע
		■ Pantone 430c	■ LAYOUT	פלט:	27.322
		■ Pantone 300c		מספר הציוד:	2321
		■ Pantone 7730c		תאריך:	מבצע/תאריך
		■ Pantone 7880c		מחיר:	מבצע/תאריך
	■ Pantone 116c			מספר הציוד:	מבצע/תאריך
		■ Pantone 116c			מספר הציוד:



- A = 7x3mm standard eye mark, 2mm from open end.
- B = No print area. 10mm standard (2mm minimum) from open end.
- C = Varnish - standard 7mm (2mm minimum) from open end.
- D = 41mm - recommended width for convenient reading.
- E = 1mm bleed for circumferential print. Overlap seam app. 1.5-2mm.
- F = 4mm no print area on the cap side.
- G = Text Limitation = 2mm from each side, 4mm from cap side.
Text Recommendation = 13mm from open end.
- H = Height of tube.

■ Decoration Area
□ G = Text Limitation/Recommendation

Red texts are Lageen Tubes' limitations. Customer's limitations depend on their filling and sealing device.

SPECIFICATIONS TO BE FILLED IN BY THE CUSTOMER:

Varnish free area from open end: _____mm
 Print free area from open end: _____mm
 Placement of text from open end: _____mm

GENERAL GUIDELINES FOR ARTWORK PREPARATIONS

1. Please supply all graphics in Illustrator CC.
 2. Please supply a PDF file in addition.
 3. Images should be linked in the artwork (not embedded), and submitted as separate hi-res files.
 4. All texts should be outlined.
- Open texts can be edited and look like this on the screen. Outlined texts can not be edited and look like this on the screen.
5. Graduated elements should not go below 5-6%.
 6. Please avoid gradient faces outwards.
- 8pt minimum
8pt minimum
7. Minimum positive text size 8pt (or, small letters like "e, a, o" = 1 mm high and line width 0.1 mm).
 8. Minimum negative text size 7-8pt (or, small letters like "e, a, o" = 1.2 mm high and line width 0.2 mm).
 9. Please make texts with spot colors @ 100%.
- 0.15 mm
0.2 mm
10. Positive line thickness = 0.15 mm.
 11. Negative line width = 0.2 mm.
12. Please adhere to unprinted areas in layout.
 13. Please keep sealing area noise free.
 14. Please specify Pantone colors (try to stick to spot colors). We will recommend otherwise if needed.
15. Minimum barcode size 80%, minimum bar length 10 mm - placed along the tube.
 16. Barcode should be black on white surface (sleeve or printed pad).
17. Please feel free to consult with us from the first stages of the project to avoid problems later on.

NOTICE
 Lageen Tubes cannot be held responsible for barcodes that do not conform to ISO/IEC15416 Standards.
 For more information please contact Lageen Tubes.

ISO/IEC 15416 STANDARDS
 MAGNIFICATION: >80%
 TRUNCATION: Min. 10mm
 PLACEMENT: Along the tube.
 CONTRAST: Black code on white pad.

CONFORMING BARCODE



HEXASODIUM PHYTATE (UNII: ZBX50UG81V)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALGINIC ACID (UNII: 8C3Z4148WZ)
ALOE (UNII: V5VD430YW9)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
WATER (UNII: 059QF0KO0R)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
CETYL ALCOHOL (UNII: 936JST6JCN)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU)
RICINUS COMMUNIS SEED (UNII: 7EK4SFN1TX)
CASTOR OIL (UNII: D5340Y2I9G)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL 1-PHOSPHATE (UNII: 48G71659RB)
CHAMOMILE (UNII: FGL3685T2X)
.BETA.-BISABOLOL (UNII: LP618AV2EA)
XANTHAN GUM (UNII: TTV12P4NEE)
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69435-1501-2	1 in 1 BOX	05/19/2022	
1	NDC:69435-1501-1	70.8 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	05/19/2022	

Labeler - Peer Pharm Ltd. (514678390)

Registrant - Peer Pharm Ltd. (514678390)

Establishment

Name	Address	ID/FEI	Business Operations
Peer Pharm Ltd.		514678390	manufacture(69435-1501)