

DERMABLEND PROFESSIONAL LEG AND BODY MAKEUP BROAD SPECTRUM SPF 25 SUNSCREEN- octisalate and octocrylene lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredients

Octisalate 3.2%

Octocrylene 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, isododecane, isononyl isononanoate, glycerin, cetyl PEG/PPG-10/1 dimethicone, dimethicone, magnesium sulfate, polyglyceryl-4 isostearate, dimethicone/PEG-10/15 crosspolymer, disodium stearyl glutamate, disteardimonium hectorite, phenoxyethanol, polybutene, methylparaben, alcohol denat., chlorphenesin, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, butylparaben, aluminum hydroxide, sodium hydroxide, isobutane, dipropylene glycol, sodium citrate, tocopherol, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate; may contain: titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700

Monday - Friday (9 a.m. - 5 p.m. EST)

DERMABLEND®
PROFESSIONAL

D

UP TO 16-HOURS OF HIGH COLOR WEAR
SMUDGE & TRANSFER RESISTANT*

Leg and Body Makeup
Buildable Liquid Body Foundation
Sunscreen
Broad Spectrum SPF 25

100 ml - 3.4 fl. oz.

Leg and Body Makeup provides buildable coverage for moderate to major concerns. Camouflages varicose and other visible veins, tattoos, stretch marks, scars, age spots, birthmarks, and bruises.

This blendable lightweight formula can easily be applied, even on large surface areas. All day hydration, natural finish and comfortable wear. *Up to 16 hours of color wear, transfer and smudge resistant with Dermablend Setting Powder.

Drug Facts

Active ingredients	Purpose
Octisalate 3.2%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, cyclopentasiloxane, isododecane, isononyl isonanoate, glycerin, cetyl PEG/PPG-10/1 dimethicone, dimethicone, magnesium sulfate, polyglyceryl-4 isostearate, dimethicone/PEG-10/15 crosspolymer, disodium stearyl glutamate, disteardimonium hectorite, phenoxyethanol, polybutene, methylparaben, alcohol denat., chlorphenesin, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, butylparaben, aluminum hydroxide, sodium hyaluronate, isobutane, dipropylene glycol, sodium citrate, tocopherol, pentaerythrityl tetra-*D*-1-butyl hydroxyhydrocinnamate, may contain titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700 Monday - Friday (9 a.m. - 5 p.m. EST)

G853900 3 FIL D193381/1

Dermablend, L'Oréal USA, Inc.
10 Hudson Yards, New York, NY 10001

GLUE AREA - NO INK & COATING

DERMABLEND®
PROFESSIONAL

D

UP TO 16-HOURS OF HIGH COLOR WEAR
SMUDGE & TRANSFER RESISTANT*

Leg and Body Makeup
Buildable Liquid Body Foundation
Sunscreen
Broad Spectrum SPF 25

100 ml - 3.4 fl. oz.

Leg and Body Makeup provides buildable coverage for moderate to major concerns. Camouflages varicose and other visible veins, tattoos, stretch marks, scars, age spots, birthmarks, and bruises.

This blendable lightweight formula can easily be applied, even on large surface areas. All day hydration, natural finish and comfortable wear. *Up to 16 hours of color wear, transfer and smudge resistant with Dermablend Setting Powder.

Drug Facts

Active ingredients	Purpose
Octisalate 3.2%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, cyclopentasiloxane, isododecane, isononyl isonanoate, glycerin, cetyl PEG/PPG-10/1 dimethicone, dimethicone, magnesium sulfate, polyglyceryl-4 isostearate, dimethicone/PEG-10/15 crosspolymer, disodium stearyl glutamate, disteardimonium hectorite, phenoxyethanol, polybutene, methylparaben, alcohol denat., chlorphenesin, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, butylparaben, aluminum hydroxide, sodium hyaluronate, isobutane, dipropylene glycol, sodium citrate, tocopherol, pentaerythrityl tetra- α -*t*-butyl hydroxyhydrocinnamate, may contain titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700 Monday - Friday (9 a.m. - 5 p.m. EST)

G853900 3 FIL D193381/1

Dermablend, L'Oréal USA, Inc.
10 Hudson Yards, New York, NY 10001

GLUE AREA - NO INK & COATING

DERMABLEND®
PROFESSIONAL

D

UP TO 16-HOURS OF HIGH COLOR WEAR
SMUDGE & TRANSFER RESISTANT*

Leg and Body Makeup
Buildable Liquid Body Foundation
Sunscreen
Broad Spectrum SPF 25

100 ml - 3.4 fl. oz.

Leg and Body Makeup provides buildable coverage for moderate to major concerns. Camouflages varicose and other visible veins, tattoos, stretch marks, scars, age spots, birthmarks, and bruises.

This blendable lightweight formula can easily be applied, even on large surface areas. All day hydration, natural finish and comfortable wear. *Up to 16 hours of color wear, transfer and smudge resistant with Dermablend Setting Powder.

Drug Facts

Active ingredients	Purpose
Octisalate 3.2%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, cyclopentasiloxane, isododecane, isononyl isonanoate, glycerin, cetyl PEG/PPG-10/1 dimethicone, dimethicone, magnesium sulfate, polyglyceryl-4 isostearate, dimethicone/PEG-10/15 crosspolymer, disodium stearyl glutamate, disteardimonium hectorite, phenoxyethanol, polybutene, methylparaben, alcohol denat., chlorphenesin, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, butylparaben, aluminum hydroxide, sodium hyaluronate, isobutane, dipropylene glycol, sodium citrate, tocopherol, pentacyrithinyl tetra- α -*t*-butyl hydroxyhydroquinamate, may contain titanium dioxide, iron oxides

Questions or comments?
1-877-900-6700 Monday - Friday (9 a.m. - 5 p.m. EST)

G853900 3 FIL D19338 1/1
Dermablend, L'Oréal USA, Inc.
10 Hudson Yards, New York, NY 10001

GLUE AREA - NO INK & COATING

DERMABLEND PROFESSIONAL LEG AND BODY MAKEUP BROAD SPECTRUM SPF 25 SUNSCREEN

octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-906
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	32 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISODODECANE (UNII: A8289P68Y2)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ALCOHOL (UNII: 3K9958V90M)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ISOBUTANE (UNII: BXR49TP611)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
TOCOPHEROL (UNII: ROZB2556P8)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-906-01	1 in 1 CARTON	01/01/2017	
1		100 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2017	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmax USA, Inc.		010990210	manufacture(49967-906)

Revised: 12/2024

L'Oreal USA Products Inc