

**LANCÔME PARIS RENERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM  
SPF 15 LIFT FIRMLING FACE NECK FOR ALL SKIN TYPES- avobenzone,  
octisalate and octocrylene cream  
SICOS ET CIE**

-----  
**Drug Facts**

**Active ingredients**

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, yeast extract, guanosine, cyathea medullaris leaf extract, sucrose stearate, secale cereale (rye) seed extract, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenoxyethanol, adenosine, PEG-100 stearate, palmitic acid, silica, chlorphenesin, yellow 5, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, pentylene glycol, benzyl alcohol, linalool, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, disodium stearyl glutamate, disodium EDTA, citronellol, aluminum starch octenylsuccinate, coumarin, glyceryl stearate, fragrance

### Questions or comments?

**1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)**

<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                     <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months of age: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive ingredients</b> water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, yeast extract, guanosine, cyathea medullaris leaf extract, sucrose stearate, secale cereale (rye) seed extract, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenoxyethanol, adenosine, PEG-100 stearate, palmitic acid, silica, chlorphenesin, yellow 5, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, pentylene glycol, benzyl alcohol, linalool, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, disodium stearyl glutamate, disodium EDTA, citronellol, aluminum starch octenylsuccinate, coumarin, glyceryl stearate, fragrance</p> <p><b>Questions or comments?</b> 1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)</p> <p>8172823.1 781348.4</p>	<p style="text-align: center;"><b>LANCÔME</b> PARIS</p> <p style="text-align: center;"><b>RÉNERGIE LIFT MULTI-ACTION</b></p> <p style="text-align: center;">SUNSCREEN BROAD SPECTRUM SPF 15 LIFTING AND FIRING MOISTURIZER CREAM - ALL SKIN TYPES FACE &amp; NECK</p> <p style="text-align: center;">e 50 g NET WT. 1.7 OZ.</p>	<p style="text-align: center;"><small>Lifting and Firming Moisturizer</small></p> <p style="text-align: center;"><small>Lancôme laboratories reinvent Rénergie Lift Multi-Action: introducing our redefining lifting and firming moisturizer, for visible results, skin looks firmer as it lifts, the jawline looks tighter and all face zones appear deeply rejuvenated.</small></p> <p style="text-align: center;"><small>Crease: A silky texture that blends seamlessly into the skin for a refined, new softness.</small></p> <p style="text-align: center;"><small>THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS LANCÔME PARIS 39 rue de Valenciennes 75013 Paris LANCÔME LUXURY PRODUCTS U.S.A. NEW YORK NY 10011 IMP BY LANCÔME CANADA, MONTREAL, QUT 1HG TSA 70000 80848 SE 01011 (00001)</small></p> <p style="text-align: center;"><small>Made in France</small></p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avoobenzone 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octylsalicylate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>• apply generously and evenly 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> </ul> <p style="text-align: right;">Lancome.com L5483 10</p>	Active ingredients	Purpose	Avoobenzone 3%	Sunscreen	Octylsalicylate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active ingredients	Purpose										
Avoobenzone 3%	Sunscreen										
Octylsalicylate 5%	Sunscreen										
Octocrylene 7%	Sunscreen										

<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months of age: Ask a doctor</li> </ul> </li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive ingredients:</b> water, dimethicone, glycerin, hydrogenated polybutene, beeswax, poly (c10-30 alkyl acrylate), yeast extract, guaiazulene, cyathula medullaris leaf extract, sucrose stearate, secale cereale (rye) seed extract, sodium polyacrylate, sodium hydroxide, red 4, stearic acid, phenoxylethanol, adenosine, PEG-100 stearate, palmitic acid, silica, chlorphenesin, yellow 5, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, limonene, pentaerythritol, benzyl alcohol, lauric acid, caprylyl glycol, acrylates/c10-30 alkyl acrylate crosspolymer, disodium stearoyl glutamate, disodium EDTA, citronellol, aluminum starch octylsuccinate, coumarin, glyceryl stearate, fragrance</p> <p><b>Questions or comments?</b> 1-800-LANCOME (1-800-528-2668) Monday - Friday 9 a.m. - 5 p.m. EST</p> <p>B175051 76154</p>	<p style="text-align: center;"><b>LANCÔME</b> PARIS</p> <p style="text-align: center;"><b>RÉNERGIE LIFT MULTI-ACTION</b></p> <p style="text-align: center;">SUNSCREEN BROAD SPECTRUM SPF 15</p> <p style="text-align: center;">LIFTING AND FIRMING MOISTURIZER</p> <p style="text-align: center;">CREAM - ALL SKIN TYPES FACE &amp; NECK</p> <p style="text-align: center;">e 50 g NET WT. 1.7 OZ.</p>	<p style="text-align: center;"><b>Lifting and Firming Moisturizer</b></p> <p><small>Lancôme laboratories reinvent Rénergie Lift Multi-Action: introducing our reddefining lifting and firming moisturizer, for visible results, each looks firmer as it lifted, the jawline looks tighter and all facial zones appear visibly rejuvenated. Cream: A silky texture that blends seamlessly into the skin for a refined, new softness.</small></p> <p style="text-align: center;"><small>THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS LANCÔME PARIS 29 rue du Faubourg St Honoré 75008 Paris LANCÔME LANCÔME PRODUCTS LLC, NEW YORK, NY 10001 IMP. BY LANCÔME CANADA, MONTREAL, H4T 1K5 TSA 750018888 RE-CLUB, CHENEBEL</small></p> <p style="text-align: center;">Made in France</p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <ul style="list-style-type: none"> <li>• Do not use on damaged or broken skin</li> <li>• When using this product keep out of eyes. Rinse with water to remove.</li> <li>• Stop use and ask a doctor if rash occurs</li> <li>• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>• apply generously and evenly 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> </ul> <p style="text-align: right;">Lancome.com L5483 10</p>	Active ingredients	Purpose	Avobenzone 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active ingredients	Purpose										
Avobenzone 3%	Sunscreen										
Octisalate 5%	Sunscreen										
Octocrylene 7%	Sunscreen										

# LANCÔME PARIS RÉNERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM SPF 15 LIFT FIRMING FACE NECK FOR ALL SKIN TYPES

avobenzone, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51150-634
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	70 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROGENATED POLYBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>GUANOSINE</b> (UNII: 12133JR80S)	
<b>CYATHEA MEDULLARIS LEAF</b> (UNII: G65ROR2RKA)	
<b>SUCROSE STEARATE</b> (UNII: 274KW0050M)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05115JN12J)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>FD&amp;C RED NO. 4</b> (UNII: X3W0AM1JLX)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: H1E492ZZ3T)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4S2)	

<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>COUMARIN</b> (UNII: A4VZ22K1WT)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-634-01	1 in 1 CARTON	12/27/2016	
1		75 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:51150-634-02	1 in 1 CARTON	12/27/2016	
2		50 g in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/27/2016	

**Labeler** - SICOS ET CIE (276993581)

### Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-634) , pack(51150-634)

Revised: 12/2023

SICOS ET CIE