

ROCKSAUCE COOLING MASSAGE- menthol, methyl salicylate cream
Implus Footcare, LLC

RockSauce Cooling Massage Gel

DRUG FACTS

ACTIVE INGREDIENT

Menthol 10%

Methyl Salicylate 20%

PURPOSE

Topical Analgesic

USES:

Provides soothing heat to sore muscles and joints.

WARNINGS:

For external use only.

When using this product,

do not take by mouth or place in nostrils, apply to wounds or damaged skin. **Use as directed.**

Ask a health professional before use if you have

sensitive skin or are pregnant or breastfeeding, Discontinue use if irritation occurs.

Keep out of reach of children.

In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS:

Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:

ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, ALOE BARBADENSIS LEAF JUICE, AMINOMETHYL PROPANOL, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP

COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCERIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TOCOPHERYL ACETATE, WATER

Package Labeling:



WORKS WITH ROCKTAPE®

DONNÉES SUR LES MÉDICAMENTS

| DATOS DEL MEDICAMENTO | OBJETIF |
|---------------------------|---------------------|
| Menthol 10% | Analgésique topique |
| Salicylate de méthyle 20% | Analgésique topique |

UTILISATIONS : Apporte une chaleur apaisante aux muscles et aux articulations endoloris.

AVERTISSEMENTS : Pour usage externe uniquement. Lors de l'utilisation de ce produit, ne pas prendre par la bouche, ne pas mettre dans les narines, ne pas appliquer sur des plaies ou des lavabos endormagés. Si vous avez la peau sensible, si vous êtes enceinte ou si vous allaitez, demandez conseil à un professionnel de la santé avant d'utiliser le produit. Cesser l'utilisation en cas d'irritation. **Tenir hors de portée des enfants.** En cas d'ingestion accidentelle, consultez un médecin ou appelez immédiatement le centre antipoison. Ne convient pas aux enfants de moins de 5 ans.

MODE D'EMPLOI : Appliquer généralement sur la zone douloureuse et masser jusqu'à ce que la lotion soit absorbée par la peau. Répétez l'opération 3 à 4 fois par jour. Conservez à une température comprise entre 20 et 25°C (68 et 77°F).

INGRÉDIENTS INACTIFS :
Acétate de tocoféryle, ALCOOL CÉTÉARYLIQUE, AMINOMÉTHYL PROPANOL, Acrylates/C10-30 Alkyl Acrylate Copolymer, CAPSAICINE, Copolymère d'ammonium-acryloyldiméthyltaurate/VP, EAU, EXTRAIT DE FLEUR D'ARNICA MONTANA, Jus de feuille d'Alne Barbardensis, Maltodextrine, Phénoxyéthanol, Phénoxyéthanol ETHYLHEXYLGLYCÉRIN, Phosphate de potassium et de cétyle, PROPYLENE GLYCOL

PAPER / PLASTIC / BOIT / BOTTLE / CONTAINER

LOT

FONTIONNE AVEC ROCKTAPE®

1x

CRÈME DE MASSAGE CHAUFFANTE

APAISE LES MUSCLES ET LES ARTICULATIONS ENDOLORIS

CRÈME DE MASSAGE CHAUFFANTE
12 OZ / 354.8 mL

WORKS WITH ROCKTAPE®

1x

WARMING MASSAGE CREAM

SOOTHES SORE MUSCLES & JOINTS

WARMING MASSAGE CREAM
12 OZ / 354.8 ML

FONTIONNE AVEC ROCKTAPE®

DRUG FACTS

| ACTIVE INGREDIENT | PURPOSE |
|-----------------------|-------------------|
| Menthol 10% | Topical Analgesic |
| Methyl Salicylate 20% | Topical Analgesic |

USES: Provides soothing heat to sore muscles and joints.

WARNINGS: For external use only. When using this product, do not take by mouth or place in nostrils, apply to wounds or damaged skin. **Use as directed.** Ask a health professional before use if you have sensitive skin or are pregnant or breastfeeding. Discontinue use if irritation occurs. **Keep out of reach of children.** In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS: Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:
ACRYLATES/C10-30 ALKYL ACRYLATE COPOLYMER, ALDE BARBADENSIS LEAF JUICE, AMINOMÉTHYL PROPANOL, AMMONIUM ACRYLOYLDIMÉTHYLTAURATE/VP COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCÉRIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TOCOPHERYL ACETATE, WATER

Fabriqué pour Implus Canada
8399 Lawson Road, Unit 104,
Milton, Ontario L9T 9L1
Canada
800-387-9538 • csanders@4implus.com
ID: 129312 | License# 525

Manufactured for Implus Footcare, LLC
2001 TW Alexander Drive • Box 13825
Durham, NC 27709, USA
1-800-446-7587 • help@4implus.com

Made in China | Fabriqué en Chine



© 2025 Implus Footcare, LLC • 03/25
rocktape.com/impact

FROM THE MAKERS OF **ROCKTAPE®**
Go stronger, longer

DES FABRICANTS DE **ROCKTAPE®**
Go stronger, longer

FROM THE MAKERS OF **ROCKTAPE®**
Go stronger, longer

DES FABRICANTS DE **ROCKTAPE®**
Go stronger, longer



ROCKSAUCE

FIRE / FEU



WARMING MASSAGE CREAM
CRÈME DE MASSAGE CHAUFFANTE

12 OZ / 354.8 mL

DRUG FACTS

| ACTIVE INGREDIENT | PURPOSE |
|-----------------------|-------------------|
| Menthol 10% | Topical Analgesic |
| Methyl Salicylate 20% | Topical Analgesic |

USES: Provides soothing heat to sore muscles and joints.

WARNINGS: For external use only. When using this product, do not take by mouth or place in nostrils, apply to wounds or damaged skin. **Use as directed.** Ask a health professional before use if you have sensitive skin or are pregnant or breastfeeding. Discontinue use if irritation occurs. **Keep out of reach of children.** In case of accidental ingestion, get medical help or call Poison Control Center right away. Not for children 5 years or younger.

DIRECTIONS: Apply liberally to area of pain and massage until lotion is absorbed into the skin. Repeat 3-4 times daily. Store at 68° to 77°F (20° to 25°C)

INACTIVE INGREDIENTS:
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, ALOE BARBADENSIS LEAF JUICE, AMINOMETHYL PROPANOL, AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER, ARNICA MONTANA FLOWER EXTRACT, CAPSAICIN, CETEARYL ALCOHOL, MALTODEXTRIN, PHENOXYETHANOL, PHENOXYETHANOL ETHYLHEXYLGLYCERIN, POTASSIUM CETYL PHOSPHATE, PROPYLENE GLYCOL, TOCOPHERYL ACETATE, WATER

Manufactured for Implus Footcare, LLC
2001 TW Alexander Drive • Box 13925
Durham, NC 27709, USA
1-800-446-7587 • help@4implus.com

Fabriqué pour Implus Canada
8399 Lawson Road, Unit 104,
Milton, Ontario L9T 9L1
800-387-9538 • caorders@4implus.com
ID: 129312 | License# 525

Made in China | Fabriqué en Chine

© 2025 Implus Footcare, LLC - 03/25

rocktape.com/impact



DONNÉES SUR LES MÉDICAMENTS

| DATOS DEL MEDICAMENTO | OBJETIVO |
|---------------------------|-------------------|
| Menthol 10% | Analgésico tópico |
| Salicylate de méthyle 20% | Analgésico tópico |

UTILISATIONS : Apporte une chaleur apaisante aux muscles et aux articulations endolories.

AVERTISSEMENTS : Pour usage externe uniquement. Lors de l'utilisation de ce produit, ne pas prendre par la bouche, ne pas mettre dans les narines, ne pas appliquer sur des plaies ou des lavabos endommagés. Si vous avez la peau sensible, si vous êtes enceinte ou si vous allaitez, demandez conseil à un professionnel de la santé avant d'utiliser le produit. Cesser l'utilisation en cas d'irritation. **Tenir hors de portée des enfants.** En cas d'ingestion accidentelle, consultez un médecin ou appelez immédiatement le centre antipoison. Ne convient pas aux enfants de moins de 5 ans.

MODE D'EMPLOI : Appliquer généreusement sur la zone douloureuse et masser jusqu'à ce que la lotion soit absorbée par la peau. Répétez l'opération 3 à 4 fois par jour. Conservez à une température comprise entre 20 et 25°C (68 et 77°F).

INGRÉDIENTS INACTIFS :
Acétate de tocophéryle, ALCOOL CÉTEARYLIQUE, AMINOMETHYL PROPANOL, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, CAPSAICINE, Copolymère d'ammonium-acryloyldiméthyltaurate/VP EAU, EXTRAIT DE FLEUR D'ARNICA MONTANA, Jus de feuille d'Aloe Barbadosis, Maltodextrine, Phénoxyéthanol, Phénoxyéthanol ETHYLHEXYLGLYCERIN, Phosphate de potassium et de cétyle, PROPYLENE GLYCOL.

DO NOT EAT OR DRINK /
NE PAS MANGER NI BOIRE



ROCKSAUCE COOLING MASSAGE
menthol, methyl salicylate cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:81683-007 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 100 mg in 1 mL |
| METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) | METHYL SALICYLATE | 20 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB) | |
| AMINOMETHYLPROPANOL (UNII: LU49E6626Q) | |
| AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG) | |
| ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ) | |
| CAPSAICIN (UNII: S07O44R1ZM) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:81683-007-01 | 1 in 1 BOX | 05/01/2025 | |
| 1 | | 354.8 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M017 | 05/01/2025 | |

Labeler - Implus Footcare, LLC (361531585)**Registrant** - Implus Footcare, LLC (361531585)

