

THERACARE MAXIMUM STRENGTH PAIN RELIEF PATCH- lidocaine patch
Veridian Healthcare

TheraCare Maximum Strength Pain Relief Patch

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Use

temporary relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time
- on cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

When using this product

- use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens
- redness is present

- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Directions

adults and children 12 years of age and over:

- clean and dry affected area
- carefully remove backing from patch starting at the corner
- Apply sticky side of patch to affected area.
- Use one patch for up to 12 hours.
- Discard patch after single use
- **children under 12 years of age:** consult a physician

Other information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture

Inactive ingredients

aluminum glycinate, benzyl alcohol, ethylhexylglycerin, glycerin, kaolin, phenoxyethanol, polyacrylic acid, polysorbate 80, propylene glycol, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Principal display panel

THERA|CARE
by Vaidian Healthcare

Model 24-9116PF

Drug Facts

Active ingredient **Purpose**
Lidocaine 4.0% Topical anesthetic

Use For temporary relief of pain.

Warnings

For external use only.

Do not use on more than one patch on your body at a time. Do not use on irritated or swollen skin. Do not use on puncture wounds. Do not use on raw, sunburned or chapped areas. Do not use on more than one week without consulting a doctor. If you are allergic to any active or inactive ingredients. If pouch is damaged or opened.

When using this product: Use only as directed. Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not use at the same time as other topical anesthetics. Do not bandage tightly or apply local heat (such as heating pads) to the area of use. Do not microwave. Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.

Stop use and consult a doctor if: Condition worsens. Redness is present. Irritation develops. Symptoms persist for more than 7 days or clear up and occur again within a few days. You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-922-1222) right away.

Directions

Adults and children 12 years of age and over: Clean and dry affected area, free of lotions, ointments and creams. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12-hour period. Maximum 2 patches per day. Discard patch after single use. Children under 12 years of age: consult a physician.

Other information Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive ingredients


aluminum hydroxide, benzyl alcohol, ethylhexylglycerin, glycerin, inulin, phenylethanol, polyacrylic acid, polyisobutylene, propylene glycol, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

*This product is not manufactured or distributed by Vaidian America, Inc., owner of the registered trademark Sclerapex®.

TOLL-FREE Customer Care Help Line
1-866-326-1313 Mon-Fri 9:30 am-4:30 pm CST



PULL TO SEPARATE FILM



PEEL OFF ONE SIDE OF FILM



PLACE PATCH ON SKIN



PEEL OFF OTHER SIDE OF FILM



PRESS FIRMLY TO SKIN

THERA|CARE
by Vaidian Healthcare

NDC71101-001-05

Maximum OTC Strength

Lidocaine Pain Relief Patch

4% LIDOCAINE | TOPICAL ANESTHETIC

- Provides Temporary Pain Relief
- Flexible Adhesive Patch
- Single-Use Application
- Unscented Formula



6 PATCHES
3.93 IN. X 5.51 IN. (10 cm x 14 cm)

COMPARE TO THE ACTIVE INGREDIENT IN SALONPA® LIDOCAINE PAIN RELIEFING PATCH

Manufactured for:
Vaidian Healthcare, LLC
1175 Lakeside Drive
Geneva, IL 60131 USA
www.theracarehealthcare.com

Made in India
9224105 12/23 VCS10055
©2023 Vaidian Healthcare, LLC



Child-Resistant Packaging

LOT
EXP

6.6929" 170mm

CUT OPEN HERE

Drug Facts

Active Ingredient: Lidocaine 4.0% **Purpose:** Topical anesthetic

Uses: Temporarily relieve minor pain.

Warnings: For external use only. Do not use more than one patch on your body at a time. Do not use if On red, irritated or swollen skin. Do not use on puncture wounds. Do not use on one side without consulting a doctor if you are allergic to any active or inactive ingredients. Do not use if the patch is damaged or opened.

When using this product: Use only as directed in Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not use at the same time as other topical anesthetics. Do not massage lightly or apply heat (such as heating pads) to the area of use. Do not microwave. Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.

Stop use and consult a doctor if: Condition worsens. Redness is present. Irritation develops. Symptoms persist for more than 7 days or occur up and occur again within a few days. You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-822-1222 right away.

Directions: Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch, sticking at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Other Information: Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients: aluminum glycinate, benzyl alcohol, ethylhexylglycerin, glycerin, lauryl, phenoxyethanol, polyacrylic acid, polybutadiene 90, propylene glycol, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

This product is not manufactured or distributed by Qualitest, Inc., Division of Inceptivex® Max Strength Lidocaine Patch.

Manufactured for: Veridien Healthcare, LLC
1175 Lakeside Drive
Gurnee, IL 60081 USA
www.veridienhealthcare.com
Made in India

Model# 98-9118PP
Customer Care Help Line: 1-866-256-1212
Mon-Fri 8:30 am-4:30 pm CST

LOT

EXP

8 45717 00876 5

5.5118" 140mm

THERACARE™
PAIN THERAPY
by Veridien Healthcare

NR71107-001-24

**Maximum Strength
Pain Relief
4% Lidocaine Patch**

BACK, NECK, LEG & SHOULDER

Desensitizes Aggravated Nerves and Relieves Pain

TOPICAL ANESTHETIC

- No-Mess, Single-Use Application
- Easy to Apply and Remove
- Stay-Put Flexible Gel Patch
- Unscented

1 PATCH
3.93 in. x 5.51 in. (10 cm x 14 cm)

Contains 1 Active Ingredient®
Maximum Strength Lidocaine Patch
active ingredient®

6.3125 in.

CUT OPEN HERE

THERACARE™
PAIN THERAPY
by Veridien Healthcare

**Maximum Strength
Pain Relief
4% Lidocaine Patch**

BACK, NECK, LEG & SHOULDER

Desensitizes Aggravated Nerves and Relieves Pain

TOPICAL ANESTHETIC

- No-Mess, Single-Use Application
- Easy to Apply and Remove
- Stay-Put Flexible Gel Patch
- Unscented

1 PATCH
3.93 in. x 5.51 in. (10 cm x 14 cm)

Contains 1 Active Ingredient®
Maximum Strength Lidocaine Patch
active ingredient®

4.625 in.

6.3125 in.

CUT OPEN HERE

Drug Facts

Active Ingredient: Lidocaine 4.0% **Purpose:** Topical anesthetic

Uses: Temporarily relieve minor pain.

Warnings: For external use only. Do not use more than one patch on your body at a time. Do not use if On red, irritated or swollen skin. Do not use on puncture wounds. Do not use on one side without consulting a doctor if you are allergic to any active or inactive ingredients. Do not use if the patch is damaged or opened.

When using this product: Use only as directed in Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not use at the same time as other topical anesthetics. Do not massage lightly or apply heat (such as heating pads) to the area of use. Do not microwave. Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.

Stop use and consult a doctor if: Condition worsens. Redness is present. Irritation develops. Symptoms persist for more than 7 days or occur up and occur again within a few days. You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-822-1222 right away.

Directions: Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch, sticking at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Other Information: Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients: aluminum glycinate, benzyl alcohol, ethylhexylglycerin, glycerin, lauryl, phenoxyethanol, polyacrylic acid, polybutadiene 90, propylene glycol, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

This product is not manufactured or distributed by Veridien Healthcare, Inc., Division of Inceptivex® Maximum Strength Lidocaine Patch.

Manufactured for: Veridien Healthcare, LLC
1175 Lakeside Drive
Gurnee, IL 60081 USA
www.veridienhealthcare.com
Made in India

Model# 98-9118PP
Customer Care Help Line: 1-866-256-1212
Mon-Fri 8:30 am-4:30 pm CST

LOT

EXP

4.625 in.

THERACARE MAXIMUM STRENGTH PAIN RELIEF PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71101-001	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	4 mg	
Inactive Ingredients				
Ingredient Name				Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)				
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)				
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)				
GLYCERIN (UNII: PDC6A3C0OX)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
TARTARIC ACID (UNII: W4888I119H)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
KAOLIN (UNII: 24H4NWX5CO)				
WATER (UNII: 059QF0KO0R)				
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101-001-06	6 in 1 CARTON	05/01/2022	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:71101-001-24	1 in 1 POUCH; Type 0: Not a Combination Product	05/01/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		05/01/2022	

Labeler - Veridian Healthcare (830437997)

Establishment

Name	Address	ID/FEI	Business Operations
-------------	----------------	---------------	----------------------------

Revised: 12/2024

Veridian Healthcare